

RECEIVED

MAR 30 2018

IDWR / NORTH

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-4731

GORDON SYLTE
8626 W SYLTE RANCH RD
RATHDRUM ID 83858
Telephone Number: 2086871213

SUSAN GOODRICH
8626 W SYLTE RANCH RD
RATHDRUM ID 83858
Telephone Number: 2086871213

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Source of water

2. Describe the changes you wish to make in the proposed recommendation:

This is a spring not a well

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3-30-18 SIGNATURE: Gordon Sylte
Please print your name: Gordon Sylte

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800