

NOTICE OF ERROR
REPLY

RECEIVED
MAR 30 2018
IDWR / NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-7604

SYLTE RANCH LLC
8626 W SYLTE RANCH RD
RATHDRUM ID 83858-6820
Telephone Number: 2086871213

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

POU not accurate

2. Describe the changes you wish to make in the proposed recommendation:

See map. Acres should not include the treed area. Acres^{are} irr. within the black outlined area.

3. Give a brief explanation as to why you disagree with these portions:

I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3-30-18

SIGNATURE:

Salmon Sylte
Gordon Sylte

Please print your name:


Gordon Sylte

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

State of Idaho
Department of Water Resources
Adjudication Recommendation
95-7604

Sylte Ranch LLC

RECEIVED
MAR 30 2018
IDWR / NORTH



-  Point of Diversion
-  Place Of Use Boundary
-  Townships
-  PLS Sections
-  Taxlots

0 0.075 0.15 0.3 Miles