

NOTICE OF ERROR
REPLY

RECEIVED

02/09/2018

MAR 29 2018

IDWR / NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-13475

BRUCE CHRISTIANSEN
16853 N HAYDEN LAKE RD
HAYDEN ID 83835
Telephone Number: 2086997045

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

Correct parcel number from Kootenai Co:
0-L-1790010010

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 3/26/18

SIGNATURE:

J. S. De Smet

Please print your name: Jame S De Smet, PE, PG

quantumeng@icloud.com 208 661 5200

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D'ALENE, ID 83815-7763, (208) 762-2800