

RECEIVED

APR 30 2018

04/09/2018

NOTICE OF ERROR
REPLY

IDWR/NORTHERN

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-13071

LOIS M EGGART

23646 N RIMROCK RD

HAYDEN ID 83835

Telephone Number: 2087724609

LAWRENCE EGGART
PO Box 18601
Nome, AK 99762

Gerald E Eggart
23646 N. Rimrock
Hayden, ID 83835
2087724609

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10 Apr 18

SIGNATURE: Lawrence Eggart

Gerald Eggart 5-15-18

Please print your name: LAWRENCE D EGGART Gerald E Eggart

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800