

RECEIVED

02/09/2018

NOTICE OF ERROR
REPLY

MAY 07 2018

IDWR / NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-17205

TROY BUSENBARK
592 TAG ALONG WAY
ATHOL ID 83801
Telephone Number: 2088197857

MICHELLE BUSENBARK
592 TAG ALONG WAY
ATHOL ID 83801
Telephone Number: 2088197857

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity of Water

2. Describe the changes you wish to make in the proposed recommendation:

Increase quantity to 0.03 CFS

3. Give a brief explanation as to why you disagree with these portions:

Well yield is 12 GPM

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

5-7-18

SIGNATURE:

Troy Busenbark

Please print your name:

Troy Busenbark

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800