

RECEIVED

MAY 04 2018

02/09/2018

NOTICE OF ERROR
REPLY

IDWR/NORTHERN

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-8644

CINDY S SHARON
5281 W HAYDEN AVE
RATHDRUM ID 83858
Telephone Number: 2086607480

JEFFREY B SHARON
5281 W HAYDEN AVE
RATHDRUM ID 83858
Telephone Number: 2086607480

*PO Box 2775, HAYDEN, ID 83835
form already given*

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 5-4-18

SIGNATURE: Cindy Sharon

Please print your name: CINDY SHARON

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800