

RECEIVED

JUN 14 2018

IDWR / NORTH

04/09/2018

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-11480

MATTHEW GUSTAFSON

15880 ~~15976~~ W RIVERVIEW DR

POST FALLS ID 83854

Telephone Number: 2087778636

BERNADETH GUSTAFSON

15880 ~~15976~~ W RIVERVIEW DR

POST FALLS ID 83854

Telephone Number: 2087778636

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____ SIGNATURE: 

Please print your name: _____

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800