

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

The maximum combined rate of diversion under this right & Right No. 22-7229 shall not exceed 1.04 cfs.

If diversion under this permit is found to decrease surface flows in Bouquet Creek, diversion will be subject to control of the watermaster of Water District No. 01.

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	04/15 10/15	0.600 CFS
		90.00 AFY
<u>IRRIGATION Within TETON County</u>		
T04N R45E S31 Lot 1 NWNW	30.00	
30 ACRES TOTAL		

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.


EXPLANATORY MATERIAL: BASIS OF CLAIM - License



State of Idaho
Department of Water Resources
Eastern Region



Claim No.(s): 22-7238, 22-11425



- Place of Use
- Points Of Diversion
- Sections
- Quarter Quarter

GIS Place of Use Illustration
1987/1988 NAPP Photography
Prepared by T. Galbraith
Date: April 2006



04/13/2006

RECEIVED

DEC 07 2006

Department of Water Resources
Eastern Region

NOTICE OF ERROR

REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 22-7238

DELBERT T KUNZ

490 W 625 S

VICTOR ID 83455

Telephone Number: (208)354-2469

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Agree

2. Describe the changes you wish to make in the proposed recommendation:

NONE

3. Give a brief explanation as to why you disagree with these portions:

N/A



I AGREE with this proposed recommendation: no changes need to be made.

DATE: Dec 6, 2006 SIGNATURE: Delbert T. Kunz
Please print your name: DELBERT T. KUNZ

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Kunz
12/17

Claim No. 22-7238

Document Checklist

☒ Copy License/Decree

☐ Copy Transfer

N/A

☒ Copy Licensing Field Exam

☐ Check if Ownership/Address Change is Required

N/A

☐ Generate, mail and file "Evidence of Priority" letter

N/A

☒ Generate Arcview Map


Please refer to claim 22-7229 Same POB
w/ Limits NO Overlap or POB

Photo shows pump and well for
 Ruby Kung (Maik Kung) and Robert
 Kung claims



Claim A22-7238 & 1422-7229
 Kung's well

Water Right No(s). _____



GPS DATA:

Tag # ADP 16026 Location: on east side of electric panel

Diversion Data:

Source: Well Trib to: _____

MOTOR

Make: General Electric Model: 5K6234XM501A Hp: 20
SN: LNT 1102278

PUMP

Make: Johnston Model: unavail. Disch: 8" to a 6" line
SN: NA

NOTES:

Field Exam Date: 10/25/05 Agent: DD

Point of Diversion and Source Data Entry Form

Claim Number: _____

Water Right Point(s) of diversion and Source.

Water Right Point of Diversion: T _____, R _____, Sec. _____, _____, _____, _____, County: _____

Source: _____ Tributary to: _____

Water Right Point of Diversion: T _____, R _____, Sec. _____, _____, _____, _____, County: _____

Source: _____ Tributary to: _____

Claimed Point(s) of Diversion and Source.

Twp	Rge	Sec	Gov Lot	QQQ of QQ of Q	County	Source	Tributary to
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

Recommended Point(s) of Diversion and Source.

Twp	Rge	Sec	Gov Lot	QQQ of QQ of Q	County	Source	Tributary to
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____	_____	_____

Other rights from this POD? _____

Transfers Pending or approved: _____


Document how the POD and Source were verified:

10/25/05
EO
Field exam showed that groundwater is diverted by pump and irrigation pipe to hand lines

Reviewer: _____ Date: _____

22-7238

10/25/05
20



Place Of Use Data Entry Form

Claim Number: _____

Claimed Place Of Use

Twp	Rge	Sec	QQ	Q	County	Lot Num	Acres	Purpose of Use

Total acres _____

Recommended Place of Use

Twp	Rge	Sec	QQ	Q	County	Lot Num	Acres	Purpose of Use

Total acres _____

Pending or approved Transfers: _____

Overlapping rights: _____

Document how the POU was verified:

10/25/05
DO

Field exam showed that the NW 1/4 of Sec. 31 is irrigated with a pump and sprinklers. In conjunction with the well, water from Henderson Creek is used in this system.

There is approx. 30-33 acres actually irrigated.

LICENSOR Son 30^{ac} - Claims 40^{ac}
 CLAIM MAP (ASCS) SHOWS 30^{ac}
 Recommend as Lic

Reviewer: _____ Date: _____

State of Idaho
Department of Water Resources

APR 27 1987

Department of Water Resources
Eastern District Office

WATER RIGHT LICENSE

WATER RIGHT NO. 22-7238

Priority: May 18, 1977 Amount: .60 CFS 90.0 AFA

This is to certify, that DELBERT T. KUNZ
M. GRANT KUNZ

P.O. BOX 2343

IDAHO FALLS, ID 83401

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated May 18, 1977, and has submitted proof to the Department of Water Resources on March 3, 1982, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of 1.04 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>	
Irrigation	04/15 to 10/15	.60 cfs	90.0 afa	
<u>LOCATION OF POINT OF DIVERSION(S):</u>		SENE, Sec. 36, Township 4N, Range 44E Teton County		
<u>PLACE OF USE:</u> Irrigation				
<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
4N 45E 31	NWNW 30			30
Total number of acres irrigated:				30

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 3.0 afa per acre for the lands above.
5. The maximum combined rate of diversion under this right & Right No. 22-7229 shall not exceed 1.04 cfs.
6. If diversion under this permit is found to decrease surface flows in Bouquet Creek, diversion will be subject to control of the watermaster of Water District No. 01.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 22nd day of April, 1987.

Acting for the

Director

RECEIVED

JAN 20 1984

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

Department of Water Resources

22-7238

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made: (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 5 Aug 1982 Accompanied by Grant Kunz Total Q measured 1.04 cfs ✓
 If source is surface water, estimate total flow of source
 Methods of measurement Annubar # 171136 (7.781') Meets Permit requirements? No
10/10/82

Measurement calculations:

$$3.8' \text{ of water corrected } Y = 1.0302(3.8) - 0.2657$$

$$V = 30ac \times 3.0 cfs = 90 ac \checkmark$$

$$Y = 3.65106$$

$$Q = \frac{3.85(7.781') \sqrt{3.65106}}{448.8} = 1.04 cfs \text{ Capacity}$$

$$Q = 30ac \times 0.02 cfs = 0.6 cfs \checkmark Q \text{ limited by } 0.02 cfs/ac$$

WELL/DIVERSION* NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
	20	GE	LNJ1102378	Johnston	4/1	Annubar # 171136	Good	Pump has no S/N.

System Description well pump machine to lateral with sprinklers

*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE

Irrigation ✓

Irrigation requirement =

3.0 ✓

AFA/Acre

Q (cfs)

0.60 cfs ✓

V (afa)

90 cfs ✓

FROM

4/15 ✓

TO

10/15 ✓

183 days

Total

0.60 cfs ✓

90 cfs ✓

4/15

10/15

Remarks R17 (22-7229) (1.04 cfs)

P/D overlap per VAX: 22-7229 - no plu overlap
also being licensed.

B29

MAP (Attach Aerial Photo)

(Include distance from pump to measuring device, if applicable.)



Recommended Amendments:

- ☐ Change P.D. as reflected above
- ☐ Change P.U. as reflected above

Examiner's Signature Leif Cullen Date 11 Jan 1984
 Checked by H. W. no Date 1-16-84
 Approved by Kay Walker Date 5-1-86

22-7238 KOW



NO

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A22-07238
Date Received: 8/29/1988
Receipt No: E001870
Received By: S. M.

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: DELBERT T. KUNZ 208-354-2469
Address: 490 WEST 625 SOUTH
VICTOR, ID 83455

2. Date of Priority: MAY 18, 1977

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
04N	44E	36	SE	NE			TETON

5. Description of diverting works:
WELL & PUMP TO SPRINKLER SYSTEM.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/15	10/15	0.600		

7. Total Quantity Appropriated is:
0.600 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 80.0 Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
04N	45E	31	NW	NW		IRR	40.0
Section Acres							40.0
Total Acres							40.0

A22-07238

Page 1

Date: 08/29/88

MICROFILMED
OCT 29 1992



11. Place of use in counties: TETON

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

14. Remarks:

The maximum combined rate of diversion under this right & Right No. 22-7229 shall not exceed 1.04 cfs.
If diversion under this permit is found to decrease surface flows in Bouquet Creek, diversion will be subject to control of the watermaster of Water District No. 01.

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: -1-

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Robert J. Hunsy Date: 29 Aug 1988

Date: _____

State of Idaho)
County of Bonnerille) ss.

Subscribed and sworn (or affirmed) before me this 29th day
of August 19 88


Deena Green
Notary Public

Seal

Residing at Richy
My Commission Expires 4-22-1994

NOT TO SCALE

09
-
T4N



UNCLASSIFIED
OCT 29 1992