



State of Idaho

DEPARTMENT OF WATER RESOURCES

322 E FRONT ST STE 648 • PO BOX 83720 • BOISE ID 83720-0098

Phone: (208) 287-4800 • Fax: (208) 287-6700 • Website: idwr.idaho.gov

C.L. "BUTCH" OTTER
Governor

GARY SPACKMAN
Director

July 16, 2018

SAM SYMONS
BETTY SYMONS
PO BOX 2942
HAYDEN LAKE ID 83835

RE: Response to Notice of Error to Preliminary Recommendation for Coeur d'Alene-Spokane River Basin Adjudication (CSRBA) claim 95-16750

Dear Mr. and Ms. Symons;

The Idaho Department of Water Resources (IDWR) has reviewed the Notice of Error Reply (NOE) you submitted in connection with the preliminary recommendation for claim 95-16750.

The NOE reply asks that IDWR recognize a change in the recommended point of diversion location from T52N, R03W, S30, NWSE, to the new location on parcel 52N03W308600 which falls in T52N, R03W, S30, SWSE.

According to IDWR well construction information, the new/replacement well was drilled in 2015. Because the location of the replacement well is in a different legal description than the original well, a transfer to change the point of diversion will need to be filed to change the point of diversion location on your water right.

The Transfer Application form can be found at IDWR's website at www.idwr.idaho.gov.

Because of this, IDWR will not be able to make the requested changes. If you still disagree with the recommendation, you will have the opportunity to file an objection¹ and be heard by the court.

Respectfully,

Craig L. Saxton
Adjudication Technical Analyst
craig.saxton@idwr.idaho.gov
208.287.4916

¹ Instructions for filing an objection will be included with the mailing of the Director's Report which is estimated to be sent in July of 2018.