

NOTICE OF ERROR
REPLY

10/05/2018
RECEIVED
OCT 15 2018
DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-4288
JOSEPH B OLSON
1825 E ROCKWOOD BLVD
SPOKANE WA 99206
Telephone Number: 5095356015

BETTY J OLSON
1825 E ROCKWOOD BLVD
SPOKANE WA 99206
Telephone Number: 5095356015

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10/11/2018 SIGNATURE: Joseph B Olson Betty J Olson
Please print your name: Joseph B. Olson BETTY J. OLSON

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800