

RECEIVED

OCT 16 2018

DEPARTMENT OF
WATER RESOURCES

10/05/2018

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-13079

RAYMOND MOORE
9021 21ST AVE NW
SEATTLE WA 98117
Telephone Number: 2067817071

ELIZABETH MOORE
9021 21ST AVE NW
SEATTLE WA 98117
Telephone Number: 2067817071

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10-13-18

SIGNATURE:

Raymond Moore

Elizabeth Moore

Please print your name:

Raymond Moore

Elizabeth Moore

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800