

RECEIVED  
10/05/2018  
OCT 18 2018  
DEPARTMENT OF  
WATER RESOURCES

NOTICE OF ERROR  
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-15440

ARLO SLACK  
248 EVERGREEN TERRACE RD  
SAINT MARIES ID 83861  
Telephone Number: 2082452448

MICHELLE SLACK  
248 EVERGREEN TERRACE RD  
ST MARIES ID 83861  
Telephone Number: 2082452448

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):


2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10/16/18

SIGNATURE:



Please print your name:

Arlo Slack

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800