

RECEIVED

OCT 26 2018

IDWR / NORTH

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-15317

TERRY BUTCHER

PO BOX 456

PLUMMER ID 83851

Telephone Number: 2086863602

JANET BUTCHER

PO BOX 456

PLUMMER ID 83851

Telephone Number: 2086863602

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

*Well should be connected w/ claim 95-15317
Shown as 95-15118 POU also.*

2. Describe the changes you wish to make in the proposed recommendation:

*Locate well & POU so its appurtenant
to 95-15317.*

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

10/26/18

SIGNATURE:

Terry Butcher

Please print your name:

Terry Butcher

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800



15317