

RECEIVED

OCT 23 2018

IDWR/NORTH

10/05/2018

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-12657

SVEN HENRIKSEN
2683 W HULL LOOP
COEUR D ALENE ID 83814
Telephone Number: 2086648779

KAREN HENRIKSEN
2683 W HULL LOOP
COEUR D ALENE ID 83814
Telephone Number: 2086648779

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10-23-18

SIGNATURE: Karen Henriksen

Please print your name: KAREN HENRIKSEN

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800