

RECEIVED

OCT 22 2018

10/05/2018

NOTICE OF ERROR
REPLY

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-15427

RICHARD R ACUFF

423 NW SUNSET DR

PULLMAN WA 99163

Telephone Number: 2087902200

→ 413 NW SUNSET DRIVE

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Name and Address

2. Describe the changes you wish to make in the proposed recommendation:

Change street address from H23 to 413.

3. Give a brief explanation as to why you disagree with these portions:

Moved to different address.

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10/18/2018

SIGNATURE:



Please print your name:

Richard R Acuff

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

↳ Address change form also sent.