

NOTICE OF ERROR
REPLY

RECEIVED
10/05/2018
OCT 15 2018
IDWR / NORTH

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-2211

ELMOR EVANS
6776 BENEWAH CREEK RD
SAINT MARIES ID 83861
Telephone Number: 2082453110

BEVERLY EVANS
6776 BENEWAH CREEK RD
SAINT MARIES ID 83861
Telephone Number: 2082453110

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity: Should be 0.86 cfs as licensed
Acreage irr: 43

2. Describe the changes you wish to make in the proposed recommendation:

Quantity was recommended @ 0.38 cfs
Acreage recommended as 19.0
Approximately 6 acres are irrigated in the NW 1/4 SW 1/4
Sec. 4, T45N
R3W,
in the
1950's.

3. Give a brief explanation as to why you disagree with these portions:

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10-15-18

SIGNATURE:

Elmor D. Evans

Please print your name:

ELMOR D. EVANS