

NOTICE OF ERROR
REPLY

RECEIVED

OCT 29 2018

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-8770

J B FLUME

4106 E 41ST AVE

SPOKANE WA 99223

Telephone Number: 5094558247

DECEASED

SALLY FLUME

4106 E 41ST AVE

SPOKANE WA 99223

Telephone Number: ~~5094558247~~ 509-990-9901

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

I AGREE with this proposed recommendation: with above change .
no changes need to be made.

DATE: 10-24-2018

SIGNATURE: Sally Flume

Please print your name: SALLY FLUME

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800