

10/23/2018
RECEIVED

OCT 29 2018

**DEPARTMENT OF
WATER RESOURCES**

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-17344

THOMAS F MILDNER
BOX 2811
COEUR D ALENE ID 83816
Telephone Number: 5037806403

BARBARA A MILDNER
BOX 2811
COEUR D ALENE ID 83816
Telephone Number: 5037806403

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10/24/18 SIGNATURE: [Signature] / Barbara C. M.
Please print your name: Thomas F Mildner / Barbara A Mildner

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800