

RECEIVED

OCT 29 2018

10/05/2018

IDWR/NORTHERN

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-16490

THOMAS M FRITZ
4415 S TAMPA DR
SPOKANE WA 99223
Telephone Number: 5099991801

ANNE E FRITZ
4415 S TAMPA DR
SPOKANE WA 99223
Telephone Number: 5099991801

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X

I AGREE with this proposed recommendation: no changes need to be made.

DATE:

10/25/18

SIGNATURE:

Anne E Fritz

Please print your name:

Anne E. Fritz

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

Charge in ownership name
due to death of Thomas M. Fritz