

RECEIVED

10/05/2018

NOV 05 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-15266

GERRY BENSON

301 15TH ST

PLUMMER ID 83851

Telephone Number: 2086869360

JENNIFER BENSON

301 15TH ST

PLUMMER ID 83851

Telephone Number: 2086869360

331 15th St
331 15th St

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

10-31-18

SIGNATURE:

Gerry Benson

Please print your name:

Gerry Benson

Just address correction.

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800