

RECEIVED

NOV 01 2018

10/05/2018

IDWR/NORTH

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-16230

JAY T BROWN
3763 ST ANDREWS DR
SANTA ROSA CA 95403
Telephone Number: 2086645959

B BRADFORD BROWN
3763 ST ANDREWS DR
SANTA ROSA CA 95403
Telephone Number: 2086645959

DANFORTH D KEATING
3763 ST ANDREWS DR
SANTA ROSA CA 95403
Telephone Number: 2086645959

LELAND K BROWN
3763 ST ANDREWS DR
SANTA ROSA CA 95403
Telephone Number: 2086645959

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10-31-18 SIGNATURE: Leland K. Brown

Please print your name: LELAND K. BROWN

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800