

10/05/2018
RECEIVED

NOV 09 2018

**DEPARTMENT OF
WATER RESOURCES**

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-8206

VELMA GRAY
345 GRAYS LN

PLUMMER ID 83851

Telephone Number: 208-~~686-0519~~ 449-1048

LARRY GRAY
345 GRAYS LN

PLUMMER ID 83851

Telephone Number: 208-~~686-0519~~ 449-1048

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: 5 NOV. 18 SIGNATURE: Larry E. Gray

Please print your name: LARRY E. GRAY

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800