

RECEIVED

10/05/2018

NOV 13 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-14698

NANCY C KING

3973 E HALF ROUND BAY RD

HARRISON ID 83833

Telephone Number: 2086899411

KEN H KING

3973 E HALF ROUND BAY RD

HARRISON ID 83833

Telephone Number: 2086899411

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

IT STATES THAT THERE IS ONE HOME

2. Describe the changes you wish to make in the proposed recommendation:

WE HAVE TWO HOMES OF USE

3. Give a brief explanation as to why you disagree with these portions:

WE HAVE A COMPLETE APARTMENT AS PART
OF THE HOUSE THAT CAN USE EQUAL WATER

~~I AGREE with this proposed recommendation: no changes need to be made.~~

DATE: 11-9-18

SIGNATURE:

Please print your name:

Ken H. King

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800