

10/05/2018

RECEIVED

NOV 13 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-14850

BALAKRISHNAN SHANKAR

6740 N SPURWING LOOP #104

COEUR D'ALENE ID 83815

Telephone Number: 6616073054

ANN ELIZABETH PALMER

6740 N SPURWING LOOP #104

COEUR D'ALENE ID 83815

Telephone Number: 6616073054

604 COEUR d'Alene AVE
COEUR d'Alene ID 83814
(208) 625-7211
604 COEUR d'Alene AVE
COEUR d'Alene ID 83814
(208) 625-7211

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE:

11/9/18

SIGNATURE:

Ann Palmer

Please print your name:

BALAKRISHNAN SHANKAR ANN PALMER

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800