

NOTICE OF ERROR
REPLY

RECEIVED
10/05/2018
NOV 16 2018
DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-16151

KAREN SHELER CONINE
20426 DAMSON RD
LYNNWOOD WA 98036
Telephone Number: 4257764908

HOWARD CONINE
20426 DAMSON RD
LYNNWOOD WA 98036
Telephone Number: 4257764908

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Quantity

2. Describe the changes you wish to make in the proposed recommendation:

No Quantity limitation

3. Give a brief explanation as to why you disagree with these portions:

I paid dearly for the drilling of my well.
I do not agree to any limitation on the quantity
of use. Not that I probably would ever use that much.

☐ I AGREE with this proposed recommendation; no changes need to be made.

DATE: 11/11/18 SIGNATURE: Karen Conine
Please print your name: Karen Conine

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

I'm in Arizona for the winter but will be in Idaho
11/20/18 if we can schedule an appointment to help
me better understand what this all means.

phone # 425 954-9427