

10/05/2018

NOTICE OF ERROR
REPLY

RECEIVED

NOV 19 2018

IDWR/NORTHERN

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

OUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 18, 2018

Water right number: 95-9270

DANIEL CHARLES HURLEY
639 N RIVERPOINT BLVD 3201
SPokane WA 99202
Telephone Number: 2086646474

Describe the portion of the proposed recommendation with which you disagree (e.g., priority date, period of use, source):

Limit Of 13,000 Gallons Of Water Per Day

Describe the changes you wish to make in the proposed recommendation:

AFTER THE PROPOSED DENIAL OF RIGHT NUMBER: 95-9271 THE RESTRICTION OF WR# 95-9270 TO 13,000 GALLONS OF WATER PER DAY WOULD BE LESS THAN A QUARTER OF AMOUNT OF WATER PER DAY MEET THE IRRIGATION NEEDS ON OUR PROPERTY. WE HAVE OVER TWO ACRES OF CULTIVATED LAND LESS DOMESTIC USE THAT WE NEED WATER FOR. THE WATER NEEDS WE FACE IS 52,000 GALLONS PER

Give a brief explanation as to why you disagree with these portions:

THE PORTIONS SHOWN AT 13,000 GALLONS PER DAY IS ONLY FOR DOMESTIC CONSUMPTION AND ASSOCIATED LANDSCAPING. OUR ACTUAL WATER CONSUMPTION USE DURING THE GROWING SEASON IS A MINIMUM 52,000 GALLONS PER DAY. WITH THE COURTS' PROPOSAL TO CANCEL WATER RIGHT # 95-9271 WE NEED AN INCREASE TO THAT MINIMUM RATE OF 52,000 GPD TO MAKE UP FOR A 1948 PRIORITY DATE ASSOCIATED WITH THIS PROPOSED RECOMMENDATION: NO CHANGES NEED TO BE MADE.

#95-9271

YES: 16 Nov 18

SIGNATURE:

Daniel Charles Hurley

Please print your name:

DANIEL CHARLES HURLEY