

10/05/2018 RECEIVED

NOV 19 2018

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with ~~its~~ recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-4094

DIANE L PERDUE
2104 S MANITO BLVD
SPOKANE WA 99203-2358
Telephone Number: 5099935674

SHARON L STEWART
2104 S MANITO BLVD
SPOKANE WA 99203-2358
Telephone Number: 5099935674

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

The Domestic Ground water use is correct.
We are making separate application for 3 springs.

2. Describe the changes you wish to make in the proposed recommendation

Application for 3 Springs being made on-line.

3. Give a brief explanation as to why you disagree with these portions:

incomplete

✓ I AGREE with this proposed recommendation: no changes need to be made. Other applications to be made on line.
DATE: 11/13/18 SIGNATURE: Diane L. Perdue
Please print your name: Diane L. Perdue

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800