

WATER Right #: 95-12081

10/05/2018

NOTICE OF ERROR
REPLY

RECEIVED

NOV 19 2018

DEPARTMENT OF
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-12081

ROBERTO AUFFANT
~~930 S COWLEY ST APT #401~~
SPOKANE WA 99202

Telephone Number: ~~5092905866~~

② 509-999-7390

① new address + phone #
ROBERTO AUFFANT
6915 S. MORAN VIEW ST.
SPOKANE, WA 99224

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

NONE

2. Describe the changes you wish to make in the proposed recommendation:

NONE

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made. (other than new address + phone #)

DATE: 11-14-2018

SIGNATURE:

Roberto Auffant

Please print your name:

ROBERTO AUFFANT

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800