

RECEIVED

NOV 08 2018

IDWR / NORTH

10/05/2018

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-8583

STIMSON LUMBER CO
732 10TH ST

PLUMMER ID 83851

Telephone Number: 2086869080

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Point of Diversion, Purpose of Use, Place of Use.

2. Describe the changes you wish to make in the proposed recommendation:

As to POD, the recommendation should list two wells in NESW. As to Purpose of Use, the recommendation should state in addition that water is used to sprinkle logs at the logyard. As to POU, the recommendation should include the logyards, where claimant uses water to sprinkle the logs.

3. Give a brief explanation as to why you disagree with these portions:

There have historically been two wells in NESW; the clarification of the Industrial Purpose of Use is necessary to recognize how water has been used at the facility prior to 1/1/2006; and the addition of the logyards to POU is necessary to recognize how water has been used at the facility prior to 1/1/2006.

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: 11/6/2018

SIGNATURE: _____

Please print your name: Chris M. Bromley, attorney for Stimson Lumber Co.

McHugh Bromley, PLLC, 380 S. 4th St., Ste. 103, Boise, ID 83702

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D'ALENE, ID 83815-7763, (208) 762-2800