

RECEIVED

DEC 18 2018

10/05/2018

NOTICE OF ERROR
REPLY

IDWR/NORTHERN

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-14356

JANE R ELY

2596 S GREENSFERRY RD

COEUR D ALENE ID 83814

Telephone Number: 2087737769

→ In a trust

JOHN ELY

2596 S GREENSFERRY RD

COEUR D ALENE ID 83814

Telephone Number: 2087737769

ADRIENNE ELY

2596 S GREENSFERRY RD

COEUR D ALENE ID 83814

Telephone Number: 2087737769

1. Describe the portion of the proposed recommendation with which you disagree (e.g., priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: 12-18-18

SIGNATURE: 

Please print your name: Stephen A. Tanner

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800