

RECEIVED
10/05/2018
DEC 24 2018
DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 16, 2018

Water right number: 95-13858

DONALD R HAYES

PO BOX 486

PLUMMER ID 83851

Telephone Number: 2086619292

SYLVIA M HAYES

PO BOX 486

PLUMMER ID 83851

Telephone Number: 2086619292

BOTH ARE
DELETED

AKICAL
ADDRESS

(X) New RUNERS
Perry & Shirley
Miller
149 Ellis LN
Plummer, ID
83851

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

____ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____ SIGNATURE: _____

Please print your name: _____

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800