

RECEIVED

02/09/2018

FEB 19 2019

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: March 30, 2018

Water right number: 95-8873

ROBERT S WEST & MARTHA H WEST LLC
3621 W FAIRWAY DR
COEUR D ALENE ID 83815
Telephone Number: 208755-1191

Address Change

House 208-635-5355

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

Address Changes 4497 W. Long Meadow Drive
Coeur d'Alene ID 83815-

3. Give a brief explanation as to why you disagree with these portions.

Home Phone(New) 208-~~208~~-635-5355
Cell: 208-755-1191

I AGREE with this proposed recommendation: no changes need to be made.

DATE: 2/12/2019 SIGNATURE: Robert S West

Please print your name: ROBERT S. WEST

IDWR Regional Office, 7600 N MINERAL DR STE 100, COEUR D ALENE, ID 83815-7763, (208) 762-2800

Thanks