


IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

1




Department of Water Resources

Claim No.: 25-02095



0 1 2 3 4 5 6 7 8 9 10 Miles



● Point of Diversion

SCANNED


JUN 29 2004

 Place of Use

 Sections

PROFILED

GIS Place of Use Illustration
1987/88 NAPP Photography
Prepared by M. Holliday
Date: April 2004



Black lines are
edits by water dept.
mgr. Carroll A. Arnold
BAC 8/22/03

 Municipal.shp
 TownshipModel.shp
Section2.shp

Source: Muhlhausen, Iowa

Date: 8/19/03

Water Resources
Field Services
208 663 4667

PROFILED

SCANNED
SEP 03 2004
JUN 29 2004



CITY OF IDAHO FALLS

P. O. BOX 50220
IDAHO FALLS, IDAHO 83405-0220

RECEIVED

JUL 16 2002

Department of Water Resources

OFFICE OF: WATER SUPERINTENDENT

(208) 529-1471

July 11, 2002

Anita Warntjes
Idaho Dept. of Water Resources
1301 N. Orchard
Boise, Idaho 83706

Re: Boundary Map

Greetings:

I have revised your draft boundary map and am returning for your completion.

Contact me if you have any questions regarding this matter.

Sincerely,


Mr. Carroll Aamold

SCANNED

JAN 10 2014

25-2095

CITY OF IDAHO FALLS

P.O. BOX 50220

IDAHO FALLS, IDAHO 83405

OFFICE OF: WATER SUPERINTENDENT

529-1471

March 02, 1990

State of Idaho
Department of Water Resources
1301 North Orchard Street,
Statehouse Mail,
Boise, Idaho 83720

RECEIVED
MAR 6 1990


Department of Water Resources

Mr. David B. Shaw
Adjudication Bureau Chief

Subject:

Enclosed you will find a map of the Service Area of the City of Idaho
Falls, Idaho. Per your request.

Sincerely



Wayne R. Wolfe
Water Superintendent

SCANNED

JAN 10 2014


5.2
2/25/1927

Amount... 0.2 second foot
Priority... February 25, 1927

2-38-19
NWSE

25 2095

SCALE: 2 INCHES EQUALS 1 MILE. DRAW MAP IN INK.



16689

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO

REPORT OF ENGINEER

Permit No. 16689This proof is for Beneficial Use

In Water District No. _____

1. Name of applicant City of Idaho Falls, Idaho
2. Source of water supply: Subterranean
3. Location of point of diversion: Is in the NW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 19
T. 2 N. R. 38 E. County of Bonneville
4. Describe works as they exist, giving dimensions and capacities of same: One 12" Layne-Bowler pump and one 8" Byron Jackson booster pump each being driven by 200 H.P. electric motors. Water is distributed throughout the City for general municipal use
5. Water is used for: Municipal supply for the City of Idaho Falls.
6. State whether or not water has been turned into works of diversion: yes
7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if for other than irrigation): (1) 45 E $\frac{1}{2}$ - named in permit, but not on description
SE $\frac{1}{2}$ SE $\frac{1}{4}$, Sec. 12; E $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 13; SE $\frac{1}{2}$ NE $\frac{1}{4}$, NE $\frac{1}{4}$ SE $\frac{1}{4}$, Sec. 24, T. 2 N., R. 37 E., B. M.; W $\frac{1}{2}$ SW $\frac{1}{4}$, Sec. 17; E $\frac{1}{2}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 18; NE $\frac{1}{4}$, NW $\frac{1}{4}$, SW $\frac{1}{4}$, SE $\frac{1}{4}$, Sec. 19; SW $\frac{1}{4}$, Sec. 20; NE $\frac{1}{4}$, N $\frac{1}{2}$ NW $\frac{1}{4}$, Sec. 30, T. 2 N., R. 38 E., B. M.

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach? none

Remarks: Pump is rated at 3000 Gallons per minute its present output being 2800 G.P.M.

This examination was made on the 24th day of August, 192816689

(Signed)

Fred A. Tolman

Examiner.

Holliday, Michael

From: HOWARD WOODS [HWOODS@DEQ.STATE.ID.US]
Sent: Tuesday, August 26, 2003 10:52 AM
To: mholliday@idwr.state.id.us
Cc: DAVID HOVLAND; DAVID RISLEY; JASON JEDRY; ROCHELLE MASON; WILLIAM TEUSCHER
Subject: Re: gps coordinates for city of idaho falls



ID falls PIR for well
location...

Attached is a list of your Idaho Falls PWS wells that have GIS differentially corrected location information. I included data for decimal degrees and for degrees, minutes, seconds (DMS). Please note that the DMS fields are concatenated with the first two digits for degrees, the second two for minutes and the last two before the decimal point for seconds. After the decimal point are fractions of a second.

Also note that our database does not allow for negative numbers. I will leave it to you experts to figure out which way from the prime meridian the longitudinal numbers are indicating.

>>> "Holliday, Michael" <mholliday@idwr.state.id.us> 08/26/03 09:09AM

>>>

Dear Jason,

Could you please provide me with the GPS coordinates of the City of Idaho Falls wells for the purpose of verifying locations for the Snake River Basin Adjudication? IDTM (meters) is preferred but lat and long would work as well. Please call me at 525-7161 if you have further questions. Thanks so much for your help.

Michael Holliday
Water Resource Agent
Adjudication Bureau
(208) 525-7161

PROFILED

SCANNED

JUN 29 2004

DEQ 8/21/03 528-2650 8:12

Lisa -

Willie Teusden → need to contact

Rochelle Mason }
Curtis Feisthammel }

SIDWIS data base for city of PF. GPS

Mr. Teusden left e-mail / message -

8:20 Rochelle Mason -

will e-mail state office - to do query
may take awhile - if not
tomorrow, then 10 days -

Please call if no response after
labor day -

will FAX to 663-4350

10:25 Rochelle Mason -

Sensitive material - State

Office request - Jason Fedry

208-373-0165

10:42 Jason Fedry

Jason will FAX form -

list contact @ IDWR, state purpose

PROFILED

SCANNED

JUN 29 2004

LAT_DEC_DEG_MSR	LONG_DEC_DEG_MSR	NAME	LAT_DMS_MSR	LONG_DMS_MSR
43.497119	111.989219	1 ST #7	432949.63	- 1115921.19
43.489719	112.004394	1475 9TH ST #8	432922.9899	- 1120015.82
43.501756	112.043197	955 I ST #2	433006.32	- 1120235.51
43.488961	112.033447	981 S BLVD #1	432920.26	- 1120200.41
43.498936	112.091828	BUTTE RD #16	432956.1699	- 1120530.58
43.499936	112.021622	CLEVELAND #4	432959.77	- 1120117.84
43.495658	112.072539	DALE DR #11	432944.3699	- 1120421.14
43.4958	112.072022	DALE DR #14	432944.88	- 1120419.28
43.474067	111.993614	HOOPES #15	432826.64	- 1115937.01
43.518292	112.021689	N HOLMES #12	433105.8499	- 1120118.08
43.505833	112.004106	N WOODRUFF #13	433021	- 1120014.78
43.491103	112.044381	S CAPITAL #3	432927.9699	- 1120239.77
43.484619	112.014314	SE BONN #10	432904.63	- 1120051.53
43.484439	112.014342	SE BONN #9	432903.9799	- 1120051.63
43.479339	112.036256	W 21 ST #5	432845.6199	- 1120210.52
43.517078	112.043403	WELL #17	433101.4799	- 1120236.25
43.503697	112.062181	N SKYLINE #6	433013.3099	- 1120343.85

N

W

SCANNED

JUN 29 2004

PROFILED

City of Idaho Falls Summary Report 8/22/03

- 1) GPS locations. Most obtained from Tim Luke @ IDWR. Second request to DEQ. Locations in data file on CD.
- 2) Photos. Scanned from photos provided by Carroll Arnold.
- 3) Map. GIS layout is from Mark Lanson, IDWR state office. Black marker lines are edits by Carroll Arnold of city of Idaho Falls, based on large paper maps included in file. Where there is disagreement the large maps are more correct. The heavier, hand-drawn lines are the current service boundary.
- 4) Overlap. The city has a post-AJ permit which does not need adjudication review but maybe should be noted as an existing overlap right in remarks. (25-7654).

Byce A. Contor 8/22/03

SCANNED

JUN 29 2004
PROFILED

Water Resources
Field Services
208 663 4667

pod_num	r_organization	reporter_num	pod_descrip	site_id	diversion_name	idtm_x	idtm_y
200739	CITY OF IDAHO FALLS	50070	SESE	A0008667	SAND CREEK GOLF	662923.4	262124.7
101564	CITY OF IDAHO FALLS	70	NENW	E0007205	WELL #5	658881.7	266146
101565	CITY OF IDAHO FALLS	70	SENE	E0007203	WELL #3	658189.6	267443.6
101566	CITY OF IDAHO FALLS	70	NWNWNE	E0007211	WELL #11	655931.2	267897.4
101567	CITY OF IDAHO FALLS	70	SESW	E0007209	WELL #9		
101568	CITY OF IDAHO FALLS	70	SENE	E0007208	WELL #8	661437	267377.9
101569	CITY OF IDAHO FALLS	70	NWSE	E0007201	WELL #1	659103.8	267218.7
101570	CITY OF IDAHO FALLS	70	NWSW	E0007202	WELL #2	658265.5	268624
101571	CITY OF IDAHO FALLS	70	SWSW	E0007204	WELL #4		
101572	CITY OF IDAHO FALLS	70	NWSE	E0007215	WELL #15	662351.9	265655.2
101573	CITY OF IDAHO FALLS	70	SENE	E0007213	WELL #13	661396.2	269168.5
101574	CITY OF IDAHO FALLS	70	SWSE	E0007207	WELL #7	662638.6	268224.5
101575	CITY OF IDAHO FALLS	70	NWSW	E0007212	WELL #12	659967.7	270503
101576	CITY OF IDAHO FALLS	70	NWNWSW	E0007206	WELL #6	656718.6	268804.5
101577	CITY OF IDAHO FALLS	70	NENESE	E0007217	WELL #17	658184.2	270334.5
101578	CITY OF IDAHO FALLS	70	NWSWSE	E0007216	WELL #16	654320.2	268236
101579	CITY OF IDAHO FALLS	70	SESW	E0007210	WELL #10		
101580	CITY OF IDAHO FALLS	70	NWNWNE	E0007214	WELL #14		
EMD200000002	CITY OF IDAHO FALLS	70	NWSWNW	A0000469	Sandy Downs		

Golf course

9/10 Same
 100' from #14
 Racetrack/
 Sandy Downs

Source: Tim Lutz, IDWR

Date: 8/19/03

PROFILED

SCANNED
 JUN 29 2004

Water Resources Field Services

1571 N. 1100 E.

Terreton, ID 83450

208-663-4667

To: Jason Jedry
Department of Environmental Quality
FAX 208 373 0417

Fr: Bryce Contor


Pages: 2

Dear Mr. Jedry:

Could you please provide me with the GPS locations of the City of Idaho Falls wells, for the purpose of verifying locations for the Snake River Basin Adjudication? I am working under contract with Idaho Department of Water Resources. You may contact Michael Holliday or Ernest Carlsen at the Eastern Regional Office at 208 525 7161 to verify this data request.

If these data are available in IDTM coordinates (meters), that is the most useful to IDWR. However, latitude and longitude would also be adequate. You may mail the results to the address above, FAX to 208 663 4350, or e-mail to bcontor@hotmail.com. Please call me at 208 681 9100 or leave a message at 208 663 4667 if you have questions.

Thank you,



Bryce A. Contor

PROFILED

SCANNED

SEP 03 2004

STATE OF IDAHO

DEPARTMENT OF ENVIRONMENTAL QUALITY

REQUEST TO EXAMINE AND/OR COPY PUBLIC RECORDS

8/21/03
DATEBryce A. Contor
NAME OF PERSON SUBMITTING REQUEST208 663 4667
TELEPHONE NUMBERWater Resources Field Services
BUSINESS NAME1571 N 1100 E Terrace ID 83450
MAILING ADDRESS City State Zip Code

Description of public records requested for disclosure:

GPS locations, city of Idaho Falls
wells.

IDAHO STATE LAW PROHIBITS USE OF DISCLOSED INFORMATION AS A MAILING
LIST. Violations are subject to Civil Penalties of up to \$1000 (I.C. 9-348).

Idaho State Code exempts certain documents from public disclosure. If the public records you are seeking
to examine or copy are exempt from disclosure, you will be notified.

Bryce A. Contor
SIGNATURE OF REQUESTOR

I agree to reimburse the Idaho Department of Environmental Quality according to the established fee
schedule.

SCANNED
SEP 03 2004

PROFILED



STATE OF IDAHO

DEPARTMENT OF
ENVIRONMENTAL QUALITY

Director's Office - Fax Number (208) 373-0417

Fax

To: Brice Cantor From: Jason Tedy
Fax: 663-4350 Pages: 2 Total
Phone: _____ Date: 8/21/03
Re: _____ Phone: 373-0165

If you do not receive entire fax, call: (208) 373-0241.

• Document Description: _____

• Comments: Fax back to 208-373-0417

SCANNED

SEP 03 2004

PROFILED

City of Idaho Falls Contact log

8/19/03 529-1471 9:15 AM

Msg w/ Secretary for Carroll Arnold

8/19/03 10:45 AM

Carroll Called

- a) will loan me photos to scan
- b) DEQ has GPS data
- c) Map of service area to IDWR
5 yrs ago - will look for
copy for me to take to
Boonville Blueprint.
- d) 8 AM Friday I can pick up
photos.

8/20/03 Msg From Kent Foster -

Kent has contacted Chad Stanger
Dir of public works - 529-1250

8/22/03 Carroll Arnold @ Id. Falls office

Well #15 "recent amendment to license"

for Aldi Q - see Permit 25-7654 -

well is drilled, test pumped, no motor yet - on line
by spring '04. Test results filed w/ Dennis Dunn.

SCANNED

Sept 3

~~JUN 23~~ 2004

PROFILED

MSN - More Useful Everyday

Hotmail® bcontor@hotmail.com[Inbox](#) | [Previous Page](#)

From : "Larson, Mark" <mlarson@idwr.state.id.us>
To : 'Bryce Contor' <bcontor@hotmail.com>
Subject : RE: City of Idaho Falls Service Boundary Maps
Date : Tue, 19 Aug 2003 12:03:24 -0600
Attachment : municipal.dbf (55k), municipal.htm (13k), municipal.prj (457b), municipal.sbn (5k),
municipal.sbx (1k), municipal.shp (359k), municipal.shx (1k)

Bryce,

I will send you the Municipal shapefile I have been putting together over the past year. It will have the current service area boundary we have for Idaho Falls.

Mark

-----Original Message-----

From: Bryce Contor [mailto:bcontor@hotmail.com]
Sent: Tuesday, August 19, 2003 10:53 AM
To: mholiday@idwr.state.id.us; mlarson@idwr.state.id.us; tluke@idwr.state.id.us
Subject: City of Idaho Falls Service Boundary Maps

Hi fellas.

As Michael knows, I'm working under contract to do some AJ field work. One of the requested items is a map of the service area of the City of Idaho Falls. Carroll Aamold of the city water dept. is sure he sent a service area map to "IDWR" about 5 years ago, but he can't remember to whom (not even whether it was Boise or Idaho Falls).

Anyway, as a courtesy to Mr. Aamold, I said I'd pursue it. Any of you know anything?

Thanks, Bryce

Get MSN 8 and enjoy automatic e-mail virus protection.

SCANNED

SEP 03 2004

PROFILED

To: "'bcontor@if.uidaho.edu'" <bcontor@if.uidaho.edu>
Subject: City of Idaho Falls

Bryce,
This is the data I believe you requested of Dayna. A few of the wells have not been GPS'd or else I do not have the data.

Tim

<<IdFallsCity-WMIS-PD.xls>>



[IdFallsCity-WMIS-PD.xls](#)

SCANNED

SEP 03 2004

PROFILED

August 18, 2003

City of Idaho Falls
c/o Holden, Kidwell, Hahn & Crapo
PO Box 50130
Idaho Falls, ID 83405

Re: Water Right Adjudication Claim(s) A25-02095, A25-02142, A25-02143,
A25-07009, A25-07022, A25-07044, A25-07058, A25-07298, A25-07299,
A25-07398

Dear Water User:

Idaho Department of Water Resources (IDWR) is reviewing claims to water rights in the Snake River Basin Adjudication in your area. Water Resources Field Services has been retained to do field inspections to aid the Department in making correct recommendations to the court. In the next weeks and months I will be contacting you to make an appointment to look at your diversion works and uses of water.

The main purposes of this visit will be to map the service area of the municipal water system and to photograph and locate the wells associated with the older water right licenses. Please forward this letter to the appropriate city officials, or let me know whom I should contact.

I look forward to helping make sure your water right recommendation is correct. Please contact me if there is a particular time that would be convenient for you. You may call in the evenings, or leave a message on the answering machine.

Sincerely,

Bryce A. Contor

SCANNED
SEP 09 2004
PROFILED

4/11/1989

SRBA CLAIMS RECEIVING CHECKLIST #2

CLAIMANT'S NAME CITY OF - DANDS CLAIM ENT. NO. A25-02096

DATE RECEIVED 9-27-89 CK # 100 27 200 AMOUNT \$

	YES	NO	Required Info?
1. Is the name and address complete with zip code?	☒	☐	*
2. Is a priority date entered?	☒	☐	*
Is the priority date acceptable in view of mandatory filing dates? See Adjudication Memos #1 and #4 to determine if a Permit is required.	☒	☐	*
3. (a) Is a source entered?	☒	☐	*
(b) Is a tributary to entered? (if required) N/A	☒	☐	
4. Is the legal description of the p.d. sufficient?	☒	☐	*
5. Is there a description of the diverting works?	☒	☐	
6. Are the water uses appropriate for the form? The short form is limited to domestic and stockwater uses with direct diversion. All claims that include storage or instream stockwater must use long form.	☒	☐	*
Is the period of use included?	☒	☐	
Is a quantity claimed for each use?	☒	☐	*
7. Is a total quantity claimed entered?	☒	☐	
8. If required is a consumptive use entered? N/A	☒	☐	
Is the consumptive use correct? N/A	☒	☐	
9. Are the non-irrigation uses listed properly? If this claim is on the short form, and more than one domestic use is listed, single ownership must be stated. If not under single ownership, see Adjudication Memo # 4. N/A	☒	☐	*
10. Is (are) the place(s) of use and purpose(s) indicated?	☒	☐	*
11. Is (are) the county(ies) entered?	☒	☐	
12. Is the ownership of p.u. checked?	☒	☐	
13. Are other water rights listed or "none" indicated?	☒	☐	
14. If required, are remarks correct? (If the claimant does not own the place of use, authority for filing the claim must be explained in the remarks.) N/A	☒	☐	
15. Is the basis of the claim indicated?	☒	☐	
16. If the claimant requested a monthly docket sheet, is payment enclosed? (If yes, describe payment status in "Comments" below.) N/A	☒	☐	
17. Is the claim signed by the claimant, and is the signature appropriate? Organizations must complete the organization block.	☒	☐	*
18. Has the claim been signed, sealed, and dated by a notary?	☒	☐	*
19. Was this claim filed on time, or was an extension granted?	☒	☐	*
20. Is the fee enclosed correct? Exempt	☒	☐	*
21. If this claim is based on an existing water right, has the identification number been entered? N/A	☒	☐	
22. Should this claim be data entered?	☒	☐	

Claim checked by: Date:

Claim must be returned to claimant: (Yes) (No)

Claimant must be notified of modifications: (Yes) (No)

Receipt Prepared by: Date:
Claim data entered by: Date:
Sent to claimant by: Date:

Comments:

MICROFILMED

NOV 10 1992

Checked by: Date: 12-17-90

SCANNED

JUL 27 2001

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A25-02095
Date Received: 9/27/1989
Receipt No: E010426
Received By: Coded E&S

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: CITY OF IDAHO FALLS
Address: %HOLDEN, KIDWELL, HAHN & CRAPO
P.O. BOX 50130
IDAHO FALLS, ID 83405
208-523-0620

A2502095



2. Date of Priority: FEB 25, 1927

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
02N	38E	19		NW	SE		BONNEVILLE

5. Description of diverting works:
WELL AND PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
MUNICIPAL	01/01	12/31	5.200		

7. Total Quantity Appropriated is:
5.200 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 3274.0 Acre Feet Per Annum.

9. Non-irrigation uses:
PART OF MUNICIPLE WATER SUPPLY FOR THE CITY OF IDAHO FALLS

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
02N	37E	11				MUNI	
		12				MUNI	

A25-02095

Page 1

Date: 09/27/89

MICROFILMED
NOV 10 1992

10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
02N	37E	13			MUNI	
		14			MUNI	
		15			MUNI	
		23			MUNI	
		24			MUNI	
		25			MUNI	
	38E	7			MUNI	
		8			MUNI	
		16			MUNI	
		17			MUNI	
		18			MUNI	
		19			MUNI	
		20			MUNI	
		29			MUNI	
		30			MUNI	

*Added Sec
15, 21, 28*

11. Place of use in counties: BONNEVILLE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
SEE REMARKS

14. Remarks:
P/U WITHIN CITY LIMITS OF IDAHO FALLS.
ITEM 13 - 25-2142/35-3020, 25-2143, 35-7001, 25-7022/35-7207,
25-7058, 35-7841, 25-7298 & 25-7398.

15. Basis of Claim: LICENSE
Water Right Number: 16689

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLSIN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEMCIVIL CASE NUMBER: 39576
Ident. Number 25-2095
Date Received 2010426
Receipt NumberRECEIVED
SEP 13 1989NOTICE OF CLAIM
TO A
WATER RIGHT
ACQUIRED UNDER STATE LAWDepartment of Water Resources
Eastern District Office1. Name of Claimant(s) City of Idaho Falls Phone (208) 523-0620
% Holden, Kidwell, Hahn & Crapo
Mailing Address P.O. Box 50130, Idaho Falls, Idaho Zip 834052. Date of Priority (Only (1) per claim) February 25, 19273. Source of water supply (a) Groundwater
which is tributary to (b) _____

4.a. Location of existing

point of diversion is: Township 2N. Range 38E. Section 19 ,
1/4 of NW 1/4 of SE, Govt. Lot, _____ B.M., County of Bonneville

Additional points of diversion if any: _____

b. If instream flow, beginning point of claimed instream flow is:

Township _____ Range _____ Section _____, _____ 1/4 of _____ 1/4 of _____ 1/4,
Govt. Lot _____ B.M., County of _____ending point is: Township _____ Range _____ Section _____, _____ 1/4 of
_____ 1/4 of _____ 1/4 Govt. Lot _____ B.M., County of _____5. Description of existing diversion works (Dams, Reservoirs, Ditches,
Wells, Pumps, Pipelines, Headgates, Etc), including the dates of any
changes or enlargements in use, the dimensions of the diversion works as
constructed and as enlarged and the depth of each well. Well and pump.

MICROFILMED

NOV 10 1992

6. Water is claimed for the following purposes:

(Both dates are inclusive) (cfs) (acre feet)

For Municipal purposes from 01/01 to 12/31 amount 5.2 or _____

For _____ purposes from _____ to _____ amount _____ or _____

For _____ purposes from _____ to _____ amount _____ or _____

For _____ purposes from _____ to _____ amount _____ or _____

7. Total quantity claimed (a) 5.2 (cfs) and/or (b) _____ (acre feet)

8. Total consumptive use claimed is 3274 acre feet per annum.

9. Non-irrigation uses; describe fully (eg. Domestic: Give number of households served; Stockwater: Type and number of livestock Etc.)
Part of municipal water supply for City of Idaho Falls.

10. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of use (example: D for Domestic) in the corresponding place of use below. See instruction for standard symbols.

[illegible]

Total number of acres irrigated N/A

11. In which county(ies) are lands listed above as place of use located?
Bonneville

12. Do you own the property listed above as place of use? Yes X No ____
If your answer is No, describe in Remarks below the authority you have
to claim this water right.

13. Describe any other water rights used at the same place and for the same purposes as described above.

25-2142/35-3020, 25-2143, 35-7001, 25-7022/35-7207, 25-7058, 35-7841,
25-7298 & 25-7398 or None ()

14. Remarks:

MICROFILMED
NOV 10 1992

Last Name City of Idaho Falls Ident No. 25-2095

15. Basis of Claim (Check one) · Beneficial Use ☐ Posted Notice ☐
Permit ☐ Decree ☐ License ☒

If applicable provide IDWR Water Right Number 25-2095
Court _____ Case Number _____ Decree Date _____
Plaintiff vs Defendant _____

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read, and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do ☐ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments 2

For Individuals: I do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s) _____ Date _____
_____ Date _____

For Organizations: I do solemnly swear or affirm that I am Mayor of City of Idaho Falls, that I have signed the
Title Organization

foregoing document in the space below as Mayor
Title
of City of Idaho Falls and that the statements contained in the
Organization

foregoing document are true and correct.

Signature of Authorized Agent Thomas Campbell

Title and Organization Mayor, City of Idaho Falls Date 09/12/89

State of Idaho/or _____)
County of Bonneville) SS.

Subscribed and sworn (or affirmed) before me this 12th day
of September, 1989.

Notary Public [Signature]
Residing at Idaho Falls, Idaho
My Commission Expires 11/10/92

17. Notice of Appearance:

Notice is hereby given that I, Kent W. Foster will be acting as attorney at law on behalf of the claimant signing above, and that all notices required by law to be mailed by the director to the claimant signing above should be mailed to me at the address listed below.

Signature [Signature]
Address P.O. Box 50130, Idaho Falls, Idaho 83405
Date 09/12/89

MICROFILMED
NOV 10 1992

Last Name City of Idaho Falls Ident. Number 25-2095

T.2N,R.37E. T.2N,R.38E.

POINT OF DIVERSION
FOR
WELL
NO. 1

MICROFILMED
NOV 10 1992