

RECEIVED
APR 11 1967

LATAH COUNTY
T40N - R5W
SECTION 20

Well Log Form 1
3M-3/63

Department of Reclamation

**WELL LOG AND REPORT TO THE
STATE RECLAMATION ENGINEER OF IDAHO**


026185

Deepening

SUBMIT WITHIN 30 DAYS AFTER COMPLETION OF WELL: SEE IDAHO STATUTES 42-236

Permit No. 87-65-N-3 Well No. 1 County LATAH
Owner MC COY BROS PLUMBING
Address MDSCOW IDAHO
Driller G. R. BURNS E. L. WITT
Address LEWISTON LEWISTON
Well location 1/4 1/4 Sec. 20, T. 40 N, R. 5 W
Size of drilled hole 8"

Locate well in section



Total depth of well 250'

Give depth to standing water from the ground 110 Water temp. 52 °Fahr.

Test delivery was 6 g.p.m. or c.f.s. Drawdown was feet. Pump? Bail? X

Size of pump and motor used to make test BAIL

Length of time of test 2 hours minutes.

If flowing well, give flow c.f.s. or g.p.m. and of shut off pressure

If flowing well, described control works

(TYPE AND SIZE OF VALVE, ETC.)

Water will be used for DOMESTIC Weight of casing per lineal foot

Thickness of casing 5/16 Casing material STEEL
(STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing 122' 8" PIPE
(CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER;
CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

131' 8" 6" PIPE

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
~~8"~~	~~0~~	~~122'~~	~~122'~~	
8" ID	0	122'	122'	
6" ID	118	250'	131'	

Number and size of perforations 40' FULLY PERFORATED located 320' feet to 250' feet from ground

Date of commencement of well OCT 10 65 Date of completion of well NOV 29 65

5.20 40N 5W

USGS

[illegible]

WELL DRILLER'S STATEMENT

This well was drilled under my supervision and the above information is complete, true and correct to the best of my knowledge and belief.

Signed Burns & Witt
By G. R. Burns

Dated April 8, 1967.

License No. 103

Well Driller's Helper.....

026186

Received
6/2/98

Rt. 2, Box 615
Grangeville, Idaho 83530

OFFICE 208-983-2464
743-8022
983-2129
CASCADE 382-4607

Idaho State Lic. 103
Wash. State Lic. 0047

OWNER <u>OBA McCoy</u>		ADDRESS <u>MOSCOW</u>		FORMATIONS LOG	
DEPTH OF WELL <u>355'</u>		GALLONS PER MINUTE <u>1'</u>		MATERIALS	DEPTH
STATIC LEVEL <u>?</u>		TEMP. <u>51'</u>		<u>FIRM</u> <u>GRANITE</u>	<u>250-2</u>
CASING—SIZE & AMT. USED —		START — <u>7/24/87</u> FINISH — <u>8/28/87</u>		<u>SOFT</u> <u>GRANITE</u>	<u>280-2</u>
DRILLED BY OPERATOR <u>MARK</u>				<u>FIRM</u> <u>GRANITE</u>	<u>291-</u> <u>35</u>
ADDITIONAL INFORMATION		STATEMENT			
		19			
		TOTALS			
		<u>105</u>	6" HOLE @ <u>4.00</u> PER FOOT	<u>1155</u>	
			8" HOLE @ ——— PER FOOT		
			10" HOLE @ ——— PER FOOT		
			REAMING @ ——— PER FOOT		
			4" LINER @ ——— PER FOOT		
			6" LINER @ ——— PER FOOT		
			8" LINER @ ——— PER FOOT		
			10" STEEL PIPE @ ——— PER FOOT		
			8" PIPE @ ——— PER FOOT		
			6" PIPE @ ——— PER FOOT		
		<u>2 1/2</u>	DRILL MACHINE HIRE @ <u>\$100.</u> PER HR ———	<u>\$250.</u>	
			BENTONITE SEAL		
		<u>1</u>	DRILL MACHINE SET UP @ ———	<u>350.</u>	
			TOTAL AMOUNT DUE	<u>\$1755.</u>	<u>Ed</u>

Due when completed unless other arrangements are made in advance.
Current bank interest will be charged.