

02/05/2004

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 25-7292

NAME AND ADDRESS: NEW LIFE ASSEMBLY OF GOD
PO BOX 1484
IDAHO FALLS ID 83403

SOURCE: GROUND WATER

TRIBUTARY:

QUANTITY: 0.140 CFS
8.800 AFY

PRIORITY DATE: 10/06/1982

POINT OF DIVERSION:

T02N R38E S21 NWSE Within BONNEVILLE County

Point of diversion is located within Lot 1, Blk. 1, Lakewood Aspens Addition.

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
COOLING	01/01 12/31	0.140 CFS 8.80 AFY
HEATING	01/01 12/31	0.140 CFS 8.80 AFY

PLACE OF USE: COOLING Within BONNEVILLE County

T02N R38E S21 NWSE

HEATING Within BONNEVILLE County

T02N R38E S21 NWSE

Place of use is located within Lot 1, Blk. 1; Lakewood Aspens Addition.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: License

Injection well permit 25-W-60 is used for discharge of water from the heat pump.

RECEIVED

SEP 17 2004

Department of Water Resources
Eastern Region

NOTICE OF ERROR
REPLY

02/05/2004

Rm

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 25-7292

NEW LIFE ASSEMBLY OF GOD

PO BOX 1484

IDAHO FALLS ID 83403

Telephone Number: (208)522-2931

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation, no changes need to be made.

DATE:

9/9/04

SIGNATURE:

Michael D. Stearns

Please print your name:

MICHAEL D. STEARNS

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

SCANNED
SEP 17 2004

PROFILED

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07292

Priority: November 2, 1982

Maximum Diversion Rate:

0.14 CFS

Maximum Diversion Volume:¹

8.8 AF

This is to certify, that NEW LIFE ASSEMBLY OF GOD

P.O. BOX 1484

IDAHO FALLS, ID 83401

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated October 6, 1982; and has submitted Proof of Beneficial Use on October 27, 1983. An examination indicates that the works have a diversion capacity of .200 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
HEATING	01/01 to 12/31	0.14 CFS	8.8 AF
COOLING	01/01 to 12/31	0.14 CFS	8.8 AF
	Totals	0.14 CFS	8.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NWSE , Sec. 21, Township 02N, Range 38E
BONNEVILLE County

PLACE OF USE: HEATING

TWN RGE SEC

02N 38E 21

NWSE

PLACE OF USE: COOLING, same as HEATING use

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Return flow if discharged to a subsurface system must be authorized by a separate injection well permit.

MICROFILMED

SCANNED

AUG 11 2004 APR 17 1990

PAGE 2

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 25-07292

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 2ND
day of April, 1990.

Acting for R. Keith Higginson, Director

MICROFILMED

APR 17 1990

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant New Life Assembly of God Phone 523-0620
Post office address P.O. Box 2533 Idaho Falls, Idaho 83402
2. Source of water supply Groundwater which is a tributary of _____
3. Location of point of diversion is NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 2N
Range 38E B.M. Bonneville County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 0.20 for Heating purposes from 1-1 to 12-31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 0.20 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. Well/pump with line to heat pump and discharge to drain field and storm drain

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is 8 inches; proposed depth of well is 200 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial

use is 1 year (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water: NW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 21 Township 2N

Range 38E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be supplied with domestic water: _____

(5) If water is to be used for other purposes describe: For use in a heat pump to heat or cool a church structure.


[illegible]

c. Describe any other water rights used for the same purposes as described above. N.A.

10. Remarks Excess water will go to underground drainfield distribution
lines. In an emergency water could be channelled to storm sewer/

RECEIVED

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

New Life Assembly of God
x Tardale K. Barton - Barton
(Applicant)

Proposed Priority 11/2/1982

Received by BP Date 10/6/82 Time 12:35am

Preliminary check by HWJ Fee \$ 30.00

Received by BP Date 10/6/82 # 22529

Publication prepared by BP Date 10/13/82

Published in Post Register

Publication dates 10/31 & 10/28/82

Publication approved CW Date 11-02-82

Protests filed by: None

Copies of protests forwarded by _____

Hearing held by _____ Date _____

Recommended for approval denial by [Signature]

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 25-7292, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before December 1, 19 83.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: Return flow if discharged to a subsurface system must be authorized by a separate injection well permit, and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards.

Witness my hand this 23rd day of November, 1982.

J. Glen Saxton
Chief, Operations Bureau

RECEIVED

SCANNED

AUG 01 2001

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A25-07292

Date Received: 6/06/1989

Receipt No: E00 9035

Received By: TO

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

Department of Water Resources
Eastern District Office

1. Name: NEW LIFE ASSEMBLY OF GOD
Address: P.O. BOX 1484
IDAHO FALLS, ID

208-522-2931

83403

2. Date of Priority: OCT 06, 1982

3. Source: GROUNDWATER

Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
02N	38E	21		NW	SE		BONNEVILLE

5. Description of diverting works:

WELL PUMP MAINLINE TO HEAT PUMP DISCHARGE TO INJECTION WELL

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
HEATING	01/01	12/31	0.200		
COOLING	01/01	12/31	0.200		

7. Total Quantity Appropriated is:
0.200 C.F.S. (and/or)

A.F.A.

8. Total consumptive use is

Acre Feet Per Annum.

9. Non-irrigation uses:

G/HEATING & L/COOLING WITH HEAT PUMP OF CHURCH BUILDING

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
02N	38E	21	NW	SE		COOL	
			NW	SE		HEAT	

A25-07292

Page 1

Date: 06/06/89

MICROFILMED

NOV 07 1992

A2507292



11. Place of use in counties: BONNEVILLE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

P/D & P/U AKA LOT 1 BLOCK 1 LAKEWOOD ASPENS ADDITION
INJECTION WELL PERMIT 25-W-60 IS USED FOR DISCHARGE OF WATER FROM
THE HEAT PUMP.

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: ONE

For Organizations:

I do solemnly swear or affirm that I am TREASURER of
Title
NEW LIFE ASSEMBLY OF GOD, that I have signed the foregoing
Organization
document in the space below as TREASURER of
Title
NEW LIFE ASSEMBLY OF GOD and that the statements contained in the
Organization
foregoing document are true and correct.

James A. Jones
Signature of Authorized Agent

TREASURER
Title and Organization

8 JUNE 1989
Date

State of Idaho)
County of Bonneville) SS.

Subscribed and sworn (or affirmed) before me this 8th day

of June 19 89

Doranne Harker
Notary Public

Seal

Residing at Idaho Falls

My Commission Expires 5/24/94

NW $\frac{1}{4}$ SE $\frac{1}{4}$, Sec 21, T2N, R38E

