

06/17/2003

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 29-285B

NAME AND ADDRESS: GEORGE W CHANDLER
3440 N RAPID CREEK RD
INKOM ID 83245

SOURCE: INMAN CREEK

TRIBUTARY: RAPID CREEK

QUANTITY: 0.200 CFS

The water rights listed below shall only be used in rotation as provided for in Stewart v. Damron, Decree (Fifth Jud. Dist. Ct., Bannock County, June 22, 1906) and are limited to a total combined diversion rate of 0.20 cfs: Right Nos. 29-00285A, 29-00258B, 29-00285C, 29-00285E, 29-00285F, 29-00285G, ~~29-00285H~~, 29-00285I, and 29-00258J.

PRIORITY DATE: 06/01/1884

POINT OF DIVERSION:

T07S R36E S11 SESWSE Within BANNOCK County

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE

PERIOD OF USE

QUANTITY

IRRIGATION

04/01 10/31

0.200 CFS

PLACE OF USE:

IRRIGATION Within BANNOCK County

T07S R36E S14

SWNW

5.7

T07S R36E S14

NWSW

17.0

22.7 ACRES TOTAL

USE OF THIS RIGHT WITH RIGHT NO. 29-00297B IS LIMITED TO THE
IRRIGATION OF A COMBINED TOTAL OF 22.7 ACRES IN A SINGLE
IRRIGATION SEASON.


OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: Decreed


Water Right Claim Number A29-00285B
Township , 7S36E

08/23/2000



Water Right Claim Number A29-00285B
Township , 7S36E

08/23/2000



 Irrigated Area

 Section Line

 Roads

 Place of Diversion



Quarter Section Line

 Streams and Canals



Water Right Claim Number A29-00285B
Township , 7S36E

08/23/2000



IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 29-285B V1

WATER RIGHT NUMBER: 29-285B V1

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	GEORGE W CHANDLER 3440 N RAPID CREEK RD INKOM, ID 83245 (208)775-4988

Priority Date: 06/01/1884

Basis: Decreed

Status: Active

<u>Source</u>	<u>Tributary</u>
INMAN CREEK	RAPID CREEK

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	04/01 to 10/31	0.200 CFS	
	<u>Total Diversion:</u>	0.200 CFS	

Location of Point(s) of Diversion

INMAN CREEK	SE1/4SW1/4SE1/4	Sec. 11, Twp 07S, Rge 36E, B.M.
BANNOCK County		

Place of Use

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
07S	36E	14							5.7					17.0					22.7

Total Acres: 22.7

Conditions of Approval:

1. C18 This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

Remarks:

1. Quantity The water rights listed below shall only be used in rotation as provided for in Stewart v. Damron, Decree (Fifth Jud. Dist. Ct., Bannock County, June 22, 1906) and are limited to a total combined diversion rate of 0.20 cfs: Right Nos. 29-00285A, 29-00258B, 29-00285C, 29-00285E, 29-00285F, 29-00285G, 29-00285H, 29-00285I, and 29-00258J.
2. Place of Use - Irrigation USE OF THIS RIGHT WITH RIGHT NO. 29-00297B IS LIMITED TO THE IRRIGATION OF A COMBINED TOTAL OF 22.7 ACRES IN A SINGLE IRRIGATION SEASON.

IDAHO DEPARTMENT OF WATER RESOURCES
Adjudication Recommendation Report 29-285B V1

Comments:

1. csaxton 1/6/2003 POD
Comment: POD not defined in Decree. No C03.
2. csaxton 1/6/2003 Source
Comment: Source defined as Main Channel of Rapid creek. But historical practice shows water diverted from Inman Creek. No change in source.
3. csaxton 1/6/2003 Diversion Rate
Comment: No limiting condition for diversion rate added to rights 29-00285B and 29-00297B since POU is right next to the creek and any excess water would just re-enter the natural system.

Documentation of Ownership of the Current Place of Use

Is this property subject to any liens, deeds of trust, mortgages, or contracts or other encumbrances?

Dates and Other Information:

Decreed Date:
 Enlargement Use Priority Date:
 Enlargement Statute Priority Date:
 Defendant:
 Plaintiff:
 Civil Case Number:
 Judicial District:
 Notice of Error Flag:
 State or Federal: S
 Owner Name Connector:
 Water District Number:
 Generic Max Rate Per Acre:
 Generic Max Volume Per Acre:
 Swan Falls Trust or Nontrust:
 Swan Falls Dismissed:
 DLE Act Number:
 Carey Act Number:
 Mitigation Plan: False

Element Reviewed/Verified Dates:

<u>Element</u>	<u>Last Reviewed Date</u>	<u>Reviewer</u>	<u>Last Verified Date</u>	<u>Verifier</u>	<u>Status</u>
Contacts	1/6/2003 10:47:13 AM	csaxton			Active
Contacts	1/6/2003 10:52:19 AM	csaxton			Active
Priority Date	1/6/2003 10:52:40 AM	csaxton			Active
POD	1/6/2003 10:52:59 AM	csaxton			Active
Source	1/6/2003 10:54:17 AM	csaxton			Active
POU	1/6/2003 10:54:34 AM	csaxton			Active
Use	1/6/2003 10:55:21 AM	csaxton			Active
Season	1/6/2003 10:55:56 AM	csaxton			Active
Quantity	1/6/2003 10:56:40 AM	csaxton			Active
Summary			01/06/2003	csaxton	Active

IDAHO DEPARTMENT OF WATER RESOURCES
Adjudication Recommendation Report 29-285B V1

Verification Log:

<u>Element</u>	<u>Date Time Stamp</u>	<u>Reviewer</u>	<u>Log text</u>
Priority Date	1/6/2003 10:52:41 AM	csaxton	(No) 1. Should this water use have been included in a later court decree of the water rights from this source? (Yes) 4. Is the basis of claim decree or license? (Yes) 5. Does the decree or license have a Priority Date? (Yes) 6. Did the Claimant claim the decreed or licensed Priority Date ? (Yes) 15. Is the basis of claim coded correctly? (No) 16. Is a Priority Date remark and/or condition required?
Source	1/6/2003 10:54:17 AM	csaxton	(Yes) 1. Is the basis of claim Decree or License? (Yes) 4. Does the Decree or License have a source? (Yes) 5. Can the claimed source be verified using the water right file? (No) 11. Is a Source remark and/or condition required?
POU	1/6/2003 10:54:35 AM	csaxton	(Yes) 1. Is the basis of this claim a Decree or License? (Yes) 2a. Is the POU required? (Yes) 5. Does the Decree or License have a POU? (Yes) 6. Can the claimed POU be verified using the water right file? (Yes) 14. Is a POU remark and/or condition required?
POU	1/6/2003 10:55:00 AM	csaxton	Edited shape boundary
Use	1/6/2003 10:55:22 AM	csaxton	(Yes) 1. Is the basis of this claim a Decree or License? (Yes) 4. Does the Decree or License have a Purpose of Use? (Yes) 5. Can the claimed Purpose of Use be verified using the water right file? (No) 13. Is a Purpose of Use remark and/or condition required?
Season	1/6/2003 10:55:57 AM	csaxton	(Yes) 1. Is the basis of claim Decree or License? (No) 4. Does the Decree or License have a Period of Use? (No) 6. Is there evidence that there has been a change in the Period of Use? (Yes) 12. Does the file contain all the necessary information to verify the Period of Use? (No) 13. Is the basis of claim a decree, license, or a transferred beneficial use right that has had the Period of Use administratively determined? (Yes) 15. Is irrigation claimed as a Purpose of Use? (No) 18. Is a Period of Use remark and/or condition required?

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 29-285B V1


Quantity	1/6/2003 10:56:41 AM	csaxton	(Yes) 1. Is the basis of this claim a Decree or License? (Yes) 4. Does the Decree or License have a diversion rate and/or volume? (Yes) 5. Can the claimed diversion rate and/or volume be verified using the water right file? (No) 8. Does the parent right have an annual diversion volume limit? (No) 9. Is the source Groundwater and does the purpose of use require a diversion volume limit? (No) 11. Has a diversion volume limit been established by a decree, license or transfer for this water use? (Yes) 12. Is a Quantity remark or condition required?
Contacts	1/6/2003 10:47:14 AM	csaxton	(No) 1. Do you want to schedule an appointment? Comment for 1: Contact with Claimant on 9/18/01.
Contacts	1/6/2003 10:52:20 AM	csaxton	(No) 1. Do you want to schedule an appointment? Comment for 1: Contact with Claimant on 9/18/01.
POD	1/6/2003 10:53:00 AM	csaxton	(Yes) 1. Is the basis of this claim a Decree or License? (No) 4. Does the Decree or License have a POD? (No) 6. Is there evidence that there has been a change in the POD? (Yes) 9. Does the file contain all the necessary information to verify the POD? (No) 10. Is a POD remark and/or condition required?
POD	1/6/2003 10:53:40 AM	csaxton	Edited point location
Summary	1/6/2003 11:00:41 AM	csaxton	(Yes) 1. Is the basis of this claim a Decree, License, Permit, Application or Posted Notice? (No) 2. Does any evidence indicate a five year period of continuous nonuse occurred that could result in recommending forfeiture or partial forfeiture? (Yes) 5. Is an additional remark and/or condition required? (Yes) 6. Would you like to view the recommended right? (Yes) 7. Is this a split or combined right? (No) 8. Do you have documents you would like to attach or link to the file? (Yes) 9. Would you like to set the verification date?



STATE OF IDAHO

Department of Water Resources
Eastern Region

Water Right(s): 29-00285B & 29-00297B




Total Irrigated Acres: 22.7

-  Point(s) of Diversion
-  Place of Use
-  Quarter Quarter Lines
-  Section Lines

SCANNED
JUL 19 2005

PROFILE



GIS Place of Use Illustration
1987/1988 NAPP Photography
Prepared by: C. Saxton
Date: January 2003

Saxton, Craig

Subject: FW: Rotation Remark

Craig,

My understanding is that the following be added as a quantity remark:

The water rights listed below shall only be used in rotation as provided for in Stewart v. Damron, Decree (Fifth Jud. Dist. Ct., Bannock County, June 22, 1906) and are limited to a total combined diversion rate of 0.20 cfs: Right Nos.

The waterusers will have to work out their rotation schedules. I don't see a need for a remark requiring this, unless someone else has a different idea...

Dave

-----Original Message-----

From: Saxton, Craig

Sent: Friday, June 13, 2003 12:58 PM

To: Tuthill, Dave; McHugh, Candice; Carlsen, Ernie

Subject: RE: Rotation Remark

Hello,

I need some guidance on if we are adding the remark requiring that a rotation plan for that year be submitted to the Department for administrative purposes.

I can not tell from the E-mail if a decision was made on this subject.

Thanks,

Craig S.

PROFILED

**SCANNED
JUL 19 2005**

Saxton, Craig

From: Saxton, Craig
Sent: Tuesday, November 26, 2002 1:24 PM
To: Carlsen, Ernie; McHugh, Candice
Subject: Rotational Right 29-00285

Hi,

Ok, I did manage to speak with George Chandler. Here is what he said:

He said that 29-00285 was originally decreed to 5 people (we know there were actually 7 users). George said that they rotated every 5 day's were each person got the full 10 inches or 0.20 cfs on day a week (this would work better with the decreed 7 users, but this is what he said).

When asked who the users were on the rotational right now, he confirmed that everyone who had claimed part of 29-00285 were users of the right and used the right. With one exception...he never said that MD Morrison used his portion of the rotational right (which I don't think he does), but George confirmed that it was understood that MD Morrison held a portion of this right.

I asked about current practice. He stated that they split up the right and each use an for example... inch of water at all times at the same time for everyone. This makes me think we might want to pro-rate the diversion rate. In addition, George confirmed that George, Sam, Wes, and Irvin all have a part of one of the originally decreed portions. So...if we prorated the right between the original 7 (example would be 0.0285 cfs for George Whitworths original property), then one of those portions would need to be pro-rated out to the four users (so George's 0.0285 cfs would need to be split 4 times for 0.007 cfs). If we did it this way, we are going to have extra diversion rate because 2 of the original 7 users portions were not claimed....could this be a possible accomplished transfer to save loss of diversion rate?

Different from what Irvin Spraker said: George said that they did hire a water master as recent as 5 years ago, but they did not regulate right 29-00285 as a fully rotated right as originally done at time of the decree.

Your thoughts/guidance?

Let me know if you have further questions.

Thanks,

Craig

PROFILED

SCANNED
JUL 19 2005

11/26/2002

Saxton, Craig**Subject:** FW: 29-00285 Rotational

Hey Ernie,

Attached are several files:

- 1) JPG of Decreed POU
- 2) JPG of possible recommended POU overlying Decreed POU
- 3) Shape file for Decreed POU
- 4) Shape file for possible recommended POU
- 5) Updated 29-00285 spread sheet

Let me know if you don't receive one of these.

Now, to summarize:

Original Owners of Decreed right 29-00285:

Damron, A.J.	Current owners of Property: Morrison, MD Kent, Wes
Ferguson, Phillip	Chandler, James Chandler, Seren
Hargraves, Samuel	Anderson, Melvin
Webb, E.M	Anderson, Melvin
Kelsey, Fred	Not claimed
Richardson, John & Fanny	Not claimed
Whitworth, George	Chandler, Sam Chandler, George Spraker, Irvin Kent, Wes

So, some of the rotational rights haven't been claimed, and some have been claimed by several users.

Lets note some other things:

- 1) Wes Kent only claimed a portion of the rotational right. If he uses the water year round, he should claim portions of 29-00297 and 29-00314 also.
- 2) Absolutely nothing was claimed on Richardson or Kelsey property. No high water, low water, rotational, bene-use, etc.
- 3) Note EM Webbs property could never have been irrigated by Rapid Creek. Could only be irrigated from Webb Creek. Yet he was still included as part of the rotation.
- 4) Even though it is not possible now, MD Morrison's property could have historically been irrigated from Rapid Creek.

PROFILED**SCANNED**
JUL 19 2005

I guess take a look at this and let me know if you would like additional information. When completed, I can pass this stuff onto Candice.

I appreciate your help with this.

Thanks Ernie,

Craig

PROFILED

SCANNED
JUL 19 2005

Split history for Decreed Right 29-00285

WR	Claimed	Source	Decreed Owner of POU	Rec	Revised	
29-00285 Share Per User 0.2 0.02857 rotational	29-00285A Chandler, Sam	<i>Inman</i>	Whitworth, George	*		1/4 share
	0.2			0.01	0.20	
	20			20	20	
	29-00285B Chandler, George	<i>Inman</i>	Whitworth, George	*		1/4 share
	0.2			0.01	0.20	
	22.7			22.7	22.7	
	29-00285C Spraker, Irvin	<i>Rapid</i>	Whitworth, George	*		1/4 share
	0.2			0.01	0.20	
	1.5			1.5	1.5	
	29-00285E Anderson, Melvin	<i>Webb</i>	Hargraves, Samual	*		Full Share
	0.2			0.029	0.200	
	102			54.1	54.1	
	29-00285F Anderson, Melvin	<i>Webb</i>	Webb, E.M	*		Full share
	0.2			0.029	0.200	
	102			54.1	54.1	
	29-00285G Kent, Wes	<i>Rapid</i>	Whitworth, George	*		1/4 share
	0.16		Damron, A.J.	0.01	0.20	Amended claim Requested.
	8			0.3	4.2	1/2 share
	29-00285H Morrison, MD	<i>Rapid</i>	Damron, A.J.	* Disallowed	Disallowed	1/2 share
	0.2					
	10					
	29-00285I Chandler, James	<i>Rapid</i>	Ferguson, Phillips	*		1/2 share
	0.2			0.014	0.200	
	10			4.6	4.6	
	29-00285J Chandler, Seren	<i>Rapid</i>	Ferguson, Phillips	*		1/2 share
	0.2			0.014	0.200	
	10			7.6	7.6	

Total Recommended CFS/Shares =	0.114	N/A
Unclaimed Shares =	0.086	N/A
Total Check=	0.200	
Total Acreage	164.900	

* Anderson, Melvin claimed two shares of the rotational right. I don't know which claim is for which decreed piece of property. Calimed as PPU
7 original users: 0.20cfs / 7 users = 0.02857 per share holder

Each user recommended the full decreed diversion rate to be used only in rotation with the other users of the right.

SCANNED
JUL 20 2005

PROFILED

2-2-02: this Right used in Rotation with other users.

3 This is diverted from Tuman while others divert from Rapid Creek

1-6-03 : Contact with claimant on 9/18/01

13-782	500 SHEETS, FILLER	5 SQUARE
12-381	50 SHEETS EYE-EASE	5 SQUARE
12-382	100 SHEETS EYE-EASE	5 SQUARE
12-383	200 SHEETS EYE-EASE	5 SQUARE
12-384	200 SHEETS EYE-EASE	5 SQUARE
12-385	100 RECYCLED WHITE	5 SQUARE
12-389	200 RECYCLED WHITE	5 SQUARE

Arden 11 S. A.



PROFILED

SCANNED
JUL 19 2005

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 29-285B

WATER RIGHT NUMBER: 29-285B

Owner Type Name and Address
 Current Owner GEORGE W CHANDLER
 3440 N RAPID CREEK RD
 INKOM, ID 83245
 (208)775-4988

Priority Date: 06/01/1884 ✓
 Basis: Decreed ✓
 Status: Active ✓

Source Tributary
 INMAN CREEK ✓
~~RAPID CREEK~~ RAPID CREEK ✓
 ~~PORTNEUF RIVER~~

Beneficial Use	From	To	Diversion Rate	Annual Volume
IRRIGATION ✓	01/01 to 12/31		0.200 CFS	
	4/1	10/31	0.201 @ 0.20	
	Total Diversion:		0.200 CFS	
			0.201 @ 0.20	n/A

Location of Point(s) of Diversion

INMAN CREEK ✓	SE1/4SW1/4SE1/4	Sec. 11, Twp 07S, Rge 36E, B.M.
BANNOCK County ✓		
RAPID CREEK	NW1/4NW1/4NW1/4	Sec. 14, Twp 07S, Rge 36E, B.M.
BANNOCK County		

Place of Use
 IRRIGATION ✓

Twp	Rge	Sec	NE	NW	SW	SE	Totals
07S	36E	14	NE NW SW SE	NE NW SW SE	NE NW SW SE	NE NW SW SE	22.7 ✓
				5.7 ✓	17.0 ✓		

Total Acres: 22.7 ✓

Conditions of Approval:

C18
Use of this Right with 29-2978 is limited to 22.7 ac

Remarks:

- General THIS RT. IS USED IN ROTATION WITH OTHER USERS
- Explanatory THIS RIGHT AMENDED ON 9/18/01, HOWEVER 29-00285A WAS AMENDED ON ACCIDENT. THE INTENT OF THE AMENDMENT WAS TO AMEND 29-00285B. DATABASE UPDATED ON 9/10/02 CLS.

Comments:Dates and Other Information:

Claim Received Date: 4/30/1990
 Carey Act Number:
 Mitigation Plan: False

SCANNED
 JUL 19 2005
 PROFILED

UNITED STATES
DEPARTMENT OF
AGRICULTURE

NATURAL RESOURCES
CONSERVATION
SERVICE

1551 BALDY AVE.
POCATELLO, ID.
83201-1551

RECEIVED

SEP 11 2002

Department of Water Resources

Sep. 26, 2001

George Chandler
3440 N. Rapid Creek Rd.
Inkom, ID 83245

Dear Mr. Chandler:

Attached is the soil and crop information you requested.

The first two pages are the location map and the soils map. The next four pages are a narrative of the soil types you have. The blue sheet shows what the expected seasonal use is for alfalfa in your area.

The last page is a recommended irrigation schedule based on crop and soil types.

The soils are generally very gravelly and have a relatively low water holding capacity. Assuming that peak daily consumptive use for alfalfa for your area is around 0.5 inches, it would take no more than 10 days to pass without an irrigation, (see Sheet 4 of 5).

The blue sheet indicates the seasonal use for alfalfa in the area.

I hope this information is helpful to you. Please feel free to contact me for assistance to you.

Sincerely,



Ron Davidson,
District Conservationist, USDA, NRCS

Craig
Here is the letter
on the amount of
water recommended for
my property.

Thanks.

George W. Chandler
3440 N. Rapid Creek Rd.
Inkom, Id. 83245
775-4988

RECEIVED
OCT 03 2001
Department of Water Resources
Eastern Region

SCANNED

JUL 19 2005

PROFILED

T
T
S

R36E

Corwin Hill
#1106

T107

See
I-8-D-22

#961
T105V

T111
I 6 4
Sect'n C
HEV
SHE

9 NWE
11.5


See I-8-D-18

+
N.W. 1/4 OF SW 1/4 OF SEC. 14
R36E T75

GEORGE CHANDLER

PROTECTED


SOIL SURVEY OF BANNOCK COUNTY AF



SCANNED

19 2005

PROFILED



43—Downey-Arimo complex, 3 to 8 percent slopes.

This map unit is on terraces. The vegetation in areas not cultivated is mainly shrubs and grasses. Elevation is about 4,600 to 4,900 feet. The average annual precipitation is about 13 inches, the average annual air temperature is about 44 degrees F, and the average frost-free period is about 95 days.

This unit is about 55 percent Downey gravelly silt loam and about 30 percent Arimo silt loam. The components of this unit are so intricately intermingled that it was not practical to map them separately at the scale used.

Included areas make up about 15 percent of the total acreage of this unit. Of this, about 5 percent is a soil that is similar to the Downey soil but has a stony silt loam surface layer and is on terrace breaks and about 5 percent is a soil that is similar to the Downey soil but is less than 10 inches deep to sand and gravel and is in slightly convex areas. The remaining 5 percent is small areas of soils that have slopes of less than 3 percent or more than 8 percent and Bear Lake silt loam.

The Downey soil is very deep and well drained. It formed in silty alluvium overlying flood-deposited sand and gravel of mixed mineralogy. Typically, the surface layer is brown gravelly silt loam 12 inches thick. The upper 5 inches of the underlying material is very pale brown, calcareous gravelly silt loam, and the lower part to a depth of 60 inches or more is multicolored, calcareous extremely gravelly coarse sand. Depth to extremely gravelly coarse sand is 12 to 20 inches.

Permeability of the Downey soil is moderate to a depth of 17 inches and very rapid below this depth. Available water capacity is low. Effective rooting depth is 60 inches or more. Runoff is medium, and the hazard of water erosion is moderate. If this soil is irrigated, runoff is rapid and the hazard of water erosion is high.

The Arimo soil is very deep and well drained. It formed in loess and silty alluvium overlying flood-deposited sand and gravel of mixed mineralogy. Typically, the surface layer is grayish brown silt loam 6 inches thick. The subsoil is brown silt loam 12 inches thick. The upper 15 inches of the substratum is white, calcareous silt loam, and the lower part to a depth of 60 inches or more is multicolored, calcareous extremely gravelly coarse sand. Depth to extremely gravelly coarse sand ranges from 20 to 40 inches.

Permeability of the Arimo soil is moderate to a depth of 33 inches and very rapid below this depth. Available water capacity is moderate. Effective rooting depth is 60 inches or more. Runoff is medium, and the hazard of water erosion is moderate. If this soil is irrigated, runoff is rapid and the hazard of water erosion is high.

Most areas of this unit are used as irrigated cropland and rangeland. A few areas are used as nonirrigated cropland and for homesite and urban development.

This unit is suited to irrigated crops. It is used mainly for the production of wheat, barley, and alfalfa hay. The unit is limited mainly by the droughtiness of the Downey

soil and the high hazard of water erosion. Because the Downey soil is droughty, applications of irrigation water should be light and frequent. Sprinkler irrigation is a suitable method of applying water. Use of this method permits the even, controlled application of water, reduces runoff, and minimizes the risk of erosion. Irrigation water needs to be applied at a rate that insures optimum production without increasing deep percolation, runoff, and erosion. Crop residue left on or near the surface helps to conserve moisture, maintain tilth, and control erosion. Tillage should be kept to a minimum.

This unit is well suited to use as rangeland. The potential natural plant community on the unit is mainly Wyoming big sagebrush, bluebunch wheatgrass, Thurber needlegrass, and arrowleaf balsamroot. This unit is well suited to the use of mechanical equipment such as rangeland plows and drills. Livestock watering facilities need to be developed or improved for summer and fall use of this unit. The unit is limited for livestock watering ponds and other water impoundments by the seepage potential.

This unit is poorly suited to nonirrigated crops. It is used for the production of wheat and barley. The unit is limited mainly by low precipitation, the droughtiness of the Downey soil, and the hazard of water erosion. Because precipitation is not sufficient for annual cropping, a cropping system that includes small grain and summer fallow is most suitable. Erosion is reduced if fall grain is seeded early, stubble mulch tillage is used, and tillage and seeding are on the contour or across the slope. Also, waterways should be shaped and seeded to perennial grass. On long slopes, chiseling the stubble in fall slows runoff and reduces soil loss in years when the snow melts rapidly while the soil is still frozen. Chiseling also promotes better aeration. Maintaining 1,500 pounds or more of straw on the surface at planting time reduces runoff, conserves moisture, and helps to maintain soil tilth and organic matter content.

If this unit is used for homesite and urban development, the main limitations are the hazard of frost action in the silty overlying material, the hazard of cutbanks/caving in and the seepage potential in the underlying extremely gravelly coarse sand, and slope. Frost action potential is a limitation in maintaining roads, streets, driveways, and sidewalks. If the density of housing is moderate to high, community sewage systems help to prevent contamination of ground water as a result of seepage from onsite sewage disposal systems. Cutbanks are not stable and are subject to slumping.

This map unit is in capability subclasses IIIe, irrigated, and VIe, nonirrigated.

44—Enochville-Enochville Variant complex, 0 to 1 percent slopes. This map unit is on stream terraces. The native vegetation is mainly sedges and grasses. Elevation is about 6,000 to 6,400 feet. The average annual precipitation is about 18 inches, the average

SCANNED

JUL 18 2005

PROTECTED

annual air temperature is about 41 degrees F, and the average frost-free period is about 60 days.

This unit is about 40 percent Enochville silt loam and about 35 percent Enochville Variant gravelly silt loam. The components of this unit are so intricately intermingled that it was not practical to map them separately at the scale used.

Included areas make up about 25 percent of the total acreage of this unit. Of this, about 5 percent is Holmes very cobbly loam on terrace escarpments, about 10 percent is soils that have a water table at or near the surface, and about 5 percent is soils that are similar to the Enochville and Enochville Variant soils but are moderately well drained and are in convex areas and near the edges of the bottom lands. The remaining 5 percent is small areas of very poorly drained soils that have more than 35 percent clay in the subsoil and upper part of the substratum and soils that have slopes of more than 1 percent.

The Enochville soil is very deep and poorly drained. It formed in alluvium derived from mixed sources. Typically, the surface layer is very dark grayish brown silt loam 12 inches thick. The subsoil is dark grayish brown silty clay loam 8 inches thick. The upper 23 inches of the substratum is grayish brown silt loam, and the lower part to a depth of 60 inches or more is pale olive and pale yellow very cobbly sandy loam and extremely cobbly sandy loam.

Permeability of the Enochville soil is moderately slow. Available water capacity is high. Effective rooting depth for plants, except those that are water tolerant, is limited by a seasonal high water table that is at a depth of 1 to 2 feet from April through June. Runoff is slow, and the hazard of water erosion is slight. This soil is frequently flooded for brief periods from February through June.

The Enochville Variant soil is very deep and poorly drained. It formed in alluvium derived from mixed sources. Typically, the surface layer is dark grayish brown, calcareous gravelly silt loam 11 inches thick. Below this to a depth of 18 inches is a buried surface layer of dark grayish brown, calcareous gravelly silt loam. The next layer is a buried subsoil of dark grayish brown gravelly silt loam 6 inches thick. The upper 6 inches of the substratum is grayish brown very gravelly loam, and the lower part to a depth of 60 inches or more is light brownish gray and light gray, calcareous extremely gravelly loam.

Permeability of the Enochville Variant soil is moderate. Available water capacity is low. Effective rooting depth for plants, except those that are water tolerant, is limited by a seasonal high water table that is at a depth of 1 to 2 feet from April through June. Runoff is slow, and the hazard of water erosion is slight. This soil is frequently flooded for brief periods from February through June.

This unit is used as rangeland.

This unit is suited to use as rangeland. The potential natural plant community on the unit is mainly sedges,

basin wildrye, and slender wheatgrass. The main limitations are the seasonal high water table and frequent flooding late in winter and in spring. Grazing should be delayed until the soil is firm and the more desirable forage plants have achieved sufficient growth to withstand grazing pressure. The main limitation for rangeland seeding on this unit is the hazard of frequent flooding.

This map unit is in capability subclass Vw.

45—Greys-Pavohroo-Sedgway association, 8 to 20 percent slopes. This map unit is on mountain foot slopes. Elevation is about 6,000 to 7,000 feet.

This unit is about 50 percent Greys silt loam, about 20 percent Pavohroo silt loam, and about 20 percent Sedgway gravelly silt loam. The Greys soil is on slightly concave to plane slopes, the Pavohroo soil is on slightly convex to plane slopes, and the Sedgway soil is on convex ridges and near drainageways.

Included areas make up about 10 percent of the total acreage of this unit. Of this, about 5 percent is Yago extremely stony silty clay loam in convex areas on ridges. The remaining 5 percent is small areas of very deep, poorly drained soils near springs, a very deep soil in drainageways, Hades gravelly silt loam, and soils that have slopes of less than 8 percent or more than 20 percent.

The Greys soil is very deep and well drained. It formed in loess and in silty alluvium derived from loess. The native vegetation is mainly trees and grasses. The average annual precipitation is about 20 inches, the average annual air temperature is about 40 degrees F, and the average frost-free period is about 60 days. Typically, an intermittent duff layer of leaves, twigs, and grasses about 3 inches thick is on the surface. The surface layer is dark grayish brown silt loam 8 inches thick. The upper 4 inches of the subsurface layer is light brownish gray silt loam, and the lower part, to a depth of 19 inches, is 60 percent light brownish gray silt loam and 40 percent brown silt loam. The subsoil to a depth of 60 inches or more is brown, light yellowish brown, and pale brown silt loam.

Permeability of the Greys soil is moderately slow. Available water capacity is very high. Effective rooting depth is 60 inches or more. Runoff is very rapid, and the hazard of water erosion is very high.

The Pavohroo soil is very deep and well drained. It formed in silty alluvium and colluvium derived from loess and various kinds of sedimentary and metasedimentary rock. The native vegetation is mainly trees and shrubs. The average annual precipitation is about 25 inches, the average annual air temperature is about 39 degrees F, and the average frost-free period is about 40 days. Typically, an intermittent duff layer of needles, leaves, and twigs about 3 inches thick is on the surface. The surface layer is dark grayish brown silt loam 26 inches

PROFILED

SCANNED
JUL 19 2005

grasses. Elevation is about 4,500 to 5,400 feet. The average annual precipitation is about 14 inches, the average annual air temperature is about 43 degrees F, and the average frost-free period is about 90 days.

Typically, the surface layer is brown, calcareous silt loam 10 inches thick. The subsoil is brown, calcareous silt loam 23 inches thick. The next layer to a depth of 60 inches or more is a buried subsoil of pale brown, calcareous silt loam.

Included areas make up about 15 percent of the total acreage of this unit. Of this, about 5 percent is Hondoho cobbly silt loam near drainageways and about 5 percent is Inkom silt loam in concave areas. The remaining 5 percent is small areas of Arbone silt loam, Arimo silt loam, and soils that are similar to this Joevar soil but have a weakly cemented pan at a depth of 15 to 30 inches.

Permeability of this Joevar soil is moderate. Available water capacity is very high. Effective rooting depth is 60 inches or more. In both irrigated and nonirrigated areas, runoff is slow and the hazard of water erosion is slight.

Most areas of this unit are used as irrigated and nonirrigated cropland. A few areas are used as rangeland.

This unit is well suited to irrigated crops. It is used for the production of wheat, barley, and alfalfa hay. It has few limitations. Sprinkler irrigation is a suitable method of applying water. Use of this method permits the even, controlled application of water, reduces runoff, and minimizes the risk of erosion. Irrigation water needs to be applied at a rate that insures optimum production without increasing deep percolation, runoff, and erosion. Crop residue left on or near the surface helps to conserve moisture, maintain tilth, and control erosion.

This unit is well suited to nonirrigated crops. It is limited mainly by low precipitation. Because precipitation is marginal for annual cropping, the cropping system commonly includes small grain and summer fallow. On long slopes, chiseling the stubble in fall slows runoff and reduces soil loss in years when the snow melts rapidly while the soil is still frozen. Chiseling also promotes better aeration. Maintaining 1,500 pounds per acre or more of straw on the surface at planting time reduces runoff, conserves moisture, and helps to maintain soil tilth and organic matter content.

This unit is very susceptible to the formation of a tillage pan and other compacted layers, which reduce the permeability of the soil and restrict root penetration. Deep subsoiling in fall helps to break up the compacted layers.

This unit is well suited to use as rangeland. The potential natural plant community on the unit is mainly bluebunch wheatgrass, basin big sagebrush, and Nevada bluegrass. The suitability of this unit for rangeland seeding is good.

This map unit is in capability subclass IIIc, irrigated and nonirrigated.

65—Lanoak silt loam, 1 to 4 percent slopes. This very deep, well drained soil is on terraces. It formed in loess and in silty alluvium derived from loess. The vegetation in areas not cultivated is mainly shrubs and grasses. Elevation is about 4,900 to 5,600 feet. The average annual precipitation is about 17 inches, the average annual air temperature is about 43 degrees F, and the average frost-free period is about 80 days.

Typically, the surface layer is dark grayish brown silt loam 22 inches thick. The subsoil is grayish brown and pale brown silt loam 22 inches thick. The substratum to a depth of 60 inches or more is light gray, calcareous silt loam.

Included areas make up about 15 percent of the total acreage of this unit. Of this, about 5 percent is Joevar silt loam in concave areas and along drainageways and about 5 percent is Hondoho gravelly silt loam in convex areas along drainageways. The remaining 5 percent is small areas of Arbone silt loam and soils that have slopes of less than 1 percent or more than 4 percent.

Permeability of this Lanoak soil is moderate. Available water capacity is very high. Effective rooting depth is 60 inches or more. Runoff is medium, and the hazard of water erosion is moderate.

Most areas of this unit are used as nonirrigated cropland. A few areas are used as rangeland.

The Lanoak soil is well suited to nonirrigated crops. It is used for the production of wheat, barley, and a small amount of alfalfa hay. The unit is limited mainly by the short growing season and the hazard of water erosion. In some years the growing season is shorter than normal, which significantly reduces yields of crops. Erosion is reduced if fall grain is seeded early, stubble mulch tillage is used, and tillage and seeding are on the contour or across the slope. Also, waterways should be shaped and seeded to perennial grass. On long slopes, chiseling the stubble in fall slows runoff and reduces soil loss in years when the snow melts rapidly while the soil is still frozen. Chiseling also promotes better aeration. Maintaining 1,500 pounds per acre or more of straw on the surface at planting time reduces runoff, conserves moisture, and helps to maintain soil tilth and organic matter content.

This unit is well suited to use as rangeland. The potential natural plant community on the unit is mainly mountain big sagebrush and bluebunch wheatgrass. The suitability of this unit for rangeland seeding is good.

This map unit is in capability subclass IIIc.

66—Lanoak silt loam, 4 to 12 percent slopes. This very deep, well drained soil is on foothills and fan terraces. It formed in loess and in silty alluvium derived from loess. The vegetation in areas not cultivated is mainly shrubs and grasses. Elevation is about 5,000 to 6,500 feet. The average annual precipitation is about 17 inches, the average annual air temperature is about 42 degrees F, and the average frost-free period is about 80 days.

PROFILED

SCANNED

JUL 19 2005

Typically, the surface layer is dark grayish brown silt loam 22 inches thick. The subsoil is grayish brown and pale brown silt loam 22 inches thick. The substratum to a depth of 60 inches or more is light gray, calcareous silt loam.

Included areas make up about 15 percent of the total acreage of this unit. Of this, about 5 percent is Ririe silt loam on south- and west-facing side slopes and hilltops and about 5 percent is Hondo gravelly silt loam on side slopes along drainageways. The remaining 5 percent is small areas of Coalbank very fine sandy loam and soils that have slopes of less than 4 percent or more than 12 percent.

Permeability of this Lanoak soil is moderate. Available water capacity is very high. Effective rooting depth is 60 inches or more. Runoff is rapid, and the hazard of water erosion is high.

Most areas of this unit are used as nonirrigated cropland. A few areas are used as rangeland.

This unit is well suited to nonirrigated crops. It is used for the production of wheat, barley, and a small amount of alfalfa hay. The unit is limited mainly by the high hazard of water erosion and the short growing season. Terraces reduce runoff and the risk of erosion and help to conserve moisture. Erosion can be reduced if fall grain is seeded early, stubble mulch tillage is used, and tillage and seeding are on the contour or across the slope. Also, waterways should be shaped and seeded to perennial grass. On long slopes, chiseling the stubble in fall slows runoff and reduces soil loss in years when the snow melts rapidly while the soil is still frozen. Chiseling also promotes better aeration. Maintaining 1,500 pounds per acre or more of straw on the surface at planting time reduces runoff, conserves moisture, and helps to maintain soil tilth and organic matter content. In some years the growing season is shorter than normal, which significantly reduces yields of crops on the unit.

This unit is well suited to use as rangeland. The potential natural plant community on the unit is mainly mountain big sagebrush and bluebunch wheatgrass. The unit is suited to the use of mechanical equipment such as rangeland plows and drills.

This map unit is in capability subclass IIIe.

67—Lanoak silt loam, 12 to 20 percent slopes. This very deep, well drained soil is on north- and east-facing side slopes of foothills and fan terraces. It formed in loess and in silty alluvium derived from loess. The vegetation in areas not cultivated is mainly shrubs and grasses. Elevation is about 5,000 to 6,500 feet. The average annual precipitation is about 17 inches, the average annual air temperature is about 42 degrees F, and the average frost-free period is about 80 days.

Typically, the surface layer is dark grayish brown silt loam 22 inches thick. The subsoil is grayish brown and pale brown silt loam 22 inches thick. The substratum to

a depth of 60 inches or more is light gray, calcareous silt loam.

Included areas make up about 15 percent of the total acreage of this unit. Of this, about 5 percent is Camelback gravelly silt loam on convex side slopes and about 5 percent is Hades gravelly silt loam along drainageways. The remaining 5 percent is small areas of Moonlight silt loam, Valmar very cobbly silt loam, Watercanyon silt loam, and soils that have slopes of less than 12 percent or more than 20 percent.

Permeability of this Lanoak soil is moderate. Available water capacity is very high. Effective rooting depth is 60 inches or more. Runoff is very rapid, and the hazard of water erosion is very high.

Most areas of this unit are used as nonirrigated cropland. A few areas are used as rangeland.

This unit is suited to nonirrigated crops. It is used for the production of wheat, barley, and a small amount of alfalfa hay. The unit is limited mainly by the very high hazard of water erosion and the short growing season. Erosion can be reduced if fall grain is seeded early, stubble mulch tillage is used, and tillage and seeding are on the contour or across the slope. Also, waterways should be shaped and seeded to perennial grass. On long slopes, chiseling the stubble in fall slows runoff and reduces soil loss in years when the snow melts rapidly while the soil is still frozen. Chiseling also promotes better aeration. Maintaining 1,500 pounds per acre or more of straw on the surface at planting time reduces runoff, conserves moisture, and helps to maintain soil tilth and organic matter content. In some years the growing season is shorter than normal, which significantly reduces yields of crops.

This unit is well suited to use as rangeland. The potential natural plant community on the unit is mainly mountain big sagebrush and bluebunch wheatgrass. This unit is suited to the use of mechanical equipment such as rangeland plows and drills. The main limitation is the very high hazard of water erosion. Nonmechanical treatment practices may be more suitable.


This map unit is in capability subclass IVe.

68—Lanoak silt loam, 20 to 30 percent slopes. This very deep, well drained soil is on north- and east-facing side slopes of foothills and fan terraces. It formed in loess and in silty alluvium derived from loess. The vegetation in areas not cultivated is mainly shrubs and grasses. Elevation is about 5,000 to 6,500 feet. The average annual precipitation is about 17 inches, the average annual air temperature is about 42 degrees F, and the average frost-free period is about 80 days.

Typically, the surface layer is dark grayish brown silt loam 22 inches thick. The subsoil is grayish brown and pale brown silt loam 22 inches thick. The substratum to a depth of 60 inches or more is light gray, calcareous silt loam.

PROFILED

SCANNED
JUL 19 2005

Table 683-2.--ESTIMATED SEASONAL AND MONTHLY CONSUMPTIVE USE OF CROPS
FOR CLIMATIC AREA III

SPRINKLER SYSTEM DESIGN DATA

NAME George Chandler DATE 9-25-01 PREPARED BY C. Erickson
SCD Portneuf COUNTY Bannock JOB CLASS NA

I. INVENTORY

Total Acres 40 Crop Acres _____ Climatic Area III
Water Source _____ Amt. Avail. _____ Seasonal Variation _____
Energy Source _____
(Electric) (Int. Comb-Fuel) (Gravity)

II. SOILS DATA

USDA Soils Class Majority	Total Available WHC (in/ft.)					Depth To		Maximum Intake Rate in/hr.
	0-1	1-2	2-3	3-4	4-5	Inhibiting Layer (ft)	Water Table	
#44	1.9	1.7	0.7	0.7	0.7	Previous Layer @ 2'		HIGH 0.6-2.0
#66								

III. DETERMINATION OF WEIGHTED CONSUMPTIVE USE (CU)

Crop	Acres (A)	June		July		August	
		CU	AxCU	CU	AxCU	CU	AxCU
<u>Alfalfa</u>	<u>40</u>						
Weighted Consumptive Use							

IV. WATER MANAGEMENT INFORMATION

Crop	Root Zone Depth (ft)	Total WHC (Inches)	Stress Point (%TWHC)	Max. Net Replacement (Inches)	Peak Daily C.U.	Max. Freq. @ Peak C.U. @ Max. Net.
<u>Alfalfa</u>	<u>5</u>	<u>5.7</u>	<u>50</u>	<u>2.85</u>	<u>.28</u>	<u>10</u>

V. DESIGN DATA -

Based on weighted consumptive use, 65% Eff., _____ MPH winds, _____ Wind Factor
(Ref: NHCP 442-2)

	Application		Peak Daily C.U. * (Weighted)	Frequency (F) (Days)	System Requirements	
	Net (D)	Gross			(Total gpm) (Q)	gpm/ac
Maximum	<u>2.85</u>	<u>4.38</u>	<u>0.28</u>	<u>10</u>	<u>345</u>	<u>8.6</u>

$(40)(2.85)$
 $Q = 453 \text{ A D} = \text{system capacity}$
 $F \text{ H Eff.}$
 $(10)(23)(.65)$
 $H = \text{Total operating hours/day}$

* Use controlling weighted monthly
consumptive use and determine peak
daily consumptive use from Table
ID683-3, page ID683-22.

PROFIT

SCANNED
JUL 19 2005

JUN 11 2001

Log for claim A29-00285B

Spatial Dynamics LTD

8/23/00

TR	SEC	QQ	Acres Claimed	Acres Found	COMMENT
07s36e	11	SWSE	0	0	POD placement?
07s36e	14	SWNW	2	12	Indiscernible
07s36e	14	NWSW	2	23	Indiscernible
Totals:			4	35	

AJ5809NP
No. A29-00285B

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 05/18/00
PAGE: 21

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GEORGE W CHANDLER 3440 N RAPID CREEK RD INKOM ID 83245 (208) 775-4988	06/01/1884	IRRIGATION	04-15 10-15	0.200 CFS	
					TOTAL DIVERSION:	0.200 CFS
					CONSUMPTIVE USE:	12.50 AFA

Water Source: SHAW HOLLOW

Tributary to: RAPID CREEK

Stage: DECREED

Point(s) of Diversion: T07S R36E S11 SWSE BANNOCK County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE							
T	R	S	:	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	:	SUM
07S	36E	14	:							02				02					5.0
																		TOTAL ACRES	5.0

POU County: BANNOCK

Non-Irrigation Uses: NONE

Other Rights: NONE BUT A2900297B IS ADJACENT

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):

29-00307C A29-00285A A29-00285I A29-00285J A29-00297A A29-00297B A29-00307A A29-00307B A29-00307C A29-00314A

Other Water Rights Listing Overlapping Place(s) of Use:

A29-00297A A29-00297B A29-00314A

Remarks: GEN THIS RT. IS USED IN ROTATION WITH OTHER USERS

Dates: Exam Made Date: Verified Date: Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 04/30/90 JONES 04/04/94 THOMPSON 03/29/95 POST-STD

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 39576

Ident. Number 29-285B
Date Received: 4/30/1990
Receipt No: E013813
Received By:

COPY

COPY

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name of Claimant(s)

GEORGE W CHANDLER Phone: (208)775-4988

3440 N RAPID CREEKK RD
INKOM ID USA 83245

2. Date of Priority: 06/01/1884

3. Source: INMAN CREEK , RAPID CREEK Trib. to: RAPID CREEK , PORTNEUF RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of 1/4 of 1/4 Lot	County	Type
07S	36E	11	SE SW SE	BANNOCK	
07S	36E	14	NW NW NW	BANNOCK	

5. Description of diverting works:

HEADGATE TO DITCH, PIPELING AND SPRINKLER IRRIGATION

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or) A.F.A
IRRIGATION	01/01	12/31	0.2	

7. Total Quantity Appropriated is:
0.2 C.F.S.

8. Total consumptive use:

9. Non-irrigation uses:

10. Place of use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
07S	36E	14	NW	SW		IRRIGATION	17
			SW	NW		IRRIGATION	5.7
						Section Acres	22.7
						Total Acres	22.7

11. Place of use in counties: BANNOCK

12. Do you own the property listed above as place of use? Yes

13. Other Water Rights Used:

14. Remarks:

THIS RIGHT AMENDED ON 9/18/01, HOWEVER 29-00285A WAS AMENDED ON ACCIDENT. THE INTENT OF THE AMENDMENT WAS TO AMEND 29-00285B. DATABASE UPDATED ON 9/10/02 CLS.

THIS RT. IS USED IN ROTATION WITH OTHER USERS

15. Basis of Claim: Decreed

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

PROFILED

SCANNED
JUL 19 2005

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 39576

Ident. Number 29-285A/B
Date Received: 2/2/90
Receipt No: E011927
Received By:

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name of Claimant(s)

SAMUEL D CHANDLER Phone: (208) 775-3679

107 E INMAN RD
INKOM ID USA 83245

LORENE CHANDLER Phone: (208) 775-4988

3440 N RAPID CREEKK RD
INKOM ID USA 83245

2. Date of Priority: 06/01/1884

3. Source: INMAN CREEK , RAPID CREEK Trib. to: RAPID CREEK , PORTNEUF RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of 1/4 of 1/4 Lot			County	Type
07S	36E	11	SE	SW	SE	BANNOCK	
07S	36E	14	NW	NW	NW	BANNOCK	

5. Description of diverting works:

HEADGATE TO DITCH , PIPELINE AND SPRINKLER IRRIGATION

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or) A.F.A
IRRIGATION	01/01	12/31	0.2	

PROFILED

SCANNED

JUL 19 2005

7. Total Quantity Appropriated is:
0.2 C.F.S.

8. Total consumptive use:

9. Non-irrigation uses:

10. Place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
07S	36E	14	NW	SW	IRRIGATION	17
			SW	NW	IRRIGATION	5.7
					Section Acres	22.7
					Total Acres	22.7

11. Place of use in counties: BANNOCK

12. Do you own the property listed above as place of use? Yes

13. Other Water Rights Used:

14. Remarks:

THIS RIGHT USED IN ROTATION WITH OTHER USERS. CLAIM AMENDED TO MORE ACCURATELY DESCRIBE POU.

15. Basis of Claim: Beneficial Use

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): George W. Chandler Date: 9/18/01
Rabene F. Chandler Date: 9/18/2001

State of Idaho)
County of Bonneville) SS.

Subscribed and sworn (or affirmed) before me this 18th
of Sept 2001

Jennifer Crabtree

Notary Public

Residing at Idaho Falls, ID

My commission Expires 9/23/03



SCANNED

JUN 11 2001

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A29-00285B

Date Received: 7/07/1988

Receipt No: E013813

Received By: HWS

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: GEORGE W. CHANDLER 208-775-4988
Address: 3440 N. RAPID CREEK RD.
INKOM, ID 83245

2. Date of Priority: JUN 01, 1884

3. Source: SHAW HOLLOW Trib. to: RAPID CREEK

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
07S	36E	11	SW	SE			BANNOCK

5. Description of diverting works:
DITCH TO FLOOD IRRIGATION

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	04/15	10/15	0.200		

7. Total Quantity Appropriated is:
0.200 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 12.5 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
07S	36E	14	SW	NW		IRR	2.5
			NW	SW		IRR	2.5

A29-00285B

Page 1

Date: 04/30/90

MICROFILMED

NOV 13 1992

A2900285B



10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
					Section Acres	5.0
					Total Acres	5.0

11. Place of use in counties: BANNOCK

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE BUT A2900297B IS ADJACENT

14. Remarks:
THIS RT. IS USED IN ROTATION WITH OTHER USERS

15. Basis of Claim: DECREED

Water Right Number: 290285

Case Number:

Court :

Decree date: 6/22/1906

<u>CHARLES STEWART</u>		<u>A.J. DAMROM</u>
Decree Plaintiff	vs	Decree Defendant

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 0

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): George W. Chandler Date: 4-30-90
Date: _____

MICROFILMED
NOV 13 1992

State of Idaho)
County of Bannock) SS.

Subscribed and sworn (or affirmed) before me this 30th day


of April 19 90

Charles Wray
Notary Public

Seal

Residing at Idaho Falls

My Commission Expires 5/29/99



A29-00285B

T7S

RICE

P.O.U.

MICROFILMED
NOV 13 1992