

RECEIVED

MAY 21 2019

IDWR / NORTH

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE PALOUSE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 59576

Claim ID: 87-10899

Date Received: 5-21-19

Receipt No: N034631

Claim Fee: \$250 By: ja

NOTICE OF CLAIM TO A WATER RIGHT

ACQUIRED UNDER STATE LAW

For Domestic and/or Stockwater Purposes

Where Daily Use is less than 13,000 gallons per day

Please type or print clearly

- Name of claimant(s) JANICE M WILLARD Phone (509) 330-2024
Mailing address 3100 DARBY RD MOSCOW ID Zip 83843
Street or Box City State
Email address (optional) jwillard@turbonet.com
- Date of priority: (Only one per claim) 3/4/1977 (Explain priority date selected in Remarks)
Month/Day/Year (YYYY)
- Source of water supply (Check one) Ground Water (✓) or Other () (a) _____
which is tributary to (b) _____
- Location of point of diversion is: Township 39N, Range 05W, Section 3,
SW 1/4 of NW 1/4, or Govt. Lot _____ BM, County of LATAH
Parcel no. RP39N05W033612
Additional points of diversion, if any: _____
If available, GPS coordinates: _____
- Description of diverting works (wells, pumps, spring boxes, pipelines, etc.) including the dates of any changes or enlargements in use, the dimensions of the diversion works as constructed and as enlarged and the depth of each well.
2 WELLS, SECOND ONE DRILLED IN 1985 SUPPLEMENTS WELL NO. 1, PIPELINE FROM WELLS TO
2000 GALLON CISTERN IN THE BARN. BOTH WELLS ARE LOCATED SAME LEGAL DESCRIPTION
- Water is claimed for the following: (limited to domestic and/or stockwater uses - see page 1 of the instructions)
For DOMESTIC purposes from 01/01 to 12/31 amount 0.01 cfs (✓) or AFY ()
For STOCKWATER purposes from 01/01 to 12/31 amount 0.01
- Total quantity claimed 0.01 cfs (✓) or AFY ()
- Non-irrigation uses. Describe fully. (Domestic: give number of homes; Stockwater: list number and kind)
DOMESTIC - 1 HOME, STOCKWATER FOR 70 SHEEP AND 50 GOATS

9. Location of place of use is: Township 39N, Range 05W, Section 43,
SW 1/4 of NE 1/4, Govt. Lot _____ BM, Parcel no. _____

_____ If different than shown in Item 4
for (check one) **Domestic** () **Stock** () **Domestic and Stock** (✓)

Additional places of use, if any _____

10. In which county(ies) are lands listed above as place of use located? LATAH

11. Do you own the property listed above as place of use? Yes (✓) No ()
If the answer is No, describe in Remarks below the authority you have to claim this water right.

12. Describe any other water rights used at the same place and for the same purposes as described above.
SPRING or None ()

13. Remarks (include an explanation of the priority date selected):

14. Basis of claim (check one) **Beneficial Use** (✓) **Posted Notice** () **License** () **Permit** () **Decree** ()

Court _____ Decree Date _____ Plaintiff v. Defendant _____

If applicable provide IDWR Water Right Number _____

15. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notices in the Palouse River Basin Water System Adjudication."

(b.) I/We do (✓) do not () wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals: I/We do solemnly swear or affirm under penalty of perjury that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s) [Signature] Date: 5/21/2019

Date: _____

For Organizations: I do solemnly swear or affirm under penalty of perjury that I am, and that I have signed the foregoing document in the space below as the

Agent's title (Please print) _____ of _____
Name of organization (Please print)

and that the statements contained in the foregoing document are true and correct.

Signature of Authorized Agent _____ Date _____

Printed Name of Authorized Agent _____


16. Notice of Appearance:

Notice is hereby given that I, (please print) _____, will be acting as attorney at law of behalf on the claimant signing above, and that all notices required by law to be mailed by the director to the claimant signing above should be mailed to me at the address listed below.

Signature _____ Date _____

Address _____

Name of claimant(s) JANICE M WILLARD Claim ID _____



LATAH COUNTY, IDAHO
ASSESSOR PLAT RECORD



Legend

-  Townships
-  Sections
-  Sixteen Quarter
-  Parcels

1 inch = 325 feet

© Latah County Official Plat Record
This map is provided by Latah County Assessor.
Due to the variability of sources used Latah County
makes no claims or warranties regarding
the data contained herein.

Author: Debbie Jacobs, Cartographer

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Janice Willard</u> Address <u>2080 Darby Road Moscow, Idaho 83843</u> Owner's Permit No. <u>87-85-N-9</u>	7. WATER LEVEL Static water level <u>141</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.f. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature ____ °F. Quality _____																																																																						
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe method of abandoning) _____	8. WELL TEST DATA ☐ Pump ☒ Bailor ☐ Air ☐ Other _____																																																																						
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type) _____	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: center;">Discharge G.P.M.</th> <th style="text-align: center;">Pumping Level</th> <th style="text-align: center;">Hours Pumped</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;"><u>15</u></td> <td></td> <td></td> </tr> <tr><td> </td><td></td><td></td></tr> <tr><td> </td><td></td><td></td></tr> <tr><td> </td><td></td><td></td></tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>15</u>																																																																		
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																					
<u>15</u>																																																																							
4. METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Hole Diam.</th> <th colspan="2">Depth</th> <th>Material</th> <th>Water Yes/No</th> </tr> <tr> <th></th> <th>From</th> <th>To</th> <th></th> <th></th> </tr> </thead> <tbody> <tr><td>"</td><td>0</td><td>2</td><td>Black dirt</td><td>x</td></tr> <tr><td>"</td><td>2</td><td>9</td><td>Yellow clay</td><td>x</td></tr> <tr><td>"</td><td>9</td><td>29</td><td>Brown clay</td><td>x</td></tr> <tr><td>"</td><td>29</td><td>40</td><td>Sand, gravel, granite</td><td>x</td></tr> <tr><td>"</td><td>40</td><td>81</td><td>White clay, granite</td><td>x</td></tr> <tr><td>"</td><td>81</td><td>108</td><td>Lt. brown clay, granite</td><td>x</td></tr> <tr><td>"</td><td>108</td><td>117</td><td>Rock</td><td>x</td></tr> <tr><td>"</td><td>117</td><td>120</td><td>Rock</td><td>x</td></tr> <tr><td>"</td><td>120</td><td>122</td><td>Black clay, wood</td><td>x</td></tr> <tr><td>"</td><td>122</td><td>126</td><td>Lt. brown clay, wood</td><td>x</td></tr> <tr><td>"</td><td>126</td><td>166</td><td>Gray clay, wood</td><td>x</td></tr> <tr><td>"</td><td>166</td><td>173</td><td>Broken soft rock</td><td>x</td></tr> </tbody> </table>	Hole Diam.	Depth		Material	Water Yes/No		From	To			"	0	2	Black dirt	x	"	2	9	Yellow clay	x	"	9	29	Brown clay	x	"	29	40	Sand, gravel, granite	x	"	40	81	White clay, granite	x	"	81	108	Lt. brown clay, granite	x	"	108	117	Rock	x	"	117	120	Rock	x	"	120	122	Black clay, wood	x	"	122	126	Lt. brown clay, wood	x	"	126	166	Gray clay, wood	x	"	166	173	Broken soft rock	x
Hole Diam.	Depth		Material	Water Yes/No																																																																			
	From	To																																																																					
"	0	2	Black dirt	x																																																																			
"	2	9	Yellow clay	x																																																																			
"	9	29	Brown clay	x																																																																			
"	29	40	Sand, gravel, granite	x																																																																			
"	40	81	White clay, granite	x																																																																			
"	81	108	Lt. brown clay, granite	x																																																																			
"	108	117	Rock	x																																																																			
"	117	120	Rock	x																																																																			
"	120	122	Black clay, wood	x																																																																			
"	122	126	Lt. brown clay, wood	x																																																																			
"	126	166	Gray clay, wood	x																																																																			
"	166	173	Broken soft rock	x																																																																			
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☒ Other _____ <table style="margin-left: 20px;"> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> <tr> <td><u>250</u> inches</td> <td><u>8</u> inches</td> <td>+ above</td> <td>feet <u>130'6"</u></td> </tr> <tr> <td><u>NXCNXN</u> inches</td> <td><u>6</u> inches</td> <td>_____</td> <td>feet _____</td> </tr> <tr> <td><u>Plastic</u>-inches-</td> <td>-Inches-</td> <td><u>133</u> feet</td> <td><u>173</u> feet</td> </tr> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No Skilsaw How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation <u>1/8</u> inches by <u>8-10</u> inches Plastic Pipe Number From To perforations <u>153</u> feet <u>173</u> feet perforations _____ feet _____ feet perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>130'6"</u> Material used in seal: ☐ Cement grout <u>Bentonite</u> <u>18'</u> ☒ Puddling clay ☐ Well cutting Sealing procedure used: ☐ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>Port in well seal</u>	Thickness	Diameter	From	To	<u>250</u> inches	<u>8</u> inches	+ above	feet <u>130'6"</u>	<u>NXCNXN</u> inches	<u>6</u> inches	_____	feet _____	<u>Plastic</u> -inches-	-Inches-	<u>133</u> feet	<u>173</u> feet	 RECEIVED NOV 18 1985 JAN 13 1986 DEPARTMENT OF WATER RESOURCES MOSCOW, IDAHO 83843																																																						
Thickness	Diameter	From	To																																																																				
<u>250</u> inches	<u>8</u> inches	+ above	feet <u>130'6"</u>																																																																				
<u>NXCNXN</u> inches	<u>6</u> inches	_____	feet _____																																																																				
<u>Plastic</u> -inches-	-Inches-	<u>133</u> feet	<u>173</u> feet																																																																				
6. LOCATION OF WELL Sketch map location must agree with written location. N W E S Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Latah</u> <u>NW</u> ¼ SW ¼ Sec. <u>3</u> , T. <u>39</u> N., R. <u>5</u> E/W.	10. Work started <u>9-20-85</u> finished <u>11-1-85</u> 11. DRILLERS CERTIFICATION I/we certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Don Town Hall Drilling Co.</u> No. <u>155</u> Address <u>2380 Moscow Mtn Rd</u> Date <u>11-14-85</u> <u>Moscow, Idaho 83843</u> Signed by (Firm Official) _____ and (Operator) <u>Don Town</u>																																																																						

USE ADDITIONAL SHEETS IF NECESSARY -- FORWARD THE WHITE COPY TO THE DEPARTMENT

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

RECEIVED

RANK 83 1977

days after the completion or abandonment of the well.

1. WELL OWNER
Name Sarah Otness
Address Box 531 Dover Highway Sandpoint Id
Owner's Permit No. 87-77-N-2 83864

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning)

3. PROPOSED USE
☒ Domestic ☐ Irrigation ☐ Test ☐ Other (specify type)
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED
☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 8 inches Total depth 197 feet
Casing schedule: ☒ Steel ☐ Concrete
Thickness Diameter From To
250 inches 8 inches above feet 122 feet
____ inches ____ inches ____ feet ____ feet
____ inches ____ inches ____ feet ____ feet
____ inches ____ inches ____ feet ____ feet
____ inches ____ inches ____ feet ____ feet
Was a packer or seal used? ☐ Yes ☒ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☐ Yes ☒ No
Manufacturer's name _____
Type _____ Model No. _____
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Diameter _____ Slot size _____ Set from _____ feet to _____ feet
Gravel packed? ☐ Yes ☒ No Size of gravel _____
Placed from _____ feet to _____ feet
Surface seal depth 8 & 18 Material used in seal ☐ Cement grout
Bentonite & ☒ Puddling clay ☐ Well cuttings
Sealing procedure used ☐ Sherry pit ☐ Temporary surface casing
☐ Overbore to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location.
Subdivision Name _____
Lot No. _____ Block No. _____
County Latah

7. WATER LEVEL
Static water level 148 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☐ Pump ☒ Bailor ☐ Other
Discharge G.P.M. Draw Down Hours Pumped

9. LITHOLOGIC LOG

Hole Diam.	Depth		Material	Water	
	From	To		Yes	No
" 8	0	2	Black dirt		x
" "	2	10	Yellow clay		x
" "	10	29	Yellow clay-granite		x
" "	29	42	White clay-granite		x
" "	42	54	Yellow clay-granite		x
" "	54	65	Sand & gravel	x	
" "	65	73	White clay, granite		x
" "	73	75	Yellow clay, granite		x
" "	75	80	Sand, gravel, granite 2 1/2 g	x	
" "	80	106	Soft granite		x
" "	106	107	Gray clay		x
" "	107	115	Rock, wood, black clay		x
" "	115	117	Blue clay		x
" "	117	142	Basalt		x
" "	142	167	Soft basalt-layers, wood		x
" "	167	188	Hard basalt		x
" "	188	197	Hard & soft layers basalt	x	

10. Work started 1-19-77 finished 3-4-77

11. DRILLERS CERTIFICATION
Firm Name Don Town Well Drilling Firm No. 155
Address Rt 4 Box 429 Moscow, Id Date 3-28-77
Signed by (Firm Official) _____
and _____
(Operator) _____

NW ¼ SW ¼ Sec. 3, T. 39 N., R. 5 E.

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT