

**IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS**

**IN RE THE GENERAL ADJUDICATION OF RIGHTS TO THE USE OF
WATER FROM THE PALOUSE RIVER BASIN WATER SYSTEM**

CIVIL CASE 59576

NUMBER:

Ident. Number: 87-7160

Date Received:

Receipt No.: 11034970

RECEIVED

JUN 13 2019

DEPT. OF WATER RESOURCES

1. Name of Claimant(s):

Name	Address	City	State	Country	Postal Code
BENNETT LUMBER PRODUCTS INC.	PO BOX 130	PRINCETON	ID	USA	83857

2. Date of Priority:

Date	Explanation
10/25/1991	Year the first well was dug.

3. Source:

Source	Tributary	Type
GROUND WATER	TRIBUTARY NOT NEEDED	
GROUND WATER	TRIBUTARY NOT NEEDED	
GROUND WATER	TRIBUTARY NOT NEEDED	
GROUND WATER	TRIBUTARY NOT NEEDED	
GROUND WATER	TRIBUTARY NOT NEEDED	

4. Point Of Diversion:

Township	Range	Section	Gov Lot	QQ	Q	County
41N	03W	6	6	SE	SW	LATAH
41N	03W	6	6	SE	SW	LATAH
41N	04W	1		SW	SE	LATAH
41N	03W	7	1	NE	NW	LATAH
41N	03W	7	2	SE	NW	LATAH

5. Water is used for the following purpose(s):

Water Use	Number Of Homes	Stock	Description
DOMESTIC	1	-	
INDUSTRIAL	-	-	

6. Season(s) of Use:

Water Use	From Month/Day	To Month/Day
INDUSTRIAL	1 / 1	12 / 31
DOMESTIC	1 / 1	12 / 31

7. Quantity:

Water Use	CFS	AF	KW
DOMESTIC	0.040	1.20	0.0
INDUSTRIAL	0.010	3.40	0.0

Totals:

CFS	AF	KW
0.050	4.60	

8. Place of Use:

Water Use	Township	Range	Section	QQ	Q	County	Gov Lot	Acreage
DOMESTIC	41N	03W	6	SE	SW	LATAH	6	-
DOMESTIC	41N	03W	7	NE	NW	LATAH	1	-
DOMESTIC	41N	03W	7	SE	NW	LATAH	2	-
DOMESTIC	41N	04W	1	SE	SE	LATAH	-	-
DOMESTIC	41N	04W	12	NE	NE	LATAH	-	-
DOMESTIC	41N	04W	12	SE	NE	LATAH	-	-
INDUSTRIAL	41N	03W	7	NE	NW	LATAH	1	-
INDUSTRIAL	41N	03W	7	NW	NW	LATAH	1	-
INDUSTRIAL	41N	03W	7	SE	NW	LATAH	2	-
INDUSTRIAL	41N	04W	12	NE	NE	LATAH	-	-
INDUSTRIAL	41N	04W	12	NE	NE	LATAH	-	-
INDUSTRIAL	41N	04W	12	SE	NE	LATAH	-	-

9. Basis of Claim:

Basis	WaterRight
License	87-7160

10. Signature(s):

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Palouse River Basin Adjudication." (b.) I/We do ___ do not ___ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 6, 11 PAGES TOTAL

For Individuals: I/We do solemnly swear or affirm under penalty of perjury that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): _____ Date: _____
 _____ Date: _____

For Organizations: I do solemnly swear or affirm under penalty of perjury that I am

Vice President of BENNETT LUMBER PRODUCTS INC.
Title Organization

that I have signed the foregoing document in the space below as

Vice President of BENNETT LUMBER PRODUCTS INC.
Title Organization

and that the statements contained in the foregoing document are true and correct.

Signature of Authorized Agent [Signature] Date 6-13-19
Title and Organization BENNETT T. BENNETT

Please print name

Vice President
BENNETT LUMBER PRODUCTS INC.



Form 238-7
6/02

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only			
Well ID No.			
Inspected by			
Twp	Rge	Sec	
1/4	1/4	1/4	
Lat	:	Long	:

1. WELL TAG NO. **D D00 54163**

DRILLING PERMIT NO. --

Water Right or Injection Well No. --

2. OWNER

Name **BENNETT LUMBER PRODUCTS**

Address **PO BOX 130**

City **PRINCETON**

State **ID**

Zip **83857**

3. LOCATION OF WELL by legal description:

You must provide address or Lot, Blk, Sub, or Directions to well.

Twp. **41** North ☒ or South ☐
Rge. **03** East ☐ or West ☒
Sec. **7** 1/4 **NE** 1/4 **NE** 1/4

Gov't Lot --

County **LATAH**

Lat: : : Long: : :

Address of Well Site **3759 HWY 6**

City **PRINCETON**

(Give at least name of road + Distance to Road or Landmark)

Lt. -- Blk. -- Sub. Name --

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other **SAW MILL OFFICE**

5. TYPE OF WORK check all that apply

(Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD:

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
BENTONITE	0	-25	500 500	TOP POUR

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) **-30**

Was drive shoe seal tested? ☒ Y ☐ N How? **AIR PRESSURE**

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6" 8"	+2	-30	.250	Steel	☒	☐	☒	☐
4.5	-5	425	160	PVC	☐	☒	☐	☐

Length of Headpipe **N/A**

Length of Tailpipe **N/A**

Packer ☐ Y ☒ N Type

9. PERFORATIONS/SCREENS PACKER TYPE

Perforation Method **SAW**

Screen Type & Method of Installation **N/A**

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
385	425	1/8X4	42	4.5	PVC	☐	☒

10. FILTER PACK

Filter Material	From	To	Weight/Volume	Placement Method
N/A				

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

14 ft. below ground Artesian pressure -- lb.

Depth flow encountered -- ft. Describe access port or control devices: --

TOP OF CASING

12. WELL TESTS:

Yield gal./min.	Drawdown	Pumping Level	Time
45-50			1.5

Water Temp. **55**

Bottom hole temp.

Water Quality test or comments: **GOOD**

Depth first Water Encounter **405**

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

Water

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
12	0	2	DIRT		X
12	2	25	CLAY		X
12	25	30	SOFT SHALE		X
6	30	125	MED HARD SHALE		X
6	125	178	SOFT SHALE		X
6	178	230	MEDIUM SHALE		X
6	230	275	MED SOFT SHALE		X
6	275	405	HARD SHALE		X
6	405	425	MED SOFT SHALE		X

Completed Depth **425**

Date: Started **11/05/07**

Completed **11/12/07** (Measurable)

14. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name **TWO U DRILLING, LLC**

Firm No. **125**

Principal Driller **TU** Date **12/07/07**

and Driller or Operator II

Operator I **WU** Date **12/07/07**

Principal Driller and Rig Operator Required.

Operator I must have signature of Driller/Operator II.

FORWARD COPY TO WATER RESOURCES

Form 238-7 IDAHO DEPARTMENT OF WATER RESOURCES
6/02 WELL DRILLER'S REPORT

ENTERED

Office Use Only
Well ID No. _____
Inspected by _____
Twp. _____ Rge. _____ Sec. _____
Lat. : : Long. : : 1/4 1/4 1/4

1. WELL TAG NO. D D00 54163

DRILLING PERMIT NO. 849823

Water Right or Injection Well No. --

2. OWNER

Name BENNETT LUMBER PRODUCTS

Address PO BOX 130

City PRINCETON State ID Zip 83857

3. LOCATION OF WELL by legal description:

You must provide address or Lot, Blk, Sub. or Directions to well.

Twp. 41 North ☒ or South ☐
Rge. 03 East ☐ or West ☒
Sec. 7 1/4 NE 1/4 NE 1/4

Gov't Lot -- County LATAH

Lat: : : Long: : :

Address of Well Site 3759 HWY 6

City PRINCETON

(Show at least one of road, driveway to Road or Landmark)

Lt. -- Blk. -- Sub. Name --

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other SAW MILL OFFICE

5. TYPE OF WORK check all that apply

(Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD:

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
BENTONITE	0	-25	500 500	TOP POUR

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) -30

Was drive shoe seal tested? ☒ Y ☐ N How? AIR PRESSURE

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	+2	-30	.250	Steel	☒	☐	☒	☐
4.5	-5	425	160	PVC	☐	☒	☐	☐

Length of Headpipe N/A Length of Tailpipe N/A

Packer ☐ Y ☒ N Type

9. PERFORATIONS/SCREENS PACKER TYPE

Perforation Method SAW

Screen Type & Method of Installation N/A

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
385	425	1/8X4	42	4.5	PVC	☐	☒

10. FILTER PACK

Filter Material	From	To	Weight/Volume	Placement Method
N/A				

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

14 ft. below ground Artesian pressure -- lb.

Depth flow encountered -- ft. Describe access port or control devices: --

TOP OF CASING

12. WELL TESTS:

Yield gal./min.	Drawdown	Pumping Level	Time
45-50			1.5

Water Temp. 55

Bottom hole temp. --

Water Quality test or comments: GOOD

Depth first Water Encounter 405

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water
12	0	2	DIRT	☒
12	2	25	CLAY	☒
12	25	30	SOFT SHALE	☒
6	30	125	MED HARD SHALE	☒
6	125	178	SOFT SHALE	☒
6	178	230	MEDIUM SHALE	☒
6	230	275	MED SOFT SHALE	☒
6	275	405	HARD SHALE	☒
6	405	425	MED SOFT SHALE	☒

RECEIVED

DEC 17 2007

HWY 6 North

Completed Depth 425 (Measurable)

Date: Started 11/05/07

Completed 11/12/07

14. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name TWO U DRILLING, LLC

Firm No. 125

Principal Driller TO Date 12/07/07

and Driller or Operator II Date

Operator I WU Date 12/07/07

Principal Driller and Rig Operator Required.

Operator I must have signature of Driller/Operator II.

41 N 3W 7

FORWARD COPY TO WATER RESOURCES

WELL LOG

DEPTH AND STRATA

2246 Burrell

Lewiston, Idaho 83501



McPherson &
right Drilling

Ray McPherson
(509) 878-1761
PALOUSE, WA 99161

Ted Wright
(208) 743-7295
LEWISTON, ID 83501

OWNER OF WELL Bennett Lumber Products Inc. WELL NO. 1
LOCATION OF WELL PRINCETON
NEAREST POST OFFICE _____
STATE IDAH0 COUNTY LATAH
DRILLING BEGUN 12-10-91 WELL FINISHED 12-11-91

WELL RECORD

CASING SIZE 8" CASING DEPTH 31'
HOLE SIZE 8 & 6" HOLE DEPTH 305'
CAPACITY OF WELL 20 G.P.M. 17.2 test
PUMP SETTINGS 250'
CASING PERFORATIONS NONE

INVOICE

DATE 12-23-91

ITEM	UNIT PRICE	AMOUNT
31' of 8" CASING	8.00	248.00
31' of 8" hole	15.00	465.00
274' of 6" hole	12.00	3288.00
SURFACE SEAL	75.00	75.00
DRIVE SHOE	100.00	100.00
tax		21.15

TOTAL AMOUNT DUE 4197.15

MEMO: _____ 51440-075

RECEIVED DEC 27 1991

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Form 238-7
6/02

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only			
Well ID No. _____			
Inspected by _____			
Twp. _____	Rge. _____	Sec. _____	_____
Lat. _____		Long. _____	

1. WELL TAG NO. D D00 54270

DRILLING PERMIT NO. 850492

Water Right or Injection Well No. _____

2. OWNER

Name **BENNETT LUMBER PRODUCTS**

Address **PO BOX 130**

City **PRINCETON**

State **ID**

Zip **83857**

3. LOCATION OF WELL by legal description:

You must provide address or Lot, Blk, Sub. or Directions to well.

Twp. **41** North ☒ or South ☐
Rge. **03** East ☐ or West ☒
Sec. **7** 1/4 SE 1/4 SE 1/4

Gov't Lot -- County **LATAH**

Lat. : : Long. : :

Address of Well Site **3759 HWY 6**

City **PRINCETON**

Lt. -- Blk. -- Sub. Name --

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other **SAW MILL OFFICE**

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD:

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
BENTONITE	0	-38	500 500	TOP POUR

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) **-38**

Was drive shoe seal tested? ☒ Y ☐ N How? **AIR PRESSURE**

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	+2	-38	.250	Steel	☒	☐	☒	☐

Length of Headpipe **N/A** Length of Tailpipe **N/A**

Packer ☐ Y ☒ N Type

9. PERFORATIONS/SCREENS PACKER TYPE

Perforation Method **N/A**

Screen Type & Method of Installation **OPEN HOLE**

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐

10. FILTER PACK

Filter Material	From	To	Weight/Volume	Placement Method
N/A				

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

14 ft. below ground Artesian pressure -- lb.

Depth flow encountered -- ft. Describe access port or control devices: --

TOP OF CASING

12. WELL TESTS:

Yield gal/min.	Drawdown	Pumping Level	Time
3-5			1.5

Water Temp **55**

Bottom hole temp. _____

Water Quality test or comments: **GOOD**

Depth first Water Encounter **350**

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water
12	0	2	DIRT	X
12	2	25	CLAY	X
12	25	38	SOFT SHALE	X
6	38	125	MED HARD SHALE	X
6	125	178	SOFT SHALE	X
6	178	230	MEDIUM SHALE	X
6	230	275	MED SOFT SHALE	X
6	275	348	HARD SHALE	X
6	348	363	MED SOFT SHALE	X
6	363	375	MED SHALE	X

RECEIVED

DEL 17 2007

DWR/Notr

Completed Depth **375**

(Measurable)

Date Started **11/19/07**

Completed **11/21/07**

14. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed

Company Name **TWO U DRILLING, LLC**

Firm No. **125**

Principal Driller

TU Date **12-11-07**

Driller or Operator II

Date

Operator I

WU Date **12-11-07**

Principal Driller and Rig Operator Required.

Operator I must have signature of Driller/Operator II.

FORWARD COPY TO WATER RESOURCES

Form provided by Forms On-A-Disk - (214) 340-9429 - www.FormsOnADisk.com

41N 3W 7

WELL LOG

DEPTH AND STRATA

2246 Burrell

Lewiston, Idaho 83501



McPherson &
Wright Drilling

Ray McPherson
(509) 878-1761
PALOUSE, WA 99161

Ted Wright
(208) 743-7295
LEWISTON, ID 83501

WELL NO. 2
OWNER OF WELL BENNETT LUMBER PRODUCTS INC.
LOCATION OF WELL PRINCETON
NEAREST POST OFFICE _____
STATE IDAHO COUNTY LATAH
DRILLING BEGUN 12-13-91 WELL FINISHED 12-14-91

WELL RECORD

CASING SIZE 8" CASING DEPTH 40'
HOLE SIZE 8 & 6" HOLE DEPTH 255'
CAPACITY OF WELL 25 G.P.M. MIRETEST
PUMP SETTINGS 230'
CASING PERFORATIONS NONE

INVOICE

DATE 12-23-91

ITEM	UNIT PRICE	AMOUNT
40' of 8" CASING	8.00	320.00
40' of 8" HOLE	15.00	600.00
215' of 6" HOLE	12.00	2580.00
SURFACE SEAL	75.00	75.00
DRIVE SHOE	100.00	100.00
<i>tax</i>		24.75

TOTAL AMOUNT DUE \$3699.75

MEMO: 51440-075

RECEIVED DEC 27 1991

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

Name BENNETT LUMBER PRODUCTS, INC.
Address P.O. Box 49, PRINCETON, ID 83857
Owner's Permit No. 87-91-N-28

Static water level 89' feet below land surface.
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Artesian closed-in pressure _____ p.s.i.
Controlled by: ☐ Valve ☐ Cap ☐ Plug
Temperature _____ °F. Quality _____
Describe artesian or temperature zones below.

☐ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

☐ Domestic ☐ Irrigation ☐ Test ☐ Municipal
☒ Industrial ☐ Stock ☐ Waste Disposal or Injection
☐ Other _____ (specify type)

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary
☐ Cable ☐ Dug ☐ Other _____

Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>40</u> feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☐ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

☐ Pump ☐ Bailer ☐ Air ☐ Other _____

9. LITHOLOGIC LOG

[illegible]

Form 238-7
6/02

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only			
Well ID No.			
Inspected by			
Twp	Rge	Sec	
1/4	1/4	1/4	
Lat	:	Long	:

1. WELL TAG NO. D D00 54269

DRILLING PERMIT NO. --

Water Right or Injection Well No. --

2. OWNER

Name **BENNETT LUMBER PRODUCTS**

Address **PO BOX 130**

City **PRINCETON**

State **ID**

Zip **83857**

3. LOCATION OF WELL by legal description:

You must provide address or Lot, Blk, Sub. or Directions to well.

Twp. **41** North ☒ or South ☐
Rge. **03** East ☐ or West ☒
Sec. **7** 1/4 **NE** 1/4 **SW** 1/4
10 acres 40 acres 160 acres

Gov't Lot --

County **LATAH**

Lat: : : Long: : :

Address of Well Site **3759 HWY 6**

City **PRINCETON**

(Give at least name of road + Distance to Road or Landmark)

Lt. -- Blk. -- Sub. Name --

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other **SAW MILL OFFICE**

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD:

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
BENTONITE	0	-30	500 500	TOP POUR

Was drive shoe used? ☒ Y ☐ N

Shoe Depth(s) **-30**

Was drive shoe seal tested? ☒ Y ☐ N How? **AIR PRESSURE**

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	+2	-98	.250	Steel	☒	☐	☒	☐

Length of Headpipe **N/A**

Length of Tailpipe **N/A**

Packer ☐ Y ☒ N Type

9. PERFORATIONS/SCREENS PACKER TYPE

Perforation Method **N/a**

Screen Type & Method of Installation **OPEN HOLE**

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐
						☐	☐
						☐	☐

10. FILTER PACK

Filter Material	From	To	Weight/Volume	Placement Method
N/A				

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

14 ft. below ground Artesian pressure -- lb.

Depth flow encountered -- ft. Describe access port or control devices: --

12. OP OF CASING

12. WELL TESTS:

Yield gal./min.	Drawdown	Pumping Level	Time
5			1.5

Water Temp. **55**

Bottom hole temp.

Water Quality test or comments: **GOOD**

Depth first Water Encounter **338**

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Water
12	0	2	DIRT	X
12	2	84	CLAY	X
12	84	98	SOFT SHALE	X
6	98	338	MED SHALE	X
6	338	348	SOFT SHALE	X
6	348	375	MEDIUM SHALE	X

Completed Depth **375**

(Measurable)

Date: Started **11/14/07**

Completed **11/16/07**

14. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name **TWO U DRILLING, LLC**

Firm No. **125**

Principal Driller **TU**

Date **12-13-07**

and
Driller or Operator II

Date

Operator I **WU**

Date **12-13-07**

Principal Driller and Rig Operator Required.

Operator I must have signature of Driller/Operator II.

FORWARD COPY TO WATER RESOURCES

Form 238-7
6/02

IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only			
Well ID No. _____			
Inspected by _____			
Twp. _____	Rge. _____	Sec. _____	
_____ 1/4	_____ 1/4	_____ 1/4	
Lat. : : _____	Long. : : _____		

1. WELL TAG NO. D D00 54269

DRILLING PERMIT NO. -- 850440

Water Right or Injection Well No. --

2. OWNER

Name BENNETT LUMBER PRODUCTS

Address PO BOX 130

City PRINCETON

State ID

Zip 83857

3. LOCATION OF WELL by legal description:

You must provide address or Lot, Blk, Sub. or Directions to well.

Twp. 41

North ☒

or

South ☐

Rge. 03

East ☐

or

West ☒

Sec. 7

1/4

NE

1/4 SW 1/4

Gov't Lot --

County LATAH

Lat. : : _____

Long. : : _____

Address of Well Site 3759 HWY 6

City PRINCETON

Lot --

Blk. --

Sub. Name --

4. USE:

☐ Domestic

☐ Municipal

☐ Monitor

☐ Irrigation

☐ Thermal

☐ Injection

☒ Other

SAW MILL OFFICE

5. TYPE OF WORK check all that apply

(Replacement etc.)

☒ New Well

☐ Modify

☐ Abandonment

☐ Other

6. DRILL METHOD:

☒ Air Rotary

☐ Cable

☐ Mud Rotary

☐ Other

7. SEALING PROCEDURES

Seal Material	From	To	Weight / Volume	Seal Placement Method
BENTONITE	0	-30	500 500	TOP POUR

Was drive shoe used? ☒ Y ☐ N

Shoe Depth(s) -30

Was drive shoe seal tested? ☒ Y ☐ N

How? AIR PRESSURE

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6"	+2	-98	.250	Steel	☒	☐	☒	☐

Length of Headpipe N/A

Length of Tailpipe N/A

Packer ☐ Y ☒ N

Type

9. PERFORATIONS/SCREENS PACKER TYPE

Perforation Method N/A

Screen Type & Method of Installation OPEN HOLE

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
						☐	☐

10. FILTER PACK

Filter Material	From	To	Weight/Volume	Placement Method
N/A				

11. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

14 ft. below ground

Artesian pressure -- lb.

Depth flow encountered -- ft. Describe access port or control devices: --

TOP OF CASING

12. WELL TESTS:

☐ Pump	☐ Baller	☒ Air	☐ Flowing Artesian
Yield gal./min.	Drawdown	Pumping Level	Time
5			1.5

Water Temp. 55

Bottom hole temp. _____

Water Quality test or comments: GOOD

Depth first Water Encounter 338

13. LITHOLOGIC LOG: (Describe repairs or abandonment)

Water

Bore Dia.	From	To	Remarks: Lithology, Water Quality & Temperature	Y	N
12	0	2	DIRT		X
12	2	84	CLAY		X
12	84	98	SOFT SHALE		X
6	98	338	MED SHALE		X
6	338	348	SOFT SHALE	X	
6	348	375	MEDIUM SHALE		X

RECEIVED
DEC 17 2007
IDWR/North

Completed Depth 375

(Measurable)

Date: Started 11/14/07

Completed 11/16/07

14. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name TWO U DRILLING, LLC

Firm No. 125

Principal Driller TU

Date 12-13-07

Driller or Operator II

Date

Operator I WU

Date 12-13-07

Principal Driller and Rig Operator Required.

Operator I must have signature of Driller/Operator II.

FORWARD COPY TO WATER RESOURCES

Form provided by Forms On-A-Disk (214) 340-8429 • www.FormsOnADisk.com

41 N 3W 7