

03/11/2002

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 29-4229

NAME AND ADDRESS: CITY OF LAVA HOT SPRINGS
PO BOX 187
LAVA HOT SPRINGS ID 83246

SOURCE: GROUND WATER

TRIBUTARY:

QUANTITY: 0.18 CFS
0.1 APY

PRIORITY DATE: 08/06/1951

POINT OF DIVERSION:

T09S R38E S26 NENWNE Within BANNOCK County

WATER DIVERTED UNDER THIS RIGHT IS USED WITH 29-04230 FOR MUNICIPAL USE.

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE

PERIOD OF USE

QUANTITY

MUNICIPAL

01/01 12/31

0.178 CFS

PLACE OF USE: MUNICIPAL Within BANNOCK County

T09S R38E S21

T09S R38E S22

T09S R38E S28

Place of use is within the city of LAVA HOT SPRINGS.

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT
ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY
DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE
ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.

EXPLANATORY MATERIAL: Beneficial Use

*City of
LAVA HOT SPRINGS
municipal springs*

T9S, R38E

**This POD represents
some 4 or 5 springs**



To Soda Spgs

**City Well
29-04229**

To Lava Hot Spgs

**23 24
26 25**

spring collection box

**This POD represents
some 6 or 7 springs**

Fish Creek

Fish Creek Road

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 29-4229 V1

WATER RIGHT NUMBER: 29-4229 V1

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	CITY OF LAVA HOT SPRINGS PO BOX 187 LAVA HOT SPRINGS, ID 83246 (208)776-5820

Priority Date: 08/06/1951

Basis: Beneficial Use

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
MUNICIPAL	01/01 to 12/31	0.178 CFS	
	<u>Total Diversion:</u>	0.178 CFS	0.12 AF

Location of Point(s) of Diversion

GROUND WATER	NE1/4NW1/4NE1/4	Sec. 26, Twp 09S, Rge 38E, B.M.
BANNOCK County		

Place of UseMUNICIPAL Within BANNOCK County

T09S R38E S21 SENW	T09S R38E S21 Lot 6 NESW
T09S R38E S21 SWSW	T09S R38E S21 Lot 3 SESW
T09S R38E S21 Lot 8 NESE	T09S R38E S21 Lot 7 NWSE
T09S R38E S21 Lot 2 SWSE	T09S R38E S21 Lot 1 SESE
T09S R38E S22 Lot 9 NESW	T09S R38E S22 Lot 10 NWSW
T09S R38E S22 Lot 6 SWSW	T09S R38E S22 Lot 5 SESW
T09S R38E S22 Lot 4 NWSE	T09S R38E S28 NWNE
T09S R38E S28 NENW	

Conditions of Approval:

1. C18 THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.

Remarks:

1. Point of Diversion WATER DIVERTED UNDER THIS RIGHT IS USED WITH 29-04230 FOR MUNICIPAL USE.
2. Place of Use Place of use is within the city of LAVA HOT SPRINGS.

IDAHO DEPARTMENT OF WATER RESOURCES
Adjudication Recommendation Report 29-4229 V1

Comments:

1. ecarlsen 10/11/2002 digitized boundary

Comment: Digitized boundary for service area was approved by officials from Lava Hot Springs through correspondence with Mark Larsen, GIS Specialist, in Boise.

Dates and Other Information:

Decreed Date:
Enlargement Use Priority Date:
Enlargement Statute Priority Date:
Defendant:
Plaintiff:
Civil Case Number:
Judicial District:
Notice of Error Flag:
State or Federal: S
Owner Name Connector:
Water District Number:
Generic Max Rate Per Acre:
Generic Max Volume Per Acre:
Swan Falls Trust or Nontrust:
Swan Falls Dismissed:
DLE Act Number:
Carey Act Number:
Mitigation Plan: False

Element Reviewed/Verified Dates:

<u>Element</u>	<u>Last Reviewed Date</u>	<u>Reviewer</u>	<u>Last Verified Date</u>	<u>Verifier</u>	<u>Status</u>
Priority Date	3/11/2002 10:01:51 AM	aruberry			Active
Use	3/11/2002 10:09:40 AM	aruberry			Active
Season	3/11/2002 10:10:20 AM	aruberry			Active
Quantity	3/11/2002 10:29:15 AM	aruberry			Active
POD	3/11/2002 10:30:26 AM	aruberry			Active
POU	3/11/2002 10:30:27 AM	aruberry			Active
Source	3/11/2002 10:30:28 AM	aruberry			Active
Summary			03/11/2002	aruberry	Active
Summary			03/11/2002	aruberry	Active
POU	10/11/2002 2:06:02 PM	ecarlsen			Active

Verification Log:

<u>Element</u>	<u>Date Time Stamp</u>	<u>Reviewer</u>	<u>Log text</u>
POU	10/11/2002 2:06:03 PM	ecarlsen	(No) 1. Is the basis of this claim a Decree or License? (No) 2b. Is the POU required? (Yes) 14. Is a POU remark and/or condition required?

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 29-4229 V1

Priority Date	3/11/2002 10:01:49 AM	aruberry	(No) 1. Should this water use have been included in a later court decree of the water rights from this source? (No) 4. Is the basis of claim decree or license? (No) 7. Is the basis of claim a Application or Permit? (No) 8. Is the basis of claim a posted notice? (No) 9. Is the Priority Date claimed after the date a permit is required for the source and the water use? (Yes) 12. Does the claim file contain sufficient evidence of Priority Date? Description for Question 12/13 - power records
Use	3/11/2002 10:09:39 AM	aruberry	(No) 1. Is the basis of this claim a Decree or License? (No) 2. Is the basis of this claim a Application or Permit? (No) 6. Is there evidence that there has been a change in the Purpose of Use? (Yes) 11. Does the file contain all the necessary information to verify the Water Use? Description for Question 10,11,12 - flow records from city
Season	3/11/2002 10:10:20 AM	aruberry	(No) 1. Is the basis of claim Decree or License? (No) 2. Is the basis of claim a Application or Permit? (No) 6. Is there evidence that there has been a change in the Period of Use? (Yes) 12. Does the file contain all the necessary information to verify the Period of Use? (No) 13. Is the basis of claim a decree, license, or a transferred beneficial use right that has had the Period of Use administratively determined? (No) 15. Is irrigation claimed as a Purpose of Use? Description for Question 15 - municipal
POD	3/11/2002 10:29:15 AM	aruberry	(No) 1. Is the basis of this claim a Decree or License? (No) 2. Is the basis of this claim a Application or Permit? (No) 6. Is the basis of claim a posted notice? (Yes) 7. Is a flow measurement required? (Yes) 9. Is the source Groundwater and does the purpose of use require a diversion volume limit? (No) 10. Is a irrigation a purpose of use? Description for Question 7 - flow data from city meter Description for Question 10 - $0.18\text{cfs} \times 448.8 \times 60 \times 8 = 38776 \text{ gal} / 325850 = 0.119$
POD	3/11/2002 10:30:25 AM	aruberry	(No) 1. Is the basis of this claim a Decree or License? (No) 2. Is the basis of this claim a Application or Permit? (No) 6. Is there evidence that there has been a change in the POD? (Yes) 9. Does the file contain all the necessary information to verify the POD?
POU	3/11/2002 10:30:26 AM	aruberry	(No) 1. Is the basis of this claim a Decree or

License?

(No) 2b. Is the POU required?

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 29-4229 V1

Source	3/11/2002 10:30:27 AM	aruberry	(No) 1. Is the basis of claim Decree or License?
Summary	3/11/2002 10:30:28 AM	aruberry	(No) 1. Is the basis of this claim a Decree, License, Permit, Application or Posted Notice? (Yes) 3. Is the water being used for all of the purposes claimed and to the extent claimed? (Yes) 5. Is an additional remark and/or condition required?
Summary	3/11/2002 10:37:27 AM	aruberry	(No) 1. Is the basis of this claim a Decree, License, Permit, Application or Posted Notice? (Yes) 3. Is the water being used for all of the purposes claimed and to the extent claimed? (Yes) 5. Is an additional remark and/or condition required? (Yes) 6. Would you like to view the recommended right? (No) 7. Is this a split or combined right? (No) 8. Do you have documents you would like to attach or link to the file? (Yes) 9. Would you like to set the verification date?

FIELD AMENDMENT FORM

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): _____ Date: _____
_____ Date: _____

For Organizations:

I do solemnly swear or affirm that I am City Clerk/Treasurer of
Title
City of Lava Hot Springs, that I have signed the foregoing
Organization
document in the space below as City Clerk/Treasurer of
Title
City of Lava Hot Springs and that the statements contained in the
Organization
foregoing document are true and correct.

Carmel D. Dinnick
Signature of Authorized Agent

City Clerk/Treas. / City of Lava
Title and Organization

6/21/01
Date

State of Idaho)
County of Bannock) SS.

Subscribed and sworn (or affirmed) before me this 21ST day
of June 20 01

Aaron B. Ruberry
Notary Public

Seal



SCANNED

MAR 03 2005

PROFILED

Residing at PO BOX 1000 PO BOX 1000

My Commission Expires 09/23/03

THE PURPOSE OF THIS AMENDMENT IS TO
INCREASE DIV. RATE CLAIMED ON 29-04229.
CLAIMED AT 0.11 cts, FLOW RECORDS SHOW
BAR DIV RATE TO BE 0.178 cts, 38400 gpd.
AMENDED FROM 0.11 cts TO 0.178 cts



29-4229

August 14, 2002

115 WEST ELM
P.O. Box 187
LAVA HOT SPRINGS, ID
83246

(208) 776-5820

FAX (208) 776-5130

RAYMOND E. BAILEY
MAYOR

CANDA L. DIMICK
CLERK-TREASURER

COUNCIL MEMBERS

WILLIAM ROBERT ANDERSON

MARSHALL BURGIN

MARILYN CARR

LEON E. GATES

Mark Larson
Idaho Department of Water Resources
1301 N. Orchard St.
Boise, ID 83706

Dear Mr. Larson:

Please note the corrections on the enclosed map as advised. There are minor corrections that need to be made to the Southern and Northern city limit boundary lines.

If you have any questions regarding the changes feel free to contact me at (208)776-5820. City Hall office hours are 9 a.m. to 2 p.m., Monday through Friday.

Sincerely,

Canda L. Dimick
City Clerk

Enclosure

SCANNED
JAN 13 2014



RECEIVED

SEP - 3 2002

Department of Water Resources

August 29, 2002

115 WEST ELM
P.O. Box 187
LAVA HOT SPRINGS, ID
83246
(208) 776-5820
FAX (208) 776-5130

Mark Larson
State of Idaho
Department of Water Resources
1301 N. Orchard St.
Boise, ID 83706

Dear Mr. Larson:

The revised water right boundary map is correct. Thank you for making the adjustments.

If you have any questions or need any other information feel free to contact me.

Sincerely,

Canda L. Dimick
City Clerk

RAYMOND E. BAILEY
MAYOR

CANDA L. DIMICK
CLERK-TREASURER

COUNCIL MEMBERS

WILLIAM ROBERT ANDERSON


MARSHALL BURGIN

MARILYN CARR

LEON E. GATES

SCANNED

JAN 13 2014



City of Lava Hot Springs

■ Municipal Use Boundary


■ Township

■ Section



24k Quad Imagery
Date: 8/19/02

1000 0 1000 Feet



SCANNED
JAN 13 2014

allen

02/18/2003

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003


Water right number: 29-4229
CITY OF LAVA HOT SPRINGS
PO BOX 187
LAVA HOT SPRINGS ID 83246
Telephone Number: (208) 776-5820

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 4/18/03 SIGNATURE: 
Please print your name: Raymond E. Bailey, Mayor

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

PROFILED

SCANNED
MAR 03 2005


RECEIVED
APR 24 2003
Department of Water Resources
Eastern Region



Department of Water Resources

Claim No.: 29-4229
29-4230

T09S R38E



0 2640 5280 7920 Feet


PROFILE

Lava Hot Springs Service Area

-  Place of use.shp
-  Sections
-  QQ

SCANNED

MAR 03 2005



GIS Place of Use Illustration
1987/1988 NAPP Photography
Prepare by: E. Carlsen
Date: October 2002

Ruberry, Allen

From: Carlsen, Ernie
Sent: Friday, March 30, 2001 11:05 AM
To: Ruberry, Allen
Cc: Shaff, Don
Subject: RE: MUNICIPAL CLAIMS

Allen, I plan to do some training on recommending Municipal claims. Until then be advised we do NOT use a place of use description by QQ for Municipal Claims by Municipalities. The POU is blank. There is a POU remark J03 that is modified as follows.

PLACE OF USE IS WITHIN THE SERVICE AREA INCLUDING THE CITY LIMITS OF THE CITY OF DUBOIS.

Until there is a way to link a shape in SDE with a blank POU on SQL there is little value to preparing a shapefile for the service area.

Ernie

-----Original Message-----

From: Ruberry, Allen
Sent: Thursday, March 29, 2001 10:51 AM
To: Carlsen, Ernie
Subject: FW: MUNICIPAL CLAIMS

-----Original Message-----

From: Ruberry, Allen
Sent: Wednesday, February 28, 2001 4:57 PM
To: Shaff, Don
Subject: MUNICIPAL CLAIMS

I HAVE BEEN WORKING ON MUNICIPAL CLAIMS FOR ARIMO, MCCAMMON, LAVA HOT SPRINGS..... THOSE THAT LIST QQ FOR POU CAN BE COMPLETED.....THOSE W/O THE POU LISTED BY QQ WILL NOT PRINT PAST POU OF THE PRELIMINARY RECOMM.

HOW DO WE PROCEED?

THANKS.....AL

SCANNED
MAR 03 2005

PROFILE

29-04229

① Source: Groundwater w/ Priority Duffins to 1951.

Preclates the Manawatha Pump Station, 42-229 IC

② Priority evidence supports Priority Data claim.

③ Identify: Lowest Pump Reservoirs from City. Sent 3/01/01

6/21/01 Pump/Motor Data:

Pump: Fairbanks Morse 4" reduced to 2" # FM 3930 Pomeroy Turbine

Motor: Westinghouse

5HP frame #225Y

2" Neptune Flow Motor (New Oil)

Totalizing Taps # 60247054.

6/21/01 Mr Anna Dimek, City Clerk from Tony — city

Water Suppl. Tony took me to P.O.'s at Wall and

Springs. From flow records this well claim reads

Answered to 0.178 cfs over 8 hrs. = 38,400 gpd @ 80 gpm High Reading

80 gpm x 60 min x 8 hrs. = 38,400 gpd / 325,850 gpd (area) = 0.118

80 gpm x 448 ft = 0.178 cfs

Note: The pump draws down to surge after about 8 hrs. Pumping

And the backing is taking a significant (unrotated) gpm. Answered

80 gpm for 12 hrs @ 8 hrs to 8 hrs.

SCANNED MAR 03 2005

PROTECTED



City Well up Fish Creek @

T9S R38E Sec. 36 NWNE

PROFILED

SCANNED
MAR 03 2005



115 WEST ELM

P.O. Box 187

LAVA HOT SPRINGS, ID

83246

(208) 776-5820

FAX (208) 776-5130

RAYMOND E. BAILEY
MAYOR

CANDA L. DIMICK
CLERK-TREASURER

COUNCIL MEMBERS

WILLIAM ROBERT ANDERSON

IRENE BERGENDORF

MARSHALL BURGIN

MARILYN CARR

May 30, 2001

State of Idaho
Department of Water Resources
900 N. Skyline Dr., Suite A
Idaho Falls, ID 83402-1718

RE: Snake River Basin Adjudication (SRBA), Claims to Water Rights
A29-04229 and 29-04230

ATTN: Allen B. Ruberry

Enclosed is the City of Lava Hot Springs flow metered records for the above referenced claims as requested.

The record data titled Well #1 is for Claim # A29-04229.

The record data titled Spring Inflow is for Claim # A29-04230. Please note that the portion of this record that is highlighted in yellow includes flow measurements for the springs and well together.

Again, I must mention that the city authorities are concerned that the current flow records will not be maximum capacity for both sources due to drought conditions and hereby asks that this factor be taken into consideration when confirming and establishing the quantity claimed for beneficial use.

If you have any questions regarding the records please feel free to contact Tony Hobson, Public Works Supervisor or myself at (208) 776-5820 during the hours of 9 a.m. to 2 p.m., Monday through Friday.

Sincerely,

Canda L. Dimick
City Clerk

Enclosures

*EDWR
RECEIVED
6/21/01
APR*

PROFILED

SCANNED

MAR 03 2005

Well # Records

A99-04229

10/4	Time	Meter Reading	G.P.D.	G.P.M.	Hrs. Operating	Weather	Int
5-1-01	7:00 AM	133900		59 gpm	9 1/2 hrs	cloudy windy	T.H
5-2-01	5:00 AM	165800	31.500 9 1/2 hrs	57 gpm	7 hrs	clear windy	T.H
5-3-01	8:30 AM	186500	20.700 gpd	60 gpm	7 1/2 hrs	cloudy windy	T.H
5-4-01	7:05 AM	210000	23.500 gpd 3 days over	62 gpm	5 hrs	clear sunny	T.H
5-7-01	8:10 AM	285000	26.000 gpd 3 days over	62 gpm	5 hrs	clear sunny	T.H
5-10-01	8:30 AM	361700	24.500 gpd 3 days over	77 gpm	8 hrs	clear sunny	T.H
5-11-01	8:20 AM	385100	23.400 gpd 4 days over	70 gpm	5 hrs	clear sunny	T.H
5-14-01	9:10 AM	459200	17.700 gpd 3 days over	70 gpm	8 hrs	clear sunny	T.H
5-15-01	8:15 AM	480000	30.000 gpd turned off 5-16-01	70 gpm	5 hrs	bold rain	T.H
5-17-01	8:40 AM	509400	24.400 gpd	72 gpm	5 hrs	clear sunny	T.H
5-18-01	9:20 AM	533100	23.700 gpd 3 days over	74 gpm	5 hrs	cloudy	T.H
5-21-01	8:10 AM	584100	24.900 gpd 3 days over	80 gpm	24 hrs	clear	T.H
5-22-01	8:20 AM	608400	24.300 gpd	75 gpm	8 hrs	clear	T.H
5-23-01	9:00 AM	634900	26.500 gpd	68 gpm	8 hrs	clear	T.H
5-24-01	8:15 AM	655000	20.100 gpd	76 gpm	8 hrs	clear	JP
5-25-01	8:34 AM	680000	25.000 gpd 4 days over	72 gpm	8 hrs	partly cloudy	JP
5-29-01	8:30 AM	774000	23.500 gpd	75 gpm	32 hrs	clear	T.H
5-30-01	8:15 AM	796500	22.800 gpd	77 gpm	8 hrs	clear	T.H

1256 ÷ 18 = Avg gpm of 69.8 → 70 gpm

Well # Records

1/0/4 Time	Meter Reading	G.P.D.	G.P.M.	Hrs. Operating	Weather	Int
6-42-1	8:55 am on 7:00 am	9199.00	23.00 gpd	70 gpm	Clear	TH
6-42-1	8:55 am on 7:00 am	9429.00	23.00 gpd	73 gpm	Clear	TH
6-42-1	9:00 am on 7:00 am	9684.00	25.50 gpd	72 gpm	Clear	TH
6-7-01	9:00 am	9931.00	24.70 gpd	72 gpm	Clear	SP
6-12-1	9:30 am on 7:00 am	1114.00	23.00 gpd	75 gpm	Cloudy	TH
6-13-1	8:40 am	11207.00	93.00 gpd	74 gpm	Cloudy	TH
6-14-1	8:10 am	11279.00	107.00 gpd	74 gpm	Clear	TH
6-15-1	8:30 am	13235.00	05.10 gpd	72 gpm	Clear	TH
6-16-1	8:40 am	13373.00	26.40 gpd	69 gpm	Clear	TH
6-20-1	8:35 am	12424.00	25.10 gpd	68 gpm	Clear	TH
6-21-1	8:30 am	12875.00	25.10 gpd	72 gpm	Clear	TH

1/500 80 gpm / 8 hrs. (High Pressure)

$$72.25 \div 4488 = 0.16105$$

$$72.25 \text{ gpm} \times 60 \times 8 \text{ hrs} = 34680 \text{ gpd}$$

Based on 8 hr pump duty

$$867 \div 12 = 72.25 \text{ gpm}$$

A29-04030

5 Pr 9 Inflow Meter Re. rds

MO/Y	Time	Meter Reading	G.P.M	G.P.D.	Operating	Weather
3-21-01	10:00am	000000000				Cloudy
3-21-01	9:45am	000359000	268 gpm	351.000 gpd	2.3 hrs	Sunny
3-21-01	8:30am	000750000	270 gpm	391.000 gpd	2 3/4 hrs	Sunny
3-21-01	8:15am	001442000	270 gpm	391.000 gpd	2 1/2 hrs	Partly Cloudy
3-21-01	8:00am	002337000	270 gpm	395.000 gpd	2 1/4 hrs	Sunny
3-21-01	7:30am	002739000	260 gpm	402.000 gpd	2 1/4 hrs	Sunny
3-21-01	7:00am	003160000	250 gpm	412.000 gpd	2 1/4 hrs	Cloudy
3-21-01	6:30am	003555000	270 gpm	395.000 gpd	2 1/4 hrs	Sunny
4-21-01	8:00am	004731000	270 gpm	395.000 gpd	2 1/4 hrs	Sunny
4-21-01	7:30am	005122000	250 gpm	322.000 gpd	2 1/4 hrs	Sunny
4-21-01	8:25am	005518000	280 gpm	396.000 gpd	2 1/4 hrs	Cloudy
5-01-01	8:20am	005909000	250 gpm	396.000 gpd	2 1/4 hrs	Cloudy
5-01-01	8:15am	006309000	270 gpm	400.000 gpd	2 1/4 hrs	Sunny
5-01-01	8:10am	007447000	270 gpm	396.000 gpd	2 1/4 hrs	Cloudy
5-01-01	8:15am	007886000	280 gpm	399.000 gpd	2 3/4 hrs	Sunny
5-01-01	8:30am	008295000	280 gpm	412.000 gpd	2 1/4 hrs	Cloudy
5-01-01	8:15am	009092000	250 gpm	394.000 gpd	2 1/4 hrs	Sunny
5-01-01	8:30am	010264000	280 gpm	394.000 gpd	2 1/4 hrs	Cloudy
5-01-01	8:15am	010661000	250 gpm	381.000 gpd	2 1/4 hrs	Sunny
5-01-01	8:30am	011006000	250 gpm	381.000 gpd	2 1/4 hrs	Sunny

Spring Inflow Meter Records

NO/Y	Time	Meter Reading	G.P. M	G.P. D.	Hrs. Operating	Weather	In
1-19-01	8:30 AM	011300	280 gpm	395.00 gpd	2 1/2 hrs	Cloudy	T.V.
4-23-01	8:45 AM	01292000	280 gpm	392.00 gpd	2 1/2 hrs	Cloudy	T.V.
4-26-01	9:00 AM	014134000	280 gpm	387.00 gpd	2 1/2 hrs	Clear & sunny	T.V.
4-30-01	11:30 AM	15766000	700 gpm	408.00 gpd	26 1/2 hrs	Partly cloudy	T.V.
5-3-01	8:30 AM	16835000	350 gpm	353.00 gpd	3 days	Cloudy & windy	T.V.
5-7-01	9:30 AM	18476000	350 gpm	410.00 gpd	4 days	Clear & sunny	T.V.
5-10-01	8:15 AM	19646000	330 gpm	400.00 gpd	3 days	Clear & sunny	T.V.
5-14-01	8:15 AM	21382000	320 gpm	400.00 gpd	4 days	Clear & sunny	T.V.
5-17-01	8:30 AM	22530000	320 gpm	400.00 gpd	2 days	Clear & sunny	T.V.
5-21-01	8:30 AM	24148000	320 gpm	400.00 gpd	4 days	Clear & sunny	T.V.
5-24-01	8:35 AM	24300000	320 gpm	400.00 gpd	2 days	Clear & sunny	T.V.
5-29-01	8:45 AM	27214000	320 gpm	400.00 gpd	6 days	Clear	T.V.

Testing

This amount of
well running
is with
springs



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A, Idaho Falls, Idaho 83402-1718 - (208) 525-7161- Fax (208) 525-7177

EASTERN REGION

May 8, 2001

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

CITY OF LAVA HOT SPRINGS
OFFICE OF THE MAYOR
PO BOX 187
LAVA HOT SPRINGS ID 83246

RE: NOTICE OF CLAIM NUMBER A29-04230 AND A29-04229

Dear Sir:

This letter is the second and final request for flow measurement data. Please see the attached letter dated March 1, 2001.

If we do not receive this information within the next 30 days your claim will be disallowed.

Sincerely,

A handwritten signature in black ink, appearing to read 'Allen Ruberry', written over the typed name and title.

Allen Ruberry
Senior Water Right Agent

Enclosure: 1

SCANNED

MAR 03 2005

FILED



115 WEST ELM
P.O. Box 187
LAVA HOT SPRINGS, ID
83246
(208) 776-5820
FAX (208) 776-5130

RAYMOND E. BAILEY
MAYOR

CANDA L. DIMICK
CLERK-TREASURER

COUNCILMEMBERS

WILLIAM ROBERT ANDERSON
IRENE BERGENDORF
MARSHALL BURGIN
MARILYN CARR

March 30, 2001

Allen B. Ruberry
State of Idaho
Department of Water Resources
900 N. Skyline Dr., Suite A
Idaho Falls, ID 83402-1718

RE: Snake River Basin Adjudication (SRBA), Claims to Water Rights
A29-04229 and 29-04230

Dear Mr. Ruberry:

The process for gathering the data you requested has been very difficult. I have not been able to locate any metered records on the above claims for the time period you requested, 1980 to 1987.

The City of Lava Hot Springs hereby requests a time extension for an additional thirty days to provide you with current meter readings for the referenced claims.

The city has statements from Utah Power for pumping charges for the well, Claim # A29-04229, but it is not feasible to develop a flow chart from them because the depth of the well is unknown. The city has ordered a meter for the well and will be installing it as soon as it is received. The city will furnish you with a flow record on this source within the next thirty days.

The master meter for the springs, Claim # A29-04230, has been broken for a number of years. The city had purchased a new meter prior to the receipt of your notification. The meter has since been installed and readings are being kept on a daily basis. The city would like to read the meter for a consecutive thirty day time period before submitting them to you. If this is not permissible please advise.

City authorities are concerned that the current flows will not be maximum capacity at this time due to drought conditions. Will this concern be taken into consideration or how may we address this matter?

Sincerely,

Canda L. Dimick
City Clerk

RECEIVED

MAR 30 2001

Department of Water Resources

SCANNED

MAR 03 2005

PROFILED

1 March 2001

City of Lava Hot Springs
Office of the Mayor
PO Box 187
Lava Hot Springs ID 83246

RE: Snake River Basin Adjudication (SRBA), Claims to Water Rights
A29-04229 and 29-04230

Dear Sir or Madame:

I have started review of the SRBA water right claims in the Portneuf River area. The above referenced claims are for part of the municipal water system of the City of Lava Hot Springs.

Both claims, referenced above, are based on beneficial use dating to 1951 and 1921. This type of claim requires flow measurements to confirm quantity claimed for beneficial use. In this case, pumping or flow records, which date from 1980 to 1987, will satisfy this requirement. Therefore, by this letter, I am requesting copies of the flow records for both of these sources. I have enclosed copies of the two claims referenced for your perusal.

Please provide the documentation requested showing the basis for the SRBA claim referenced above within the next 30 days. Without the requested data the claims will be recommended as disallowed.

I look forward to your timely response, should you have questions regarding this matter please feel free to contact this office.

Respectfully submitted,

Allen B. Ruberry
Sr. Water Resource Agent
Adjudication Bureau

cc; file

Enclosures; Claims 29-04229, 29-04230 (copies)

SCANNED
MAR 03 2005

PROFILE

Electric Service Agreement

Lava Hot Springs, a n incorporated Village of Idaho
 herein called Customer agrees to use, and UTAH POWER & LIGHT COMPANY, herein called Company
 agrees to supply electric service to the amount of 4 kilowatts, in the form of
single phase alternating current, at approximately 60 cycles per second and 120/240 volts
 for Customer's water pumping operation at or near Lava Hot Springs
 in Bannock County, State of Idaho, under the provisions of the Company's
 Schedule No. 6, and for a term of 5 years from date of commencement of service here-
 under. Point of delivery shall be as provided in Paragraph No. 4 of Company's
Electric Service Regulations.

Customer agrees to conform to and abide by the Schedule hereinabove designated including the
 provisions of Company's Electric Service Regulations, making all payments thereby required. Said
 Schedule and Electric Service Regulations are hereto attached and made a part hereof.

All payments shall be made at Company's office in Lava Hot Springs,

Dated July 26, 1951

Recommended

[Signature]
[Signature]

VILLAGE OF LAVA HOT SPRINGS

By:

[Signature]
 Chairman of Board

Customer.

UTAH POWER & LIGHT COMPANY

By:

[Signature]
 Vice-President.

Attest:

[Signature]
 Clerk of Board

MICROFILMED

NOV 13 1950

Service Commenced....., 19.....

The board then considered proposed ~~no~~ 5
year contract with Utah Power & Light Company under date
of July 26, 1951, covering electrical service
to Lava Village Well Pump. Mr. Ellis Willmore
 moved, and Mr. Roy Giddell
seconded the motion, that said contract be adopted and
that the chairman be authorized and directed to attest
the same (and affix the corporate seal thereto), on behalf
of the Lava Hot Springs Village Board. The motion was
unanimously carried.

I, Ruth Ann Lagnart, do hereby
certify that I am the duly qualified and acting clerk of
The Village Board of Lava Hot Springs, Idaho: that the above and
foregoing is a true and correct copy of a motion passed and adopted
at a regular meeting of the board duly held at Lava Hot Springs
on the 26th day of July, 19 51.

Beth Ann Fagnant
CLERK

MICROFILMED
NOV 13 1980

JUN 08 2001

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A29-04229
Date Received: 3/12/1990
Receipt No: E012308
Received By: KW

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: CITY OF LAVA HOT SPRINGS 208-776-5820
Address: P.O. BOX 187
LAVA HOT SPRINGS, ID 83246

2. Date of Priority: AUG 06, 1951

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
09S	38E	26	NW	NE			BANNOCK

5. Description of diverting works:
WELL PUMP MAINLINE TO CITY OF LAVA HOT SPRINGS MUNICIPAL SYSTEM

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
MUNICIPAL	01/01	12/31	0.110		

7. Total Quantity Appropriated is:
0.110 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
M/CITY OF LAVA HOT SPRINGS

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
09S	38E	21				MUNI	
		22				MUNI	
		28				MUNI	

A29-04229

Page 1

Date: 03/12/90

MICROFILMED

NOV 13 1992

A2904229



0.161

0.115
36.000

49.37
35.520

11. Place of use in counties: BANNOCK

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
29-04230/07346

14. Remarks:
P/U WITHIN CITY OF LAVA HOT SPRINGS

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Organizations:

I do solemnly swear or affirm that I am City Clerk of
City of Lava Hot Springs that I have signed the foregoing
document in the space below as City Clerk of
City of Lava Hot Springs and that the statements contained in the
foregoing document are true and correct.

Canda L. Simick
Signature of Authorized Agent

Clerk City of Lava Hot Springs
Title and Organization

3/12/90
Date

State of Idaho

County of Bonneville)
) SS.

Subscribed and sworn (or affirmed) before me this 12 day


of March 19 90

Robert Wray
Notary Public



Residing at Idaho Falls

My Commission Expires 5/29/1991



MICROFILMED
NOV 19 1992

A29-04229

Lot 1	Lot 2	Lot 3	Lot 4
-------	-------	-------	-------

UNDERGROUND

NATURAL

Fish

R38E
T 9 S

va Hot Springs

POINT OF DIVERSION

30

[illegible]

640
(2030)

84.20
(602.20)

15006

5/15/58

3. 30.40

N 20° W. 12.78

TELEGRAPH
5

Sec. 2.

Sec 2:

2) SECONDARY -

PORTNEUF
4

3 RIVER 2

FORT

[illegible]