

02/13/2003

Paul

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: April 21, 2003

Water right number: 29-7460

WILLIAM A LEIGHTON
1820 GOVERNMENT RD
POCATELLO ID 83202
Telephone Number: (208)237-8411

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 2-24-03 SIGNATURE: William A Leighton
Please print your name: WILLIAM A. LEIGHTON

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161



PROFILED

SCANNED
MAY 04 2003

RECEIVED
FEB 26 2003
Department of Water Resources
Economic Program



Water Right Claim Number A29-07460
Township , 6S33E

09/22/2000





Water Right Claim Number A29-07460
Township , 6S33E

09/22/2000




Water Right Claim Number A29-07460
Township , 6S33E

09/22/2000






State of Idaho
Department of Water Resources
Eastern Region
Water Right 29-7460



0.5 0 0.5 1 Miles

1:16000



- Point(s) of Diversion
- ▨ Place of Use
- ▭ Section Lines
- ▭ Quarter Quarter Lines

PROFILED

SCAN 100
MAY 04 1999

GIS Place of Use Illustration
1987/1988 NAPP Photography
Prepared by: P. Meyer
Date: February 2002

FROM WATER MEASUREMENT
DISTRICT RECORDS

HOUR METER WORKSHEET
(Attach to WMD Field Form)

SITE TAG: A000 7660 DATE 7-7-99
EXAMINER (examiner) Mueller
HOUR METER READING _____
FOLLOW-UP DATE 2002

Measured Flow Rate and Discharge Pressure - Enter flow rate as determined by the "standard" water measurement meter in GPM, and discharge pressure measured in PSI. Attach documentation to support data such as notes, printout tapes etc.

GPM 76.3

PSI _____

Water Level Data

Does the well have access to measure water levels? Yes / No

Static Water Level _____ ft
Date _____

Pumping Water Level _____ ft (at condition # _____)
Date _____

Attach sketch of pumping plant layout or photograph of pumping plant and piping.

Comments: Pump was cycling on and off during measurement. Owner would like to increase the number of birds, but he may not replace damaged pipe this year. 16 birds were running during the measurement. Leighton are receiving pump cards.

I certify that the above information is true and correct to the best of my knowledge and ability and the measurements taken and recorded are in accordance with the standards and specifications of the equipment used.

Signature Steve Mueller Date 7-7-99
(person performing measurements)

PROFILED

99-07-07 15:02:39
+1.936E+0 ft/s
+7.335E+1 gal/m
+TOTAL 0001407 gal
-TOTAL 0000000 gal
NORMAL

99-07-07 15:03:38
+1.942E+0 ft/s
+7.360E+1 gal/m
+TOTAL 0001476 gal
-TOTAL 0000000 gal
NORMAL

99-07-07 15:04:38
+2.083E+0 ft/s
+7.894E+1 gal/m
+TOTAL 0001552 gal
-TOTAL 0000000 gal
NORMAL

99-07-07 15:05:38
+2.141E+0 ft/s
+8.114E+1 gal/m
+TOTAL 0001633 gal
-TOTAL 0000000 gal
NORMAL

99-07-07 15:06:38
+2.119E+0 ft/s
+8.031E+1 gal/m
+TOTAL 0001714 gal
-TOTAL 0000000 gal
NORMAL

99-07-07 15:07:38
+1.848E+0 ft/s
+7.004E+1 gal/m
+TOTAL 0001787 gal
-TOTAL 0000000 gal
NORMAL

99-07-07 15:08:38
+2.030E+0 ft/s
+7.694E+1 gal/m
+TOTAL 0001861 gal
-TOTAL 0000000 gal
NORMAL

99-07-07 15:09:38
+2.115E+0 ft/s
+8.013E+1 gal/m
+TOTAL 0001940 gal
-TOTAL 0000000 gal
NORMAL

99-07-07 15:10:38
+2.155E+0 ft/s
+8.164E+1 gal/m
+TOTAL 0002020 gal
-TOTAL 0000000 gal
NORMAL

99-07-07 15:11:38
+1.907E+0 ft/s
+7.228E+1 gal/m
+TOTAL 0002099 gal
-TOTAL 0000000 gal
NORMAL

99-07-07 15:12:38
+1.950E+0 ft/s
+7.389E+1 gal/m
+TOTAL 0002170 gal
-TOTAL 0000000 gal
NORMAL

76.3 GPM

99-07-07 15:01

SITE SETUP

SITE SETUP

PIPE PARAMETER

SITE NAME	
OUTER DIAMETER	4.0300in
PIPE MATERIAL	ALUMINUM
WALL THICKNESS	0.0480in
LINING MATERIAL	NO LINING
LINING THICKNESS	0.0000in
KIND OF FLUID	WATER
SENSOR MOUNTING	7
SENSOR TYPE	FLGIS
TRANS. VOLTAGE	1TIME

FROM WATER MEASUREMENT
DISTRICT RECORDS

WATER MEASUREMENT DISTRICT
FIELD REPORT

DISTRICT EWMD RECORD NUMBER 200546

SITE DATA:

EXAMINER (inv_name) B Connor
EXAM DATE 5/11/98 DIVERSION NAME _____
(site_visit) (div_name)
GPS FILE C051116A SITE TAG NUMBER A0007660
(gps_filnam) (site_tagno)
GPS OFFSET (offset) 5' above 10' E 8' N of well
TAG LOCATION (tag_locat) on well house by door
POD LEGAL (pod) T 6 N (S) R 33 E, Sec 2 NW NW

DISTRICT MEASUREMENT CAPABILITY (std_rcmd):

SONIC (s) SONIC/DIG (sd) SONIC @ PVT (sp)
COLLINS (c) PYGMY (p)

MEASUREMENT RECOMMENDATIONS (op_num):

PCC (2) HOURLY METER (7) IRR. FLOWMETER (1)
ALTERNATE (3) OTHER FLOWMETER (8) CRP ~~for~~ 4
AMEND CLAIM (A) OPEN CHANNEL DEVICE DX 9

SUITABLE FOR PCC even if other method selected (pcc_ok) YES NO

TRACKING will be required (trkng_reqd) YES NO

Well has ACCESS PORT for water level meas. (wl_access) YES NO

FLOWMETER installation poss. w/o major change (qmtr_ez) YES NO

FOLLOW-UP DATE (folup_date) 1999

OWNER/OPERATOR INFORMATION


OWNER (name) Leighton
ADDRESS #243
OPERATOR (contact) _____
ADDRESS _____

PHONE see attached
CEL PHONE _____
PHONE _____

FROM WATER MEASUREMENT
DISTRICT RECORDS

PUMPING PLANT SKETCH

VALVE	=	
CHECK VALVE	=	
AIR VAC	=	
PRESS. RELIEF	=	
INDIVE/UPDIVE	=	
HOSE BIB	=	
PRESS. GAGE	=	
WELL ACCESS	=	



 FROM WATER MEASUREMENT
 DISTRICT RECORDS

SCANNED
 1/11/17

WELL/PUMP INFORMATION:

DEPTH OF WELL: 160' DEPTH OF BOWLS: 130'

WATER LEVELS:

PRE-SEASON STATIC: _____ DATE MEAS: _____
(swl_pre) (swlpredate)DURING-SEASON STATIC: _____ DATE MEAS: _____
(swl_mid) (swlmiddate)POST-SEASON STATIC: _____ DATE MEAS: _____
(swl_post) (swlpstdate)DYNAMIC WATER LEVEL: _____ DATE MEAS: _____
(pmpng_wl) (pwl_date)

DOES STATIC WATER LEVEL DROP OR RISE OVER SEASON? YES NO

DOES ANOTHER WELL SPECIFICALLY INTERFERE WITH THIS WELL? YES NO

PUMP AND MOTOR INFORMATION:

WELL MOTOR

MFG: Franklin

SERIAL: _____

HP: 7 1/2

BOOSTER 1 MOTOR

MFG: _____

SERIAL: _____

HP: _____

BOOSTER 2 MOTOR

MFG: _____

SERIAL: _____

HP: _____

WELL PUMP

MFG: _____

SERIAL: _____

TYPE: VERT T CENT SUBMER
(pump_type) (v) (c) (s)

BOOSTER 1 PUMP

MFG: _____

SERIAL: _____

TYPE: VERT T CENT SUBMER

BOOSTER 2 PUMP

MFG: _____

SERIAL: _____

TYPE: VERT T CENT SUBMER

UTILITY KWH METER INFORMATION:

UTILITY: _____
(utility)POLE #: _____
(pole_no)

MAX KW DEMAND _____

KILOWATT HRS _____

(kwh_1)
(use date of exam for "kwh1_date")UTILITY ACCOUNT NUMBER _____
(acct_no)KWH METER SERIAL: _____
(pwrmttr_sn)METER MFG: _____
(pwrmttr_mfg)Kh DISK CONSTANT _____
(kh)MULTIPLIER _____
(disk_mult)*****
FROM WATER MEASUREMENT
DISTRICT RECORDS

SYSTEM DESCRIPTION/NARRATIVE COMMENTS:

SYSTEM TYPE Handline
(system_type)COMMENTS TO DATA-ENTER (exam_notes): 2 homes + 9 acres irr.
Recommend reflecting homes, measure irr. use only.
Owner willing to track nozzle cost & hours. Wait till
1999 to rate as owner contemplates replacing system.

FILE-ONLY COMMENTS:

EXAM COMPLETE = "N"Add to "Summer Only" pump card list*****
FROM WATER MEASUREMENT
DISTRICT RECORDS
*****Terry- I don't know
when Lewis wants to
start sending EWMD
pump cards but this
water user will
need one.

Boyer

I certify that the above information is true and correct to the best
of my knowledge and ability and the measurements taken and recorded
are in accordance with the standards and specifications of the
equipment used.

Signature


Dwight A. Contor

Date

5/11/98

SUPPLEMENTAL DATA FORM A

	crop	acres
1	pasture	9
2		
3		
4		
	total	9



FROM WATER MEASUREMENT
DISTRICT RECORDS

SCALE 1:24,000

PHOTOS

PERMIT
NUMBER

MAY 04 1959

Water User Data Card - Water Measurement District

Name: _____ ID# _____

Diversion Name: _____ Tag# _____

Month: _____ Year: _____

Check here if pump not used this month: _____

Note: Please fill out only the sections that apply to your diversion and reporting method.

I. INSTALLED FLOWMETER OR HOURMETER SECTION

Date and time of reading: _____ Hr. Meter reading: _____

Totalizer Reading: _____ Units: _____ X _____

Instantaneous Reading: _____ Units: _____ X _____

II. ALTERNATE METHOD OR POWER RECORD SECTION

(Please fill out the columns that apply to your reporting method)

DAY	OPER. HOURS			PSI	BOOSTER		COUNT
	COND A	COND B.	COND C.		ON	OFF	
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

FROM WATER MEASUREMENT
DISTRICT RECORDS

Take operating hrs here

Take Number of pipes used here

Signature: _____ Date: _____

MAY 04 2003

NAME_1	WILLIAM A LEIGHTON	ADRES ID	243
		POD	06S 33E 2 NWNW
NAME_2	1820 GOVERMENT RD	DIV_RATE	0.2
		UNITS	CFS
ADDRESS_1		SURF_FLG	
		CONTACT	
ADDRESS_2		COMMENTS	
CITY	POCATELLO		
ST	ID		
ZIP	83202	SITE_VISIT	
PHONE	2082378411	EXAMINER	
REGPOD98		SITE_TAGNO	
RECNO	200546		
WRNUMBER	A29-07460		

5/8/98 1934 Mr. Leighton
 Gave 930^m 10:30 AM Monday - Siphon Rd - Arden Valley, exit 8 I-84
 north past Br Sky to "T" turn Right (E) from ground -
 2-3 mile go to govt road - 1st road w/ sign - turn S. on Govt.
 100-200 yds. - mail box - right 1/4 mile - log home.

 FROM WATER MEASUREMENT
 DISTRICT RECORDS

MAY 06 2003

SCANNED

MAY 14 2001

Log for claim A29-07460

Spatial Dynamics BTD

9/22/00

TR	SEC	QQ	Acres Claimed	Acres Found	COMMENT
06s33e	2	NWNW	5	7.8	
06s33e	2	SWNW	4	5.2	
Totals:			9	13	

AJ5809NP
No. A29-07460

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

DATE: 05/24/00
PAGE: 111

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	WILLIAM A LEIGHTON 1820 GOVERNMENT RD POCATELLO ID 83202 (208) 237-8411	09/06/1978	IRRIGATION DOMESTIC	04-01 11-01 01-01 12-31	0.200 CFS 0.040 CFS	38.50 AFA 1.20 AFA
TOTAL DIVERSION:					0.200 CFS	39.70 AFA
CONSUMPTIVE USE:						22.50 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion:

T06S R33E S02

NWNW

BANNOCK County

Place of use Legal Description for: IRRIGATION

NE				NW				SW				SE												
T	R	S		NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
				Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		Lt	Ac	Lt	Ac		
06S	33E	2	:					:			05	04	:					:						9.0
TOTAL ACRES																							9.0	

Place of use location for DOMESTIC is the same location as described for: IRRIGATION

POU County: BANNOCK

Non-Irrigation Uses: D/ ONE HOME S/ 2 COWS

Other Rights: NONE

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):
A29-07716A A29-07716B A29-12276

Other Water Rights Listing Overlapping Place(s) of Use:
A29-07716 A29-07716A

Dates: Exam Made Date:

Verified Date:

Objection Filed Date:

Misc: Water District Number:

Field Inspection Flag:
Presumption Flag:

Audit: 04/02/90 DCARLSON 07/28/94 THOMPSON 03/29/95 POST-STD

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 29-7460 Priority September 6, 1978 Amount 0.20 cfs

THIS IS TO CERTIFY, that William A. Leighton
of Pocatello, Idaho, has complied with the terms and conditions of Permit
No. 29-7460 issued pursuant to Application for Permit dated September 6, 1978,
and has submitted proof to the Department of Water Resources on April 6, 1983,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.25 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 1</u> to <u>November 1</u>	at <u>0.20</u> cfs and	<u>38.5</u> acre feet
<u>Domestic</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.04</u> cfs and	<u>1.2</u> acre feet
<u>(1 Unit)</u>	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.20 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
39.7 acre feet per year, said waters to be diverted within the NW1/4 Section 2,
Twp 6S, Rge 33E in the County of Bannock

Description and location of place of use:

Twp.	Range	Sec.	NE1/4				NW1/4				SW1/4				SE1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
<u>6S</u>	<u>33E</u>	<u>2</u>					<u>5</u>	<u>6</u>											<u>11</u>

Total number of acres irrigated 11

REC'D
SEP 21 1984State of Idaho
DEPARTMENT OF WATER RESOURCES
WATER RIGHT BENEFICIAL USE FIELD REPORT

Department of Water Resources

29-7460

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
☐ Appointment letter mailed:			
☐ Telephone call made (List Telephone No. used)			
☐ Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 7-19-83 Accompanied by William Leighton Total Q measured 0.25 ✓
 Source Groundwater Tributary to _____ Supp. annubar measurement sheet used? _____
 Is source is surface water, estimate total flow of source _____
 Methods of measurement Pitot Gauge Meets permit requirements? _____

Measurement calculations: 25psi, 1 1/4" N, 26 birds = 4.38 gpm x 26 birds = 113.88 gpm or 0.25 cfs ✓

Irrigation for 11 acres limited to 0.20 cfs by permit Allow 0.04 for Domestic + 1.2 cfs ✓
 $11 \text{ acres} \times 3.5 \text{ cfs} = 38.5 \text{ cfs}$ ✓ $0.20 \times 1.9835 \times 214 = 84.9 \text{ AF}$

WELL/DIV. NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEVICE	REMARKS
✓ 7 1/2	Gould	NA						

System Description well, submersed (7 1/2 hp pump) set at 130' with line to one home, stock tank and sprinkler line.


*Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

USE	Q (cfs)	V (afa)	FROM	TO
Domestic (conc unit) ✓	0.04 ✓	1.2 ✓	1-1 ✓	12-31 ✓
Irrigation ✓	0.20 ✓	38.5 ✓	4-1 ✓	11-1 ✓
Total	0.20 ✓	39.7 ✓		


Irrigation requirement = 3.5 ✓ 214 days AFA/Acre

Remarks No overlapping rights ✓



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Well

Point(s) of diversion: NW 1/4 NW 1/4 Sect. 2 T6S R33E

Place(s) of Use ✓

TWP.	RGE.	SEC.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				TOTALS
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
6S	33E	2						5	6										11 ✓

Recommended Amendments:

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

Examiner's Signature

Checked by

Approved by

Al Jones
Seeth Chandra
Kay Walker

Date

4-27-84

Date

18 Sept 1984


Date

7-3-86

NOT TO SCALE

T-5

MICROFILMED



2241-68

Identification No. 29 7460

Application No. _____

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT**

APPROVED

**To Appropriate the Public Waters of the State of Idaho
(TYPE OR PRINT IN INK)**


1. Name of applicant William A. Leighton Phone: 237-8411
post office address 1124 Curtis, Pocatello, Idaho
2. Source of water supply ground water which is a tributary of _____
3. a. Location of point of diversion is NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 2 Township 6S
Range 33E B.M. Bannock County; additional points of diversion if any: _____

- b. If water is not consumed, it will be discharged into _____ at a point in _____ $\frac{1}{4}$
of _____ $\frac{1}{4}$ of Section _____ Township _____ Range _____ B.M. _____
4. Water will be used for the following purposes:
Amount .20 for irrigation purpose from Apr 1 to Nov 1 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .04 for domestic purpose from Jan 1 to Dec 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
5. Total quantity to be appropriated:
a. .20 cubic feet per second and/or
b. _____ acre feet per annum.
6. Proposed diverting works:
a. Description of ditches, flumes, pumps, headgates, etc. well and pump

- b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
- c. Proposed well diameter is 8 inches; proposed depth of well is 150 feet.
7. a. Time required for the completion of the works and application of the water to the proposed beneficial use is 5 years.
b. Estimated construction cost is \$ 3300
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: NW $\frac{1}{4}$ of NW $\frac{1}{4}$ of Section 2 Township 6S
Range 33E B.M. _____
(2) Amount of power to be generated: _____ hp under _____ feet of head.
(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____ or number of families to be supplied with domestic water _____
(5) If water is to be used for other purposes describe: _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

W.A. Leighton
(Applicant)

MAY 14 2001

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A29-07460
Date Received: 3/30/1990
Receipt No: E012697
Received By: DC

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: WILLIAM A. LEIGHTON 208-237-8411
Address: 1820 GOVERNMENT RD.
POCATELLO, ID 83202

2. Date of Priority: SEP 06, 1978

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
06S	33E	2		NW	NW		BANNOCK

5. Description of diverting works:
WELL & PUMP TO HOME AND SPRINKLER SYSTEM

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	04/01	11/01	0.200		38.50
DOMESTIC	01/01	12/31	0.040		1.20

7. Total Quantity Appropriated is:
0.200 C.F.S. (and/or) 39.70 A.F.A.

8. Total consumptive use is 22.5 Acre Feet Per Annum.

9. Non-irrigation uses:
D/ ONE HOME S/ 2 COWS

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
06S	33E	2	NW	NW		IRR	5.0
			SW	NW		IRR	4.0

Section Acres 9.0

A29-07460 Page 1 Date: 04/02/90

A2907460



MICROFILMED

NOV 13 1992

10. Place of Use: Continued

Total Acres 9.0

11. Place of use in counties: BANNOCK

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 6

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): William A. Leighton Date: 4-2-90

Date: _____

State of Idaho)
County of Bonneville) SS.

Subscribed and sworn (or affirmed) before me this 2 day
of April 19 90

Dave Carl
Notary Public

Seal

Residing at Heise, Id
My Commission Expires 2/26/96