

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A63-04801
Date Received: 3/12/1990
Receipt No: W 010830
Received By: DAS

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: DOMINIC IADEROSA 208-722-5913
Address: 26827 OLD FORT BOISE
PARMA, ID 83660

OR

Name: BETTY JO IADEROSA 208-722-5913
Address: 26827 OLD FORT BOISE ROAD
PARMA, ID 83660

2. Date of Priority: AUG 01, 1959

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
06N	05W	34	NE	NW	NW		CANYON

5. Description of diverting works:
WELL, PUMP, GRAVITY IRR. & SPRINKLER SYSTEM

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	0.800		
DOMESTIC	01/01	12/31	0.040		

7. Total Quantity Appropriated is:
0.840 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 52.5 Acre Feet Per Annum.

9. Non-irrigation uses:
D/2 HOMES

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
06N	05W	34	NW	NW		IRR	15.0
Section Acres							15.0
Total Acres							15.0

11. Place of use in counties: CANYON

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

14. Remarks:

2 P/D IN NWNW1/4,S34,T6N,R5W

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do do not wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Dominic Jaduwa Date: 3/12/90
_____ Date: _____

State of Idaho)
County of Ada) SS.

Subscribed and sworn (or affirmed) before me this 12 day
of March 19 90

 Bruce A. Schulz
Notary Public

Seal

Residing at Boise Idaho
My Commission Expires 4/11/91

PODPOW



09/29/2006

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: October 31, 2006

Water right number: 63-4801

BETTY JO IADEROSA
26827 OLD FORT BOISE RD
PARMA ID 83660
Telephone Number: (208)722-5913

DOMINIC IADEROSA
26827 OLD FORT BOISE
PARMA ID 83660
Telephone Number: (208)722-5913

RECEIVED
OCT 26 2006
WATER RESOURCES
WESTERN REGION

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 10-16-06

SIGNATURE:

Dominic Iaderosa

Please print your name:

Dominic IADEROSA

IDWR Regional Office, 2735 Airport Wy, Boise, ID 83705, 2083342190

09/16/2006

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 63-4801
NAME AND ADDRESS: BETTY JO IADEROSA
26827 OLD FORT BOISE RD
PARMA ID 83660

DOMINIC IADEROSA
26827 OLD FORT BOISE
PARMA ID 83660

SOURCE: GROUND WATER TRIBUTARY:
QUANTITY: 0.320 CFS
64.200 AFY
PRIORITY DATE: 08/01/1959
POINT OF DIVERSION:

T06N R05W S34 NENWNW Within CANYON County
T06N R05W S34 NENWNW Within CANYON County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
DOMESTIC	01/01 12/31	0.040 CFS 1.20 AFY
IRRIGATION	03/01 11/15	0.280 CFS 63.00 AFY

Domestic use is for 2 home.

PLACE OF USE: IRRIGATION Within CANYON County
T06N R05W S34 NWNW 14.00
DOMESTIC Within CANYON County
T06N R05W S34 NWNW

14 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:


This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: BASIS OF CLAIM - Beneficial Use



State of Idaho
Idaho Department of Water Resources
Western Region

T6N R5W SECTION(S) 34
WATER RIGHT(S) : 63-4801
IRRIGATION USE



- Point of Diversion
- Place of Use
- Section Lines
- Quarter Quarter Lines

Total Irrigated Acres = 14 acre(s)


GIS Place of Use Illustration
1987 NAPP Photography
Prepared by: Dan Nelson
Date: September 2006





State of Idaho
Idaho Department of Water Resources
Western Region

T6N R5W SECTION(S) 34
WATER RIGHT(S) : 63-4801
DOMESTIC USE



- Point of Diversion
- Place of Use
- Section Lines
- Quarter Quarter Lines

GIS Place of Use Illustration
1987 NAPP Photography
Prepared by: Dan Nelson
Date: September 2006



MEMORANDUM

TO: ADJUDICATION FILES 63-4901

FROM: DANIEL A. NELSON

DATE: 9/16/06

SUBJECT: CLAIM REVIEW

This claim is roughly based on a statutory claim. The original statutory claim was for domestic use only and a 1951 priority date. This claim was filed with a 1959 priority date and added irrigation use. This actually makes sense, since we have a well logs for the irrigation well in 1959. They simply added the irrigation use and advanced the priority date or in other words amended the statutory claim with the adjudication claim. The priority date for his claim is acceptable, since the well log shows the well was completed around this time.

Burke Scholer performed a field exam for this claim, but he only addressed the irrigation uses. I used ArcView to determine which homes were in place in 1987 and the spatial data to determine the domestic well location. I am concerned that the domestic well location might not be totally accurate, but that can be corrected if needed during the notice of error period.

Mr. Scholer found that there were only 14 acres irrigated, and that was confirmed with my ArcView shapes. Mr. Scholer found the irrigation well produced 0.31 cfs and the sprinkler system was capable of using 0.28 cfs, so it appears as though the 0.02 cfs per acre standard of 0.28 cfs for the 14 acres irrigated is reasonable. The irrigation volume would be limited to the standard 4.5 afa for the 14 acres or 63 afa.

The domestic use has a separate well and according to the statutory claim has a 1.2 Hp pump which would easily produce the 0.04 cfs for the domestic uses. The irrigation use is covered by the irrigation well, so the volume for these domestic uses should be limited to 0.6 afa per home for a total of 1.2 afa. The total for both the domestic and irrigation use would 0.32 cfs and 64.2 afa. There does not appear to be any canal water used on this property.

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-4801 V1

WATER RIGHT NUMBER: 63-4801 V1

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	BETTY JO IADEROSA 26827 OLD FORT BOISE RD PARMA, ID 83660 (208)722-5913
Current Owner	DOMINIC IADEROSA 26827 OLD FORT BOISE PARMA, ID 83660 (208)722-5913

Priority Date: 08/01/1959

Basis: Beneficial Use

Status: Active

SourceTributary

GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
DOMESTIC	01/01 to 12/31	0.040 CFS	1.20 AF
IRRIGATION	03/01 to 11/15	0.280 CFS	63.00 AF
	<u>Total Diversion:</u>	0.320 CFS	64.20 AF

Location of Point(s) of Diversion

GROUND WATER	NE1/4NW1/4NW1/4	Sec. 34, Twp 06N, Rge 05W, B.M.
CANYON County		
GROUND WATER	NE1/4NW1/4NW1/4	Sec. 34, Twp 06N, Rge 05W, B.M.
CANYON County		

Place of Use

DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N	05W	34						X											

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N	05W	34							14.0										14.0

Total Acres: 14

IDAHO DEPARTMENT OF WATER RESOURCES
Adjudication Recommendation Report 63-4801 V1

Conditions of Approval:

1. C18 This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.
2. X01 Domestic use is for 2 home.

Remarks:Comments:

1. dnelson 9/16/2006 Claim Review

Comment: This claim is roughly based on a statutory claim. The original statutory claim was for domestic use only and a 1951 priority date. This claim was filed with a 1959 priority date and added irrigation use. This actually makes sense, since we have a well logs for the irrigation well in 1959. They simply added the irrigation use and advanced the priority date or in other words amended the statutory claim with the adjudication claim. The priority date for his claim is acceptable, since the well log shows the well was completed around this time.

Burke Scholer performed a field exam for this claim, but he only addressed the irrigation uses. I used ArcView to determine which homes were in place in 1987 and the spatial data to determine the domestic well location. I am concerned that the domestic well location might not be totally accurate, but that can be corrected if needed during the notice of error period.

Mr. Scholer found that there were only 14 acres irrigated, and that was confirmed with my ArcView shapes. Mr. Scholer found the irrigation well produced 0.31 cfs and the sprinkler system was capable of using 0.28 cfs, so it appears as though the 0.02 cfs per acre standard of 0.28 cfs for the 14 acres irrigated is reasonable. The irrigation volume would be limited to the standard 4.5 afa for the 14 acres or 63 afa.

The domestic use has a separate well and according to the statutory claim has a 1.2 Hp pump which would easily produce the 0.04 cfs for the domestic uses. The irrigation use is covered by the irrigation well, so the volume for these domestic uses should be limited to 0.6 afa per home for a total of 1.2 afa. The total for both the domestic and irrigation use would 0.32 cfs and 64.2 afa. There does not appear to be any canal water used on this property.

Dates and Other Information:

Decreed Date:
Enlargement Use Priority Date:
Enlargement Statute Priority Date:
Defendant:
Plaintiff:
Civil Case Number:
Judicial District:
Notice of Error Flag:
State or Federal: S
Owner Name Connector: OR
Water District Number:
Generic Max Rate Per Acre:
Generic Max Volume Per Acre:
Swan Falls Trust or Nontrust:
Swan Falls Dismissed:
DLE Act Number:
Carey Act Number:
Mitigation Plan: False

Combined Use Limits:Element Reviewed/Verified Dates:

Element	Last Reviewed Date	Reviewer	Last Verified Date	Verifier	Status
---------	--------------------	----------	--------------------	----------	--------

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-4801 V1

Summary			04/18/2006	scurtis	Active
Contacts	9/16/2006 3:47:31 PM	dnelson			Active
Priority Date	9/16/2006 3:48:43 PM	dnelson			Active
POD	9/16/2006 3:50:21 PM	dnelson			Active
Source	9/16/2006 3:51:06 PM	dnelson			Active
POU	9/16/2006 3:53:21 PM	dnelson			Active
Use	9/16/2006 3:53:55 PM	dnelson			Active
Season	9/16/2006 3:55:05 PM	dnelson			Active
Quantity	9/16/2006 3:56:59 PM	dnelson			Active
Summary			09/16/2006	dnelson	Active

Verification Log:

<u>Element</u>	<u>Date Time Stamp</u>	<u>Reviewer</u>	<u>Log text</u>
Contacts	9/16/2006 3:47:32 PM	dnelson	(Yes) 1. Do you want to schedule an appointment? (No) 2. Do you want to update the field exam contact information? Contact Person: BETTY JO IADEROSA - Contact Phone Number: (208) 722-5913 Date of Field Exam: 7/20/2006 Directions to Property:
General	9/16/2006 3:48:44 PM	dnelson	(No) 1. Should this water use have been included in a later court decree of the water rights from this source? (No) 4. Is the basis of claim decree or license? (No) 7. Is the basis of claim a Application or Permit? (No) 8. Is the basis of claim a posted notice? (No) 9. Is the Priority Date of this water use after the date a permit is required for the source and the water use? (Yes) 12. Does the claim file contain sufficient evidence of Priority Date? Description for Question 12/13 - Well Log shows the irrigation well was drilled in August of 1959.
POD	9/16/2006 3:50:05 PM	dnelson	Updated shape
Source	9/16/2006 3:51:06 PM	dnelson	(No) 1. Is the basis of claim Decree or License? (No) 2. Is the basis of claim an Application or Permit? (No) 6. Is the basis of claim a Posted Notice? (No) 7. Is there evidence that there has been a change in the source? (Yes) 10. Does the file contain all the necessary information to verify the source? (No) 11. Is a Source remark and/or condition required? Description for Question 10 - Field Exam by Contractor.

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-4801 V1

Use	9/16/2006 3:53:56 PM	dnelson	(No) 1. Is the basis of this claim a Decree or License? (No) 2. Is the basis of this claim a Application or Permit? (No) 6. Is there evidence that there has been a change in the Purpose of Use? (Yes) 11. Does the file contain all the necessary information to verify the Water Use? (Yes) 13. Is a Purpose of Use remark and/or condition required? Description for Question 10,11,12 - Field Exam by Contractor.
Season	9/16/2006 3:55:06 PM	dnelson	(No) 1. Is the basis of claim Decree or License? (No) 2. Is the basis of claim a Application or Permit? (No) 6. Is there evidence that there has been a change in the Period of Use? (Yes) 12. Does the file contain all the necessary information to verify the Period of Use? (No) 13. Is the basis of claim a decree, license, or a transferred beneficial use right that has had the Period of Use administratively determined? (Yes) 15. Is irrigation claimed as a Purpose of Use? (No) 18. Is a Period of Use remark and/or condition required?
Quantity	9/16/2006 3:57:00 PM	dnelson	(No) 1. Is the basis of this claim a Decree or License? (No) 2. Is the basis of this claim a Application or Permit? (No) 6. Is the basis of claim a posted notice? (Yes) 7. Is a flow measurement required? (Yes) 9. Is the source Groundwater and does the purpose of use require a diversion volume limit? (Yes) 10. Is a irrigation a purpose of use? (No) 12. Is a Quantity remark or condition required? Description for Question 7 - Field Exam by Contractor using a Theoretical Calculation. Description for Question 10 - Irrigation use limited by standard 4.5 afa per acre for 14 acres or 63 acre feet. Domestic use limited by 0.6 afa per home for 2 homes for a total of 1.2 afa. Total volume equals 64.2 afa.
Summary	9/16/2006 3:58:18 PM	dnelson	(No) 1. Is the basis of this claim a Decree, License, Permit, Application or Posted Notice? (Yes) 3. Is the water being used for all of the purposes claimed and to the extent claimed? (No) 5. Does this right have any combined use limits with other rights? (Yes) 6. Is an additional remark and/or condition required? (Yes) 7. Would you like to view the recommended right? (No) 8. Is this a split or combined right? (No) 9. Do you have documents you would like to attach or link to the file? (Yes) 10. Would you like to set the verification date?

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-4801 V1

POD	9/16/2006 3:50:22 PM	dnelson	(No) 1. Is the basis of this claim a Decree or License? (No) 2. Is the basis of this claim a Application or Permit? (No) 6. Is there evidence that there has been a change in the POD? (Yes) 9. Does the file contain all the necessary information to verify the POD? (No) 10. Is a POD remark and/or condition required?
POU	9/16/2006 3:53:21 PM	dnelson	(No) 1. Is the basis of this claim a Decree or License? (Yes) 2b. Is the POU required? (No) 3. Is the basis of claim a Application or Permit? (No) 7. Is there evidence that there has been a change in the POU? (Yes) 13. Does the file contain all the necessary information to verify the POU? (No) 14. Is a POU remark and/or condition required? Description for Question 13 - Field Exam by Contractor.
Summary	4/18/2006 7:00:46 AM	scurtis	(No) 1. Is the basis of this claim a Decree, License, Permit, Application or Posted Notice? (Yes) 3. Is the water being used for all of the purposes claimed and to the extent claimed?
POU	9/16/2006 3:52:44 PM	dnelson	Updated shape for Active POU
POU	9/16/2006 3:53:13 PM	dnelson	Updated shape for Active POU
POD	9/16/2006 3:49:39 PM	dnelson	Updated shape

Water Supply Bank:

Domestic well = $(8.8)(1.25)(.70) = 7.7 = 0.04 \text{ CFS}$
 $\frac{100 \text{ ft} + (40 \times 2.31)}{192.4}$

BURKES
Theoretical
matches
THIS
PLUS
IRRIg.
↓
0.02 CFS X 2 = .04

09/16/2006

Page 1

IDAHO DEPARTMENT OF WATER RESOURCES
 Adjudication Claim Report 63-4801

WATER RIGHT NUMBER: 63-4801

Owner Type Name and Address
 Current Owner BETTY JO IADEROSA
 26827 OLD FORT BOISE RD
 PARMA, ID 83660
 (208)722-5913
 Current Owner DOMINIC IADEROSA
 26827 OLD FORT BOISE
 PARMA, ID 83660
 (208)722-5913

Priority Date: 08/01/1959
 Basis: Statutory Claim
 Status: Active

Source Tributary
 GROUND WATER

<u>Beneficial Use</u>	<u>From</u>	<u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
DOMESTIC	1/01	12/31	0.040 CFS	
IRRIGATION	4/01	11/01	0.800 CFS	

Total Diversion: 0.840 CFS

Location of Point(s) of Diversion

GROUND WATER ✓ NE1/4NW1/4NW1/4 Sec. 34, Twp 06N, Rge 05W, B.M.
 CANYON County

Place of Use
 IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
06N	05W	34	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
																			15.0
																			14

Total Acres: 15

DOMESTIC same as IRRIGATION

Conditions of Approval:

1. 2 P/D IN NWNW1/4,S34,T6N,R5W

Remarks:

Comments:

Dates and Other Information:

2 Homes
 14 acres X .02 CFS = .28 CFS
 BURKE
 SPARKLER
 Check
 matches
 NO DRAINAGE
~~1.2~~ 1.2 X 2 = 2.4 AFA
 1.2 X 4.5 = 6.3 AFA
 64.2 AFA.
 OK
 2 PDS

SWNW

T06N R05W S34
NWNW
14 acres

ADDITIONAL INFORMATION NEEDED FOR IRRIGATION FIELD EXAMS

Field Examiners, please complete the following checklist. Mark "unknown" or N/A if information doesn't apply or information is unavailable.

IF CURRENT OWNER DOES NOT MATCH PROOF REPORT PLEASE GIVE NEW OWNER CHANGE OF OWNERSHIP FORM TO COMPLETE.

1.) Pump information: ID Power Motor
04111403

GPS = 2264382
#116 1406408
A 0002191

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
WELL PUMP	GE	15	1103293	PEERLESS	R55737 4"
BOOSTER	GE	5	240K403E	CORNELL	1395

2.) Lift (distance from pump to water) 100-125

Discharge 4" - 3" - 1 1/2" - 1 1/2" - 3"
WELL PUMP
BOOSTER

3.) How was lift determined (well log, measurement, owner) NO ACCESS HOLE OWNER

4.) Pressure against pump (this is checked using the owner's psi gauge, your gauge, or an estimate by owner) 65 BROKEN

5.) Was a measurement made? NO If no can a measurement be made at a latter time? YES (WHEN SYSTEM IS RUNNING)

6.) What type of measurement device was used? N/A

7.) Is there a pump curve available for pump? ?

8.) Please fill out the following:

Number of sprinklers 32 @ 50 PSI = 4 GPM/NOZ

Sprinkler nozzle size 9/16" 8/LINE X 4 EST. (4)(32) = 128

Number of Pivots (include gpm rating for each pivot) N/A

$$\frac{128 \text{ GPM}}{14.53 \text{ AC}} = 8.8 \text{ GPM/AC}$$

9.) Please outline all acres irrigated on attached aerial photo. ✓ DONE

10.) Please clearly mark all points of diversion on map and GPS. ☒ DONE

GPS = 2264382
#116 1406408

11.) Please clearly mark all mainlines, ditches, and other conveyances.

SITETAG A0002191

☒ DONE

12.) Pictures taken of place of use and point of diversion. ☒ DONE

13.) Please show where and how water from other sources are diverted into the irrigation system.

OTHER INFORMATION NEEDED:

THIS CLAIM SHOWS DIVERSION RATE FOR IRRIGATION
@ 0.8 CFS = 359 GPM/15 AC = ABOUT 24 GPM/AC AND
THE LAW ALLOWS 9 GPM/AC MAX. ACTUAL ACRES WERE
ABOUT 14.53 AC OR ABOUT 130 GPM MAX.

FIELD EXAMINERS NOTES (descriptions, other uses, questions, ect.)

DATE EXAM CONDUCTED ^{FIELD} 7/20/06 ^{OFF} 8/3/06

FIELD EXAMINER Burke H. Scholer

T06N R05W S34 NWNW

14.53
AC

Well
Pit



8/3/06

DOMINIC & BETTY IADEROSA

63-4801

IDAHO POWER METER# 04111403

P.O.D

WELL Pump

BOOSTER Pump

MOTOR
GE 15HP
SN = 1103293

PUMP
PEERLESS
SN = R55737
4" DISCHARGE

4" DISCHARGE REDUCED TO 3"
AT BOOSTER

MOTOR
GE 5HP
240K403E

PUMP
CORNELL
SN = 1395

2 1/2" DISCHARGE ENLARGED
TO 3 1/2" THEN TO 3"

NOTE! THESE TWO PUMPS WORK IN SERIES AND THEORETICAL
FLOW RATE IS CALCULATED AS COMBINED

TOTAL = 20HP

LIFT = 100-125 EST.

DISCHARGE PSI = 65

EFF. WELL Pump = .70
BOOSTER = .70

TDH = 150 + 125 = 275'

PUMPING PLANT
49%

$$GPM = \frac{(20)(.49)(3960)}{275} = \underline{\underline{141 GPM}}$$

FOR 14.53 ACRES @ 96GPM/AC

THE MAX. IS ABOUT 130 GPM



LOOKING WEST



LOOKING NORTHEAST

BOOSTER PUMP

WELL PUMP

63-4801



LOOKING EAST



P.D.4

LOOKING SOUTHWEST FROM WELL




LOOKING SOUTHEAST FROM WELL



LOOKING NORTH FROM WELL

63-4801

(8) Remarks _____




Scale: 2 Inches equal 1 mile.

Map should show the location of the point of diversion and the place of use of the water by 40-acre subdivisions, section, township and range of the public land survey system.

State of Idaho)
County of Ada) ss.

Be it known that the undersigned, being duly sworn, deposes and says that he, she, they subscribed the foregoing claim to a water right, together with all attached information, and that the matters and facts therein are true to the best of the affiant's knowledge.



Sworn to before me this 17 day of June, 1981.


Norman Jackson
(Claimant)

Nancy M. Northway
Notary Public
Residing at Boise

My commission expires Life

FOR DEPARTMENT USE ONLY

Received by Am Date 17 June 1981 Exception filed by: _____ Date _____
Prelim. check by 645 Date 6/24/81
\$0.00 fee received by Am Date 17 June 1981 # 19437
Published in Picco Tribune
Dates 7/22/81 & 7/29/81



WELL LOG AND REPORT TO THE STATE RECLAMATION ENGINEER OF IDAHO

Log No. _____
Rec'd. _____, 19____
Well No. _____
Permit No. _____
034812

(DO NOT FILL IN)

Owner Raymond Poulton Address Parma Ida
Driller Rich Thibault Address Caldwell Lic. No. 30
Location of Well 7W 1/4 2W 1/4 Sec. 34, T. 6 N. 5 R. 5 1/4 Canyon County,
and _____ feet N/S, and _____ feet E/W from _____ Corner of _____ 1/4 Sec. _____
Size of Drilled Hole 8" Total depth of Well 223
Give depth of standing water from surface 123 Water Temp. _____ °Fahrenheit
On pumping test delivery was 450 g.p.m. or _____ c.f.s. Drawdown was 15 feet.
Size of pump and motor used to make the test 6" Turbine & J.D. Tractor
Length of time pumped during check was 3 hr., _____ minutes.
If flowing well, give flow in c.f.s. _____ or g.p.m. _____ and shut in pressure _____
If flowing well, describe control works _____
(TYPE AND SIZE OF VALVE, ETC.)
Water will be used for irrigation Weight of casing per linear foot 25
Thickness of casing _____ Casing material pipe
E.G., PIPE, CONCRETE, WOOD.
Diameter, length and location of casing 8" - 207
(CASING 12" IN DIAMETER AND UNDER GIVE INSIDE DIAMETER;
CASING OVER 12" IN DIAMETER GIVE OUTSIDE DIAMETER.)
Number and size of perforations 0 located _____ feet to _____ feet
from surface of ground.
Other perforations _____
Date of commencement of well 3/12/59 Date of completion of well 3/20/59
Type of well rig Churn Drill

CASING RECORD

DIAM. CASING	FROM FEET	TO FEET	LENGTH	REMARKS -- SEALS, GROUTING, ETC.
8"	1' above	206	207	

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

Well Pumped some fine sand out cleared
nicely in 1 hr.

NWNW 5.34 6N 5W

[illegible]

This well was drilled under my jurisdiction and the above information is true and correct to the best of my knowledge and belief.

Signed Rich Knobloch

By _____

Dated 5/10, 1959

License No. 30

Department of Reclamation

WELL LOG AND REPORT OF THE STATE RECLAMATION ENGINEER OF IDAHO

034813

Permit No. _____ Well No. _____ County Canyon
Owner Raymond Paulson
Address Parma Ida
Driller Rich Kniploch
Address Caldwell 2-4
Well location NW 1/4 NW 1/4 Sec 34 T. 6 N. R. 5 W
Size of drilled hole 5"

Locate well in section

NW 1/4	NE 1/4
SW 1/4	SE 1/4

Total depth of well 232

Give depth to standing water from the ground 123 Water temp. _____ °Fahr.

On "Pumping Test" delivery was _____ g.p.m. or _____ c.f.s. Drawdown was _____ feet.

Size of pump and motor used to make test _____

Length of time of test _____ hours _____ minutes.

If flowing well, give flow _____ c.f.s. or _____ g.p.m. and of shut off pressure _____

If flowing well, described control works _____

(TYPE AND SIZE OF VALVE, ETC.)

Water will be used for Dom Weight of casing per lineal foot _____

Thickness of casing _____ Casing material Steel
(STEEL, CONCRETE, WOOD, ETC.)

Diameter, length and location of casing 10 7/8" 122' 4" 20' 6" - 3"
(CASING 12" IN DIAMETER OR LESS, GIVE INSIDE DIAMETER;
CASING OVER 12" IN DIAMETER, GIVE OUTSIDE DIAMETER)

4' of STainless Steel Screen 2' up from Bottom

CASING RECORD

Diam. Casing	From Feet	To Feet	Length	Remarks—seals, grouting, etc.
~~4"~~	0	107	107	
4"	93	215	122	
3"	217	232	20	

Number and size of perforations _____ located _____ feet to _____ feet from ground

#20 slot 4' of STainless screen

Date of commencement of well 8/10/54 Date of completion of well 8/30/54

NW 1/4 NW 1/4 Sec 34 T. 6 N. R. 5 W

Type of Material

If more space is required use Sheet No. 2

This well was drilled under my supervision and the above information is true and correct to the best of my knowledge and belief.

By _____

License No. 30

AL PROPERTY INQUIRY

+++++

01 6R39459-000- -0 049-00 SCH137+ 01 1,700 3.17

+++++ 10 20,200 1.00

IADEROSA, DOMINIC A + 19 .46

& IADEROSA, BETTY J H/W + 31 188,600

+

+

+

26827 OLD FORT BOISE RD +

PARMA ID 83660 +

+++++

34-6N-5W NW + TOTAL 210,500 4.63

TX 03535 GOVT LT 1 NW + ++++++

+ SURVEY INST 200355512

+ DRAIN DR VALUE APPR MKB

+ CLASS +3 REAP 99 MAN 98 UNIT 1

26827 OLD FORT BOISE RD, PA + PARCEL 6R06N05W343000 H/O N C/B N

+ PRIOR ACCOUNT 5R39459-000- -0

SEE R39459-010, -011 + 02 MH on Property NO

MODE:F ACTION: TRAITS INQUIRY TRQK318

ACCOUNT NUMBER R39459000 0 UNIT 001 TOTAL UNITS 1

SITE 26827 OLD FORT BOISE RD PA SEC/TWN/RNG 34-6N-5W

ASSESSED VALUE 210,500 ACREAGE 4.63

SUB/PARK NAME YEAR/MAKE

CLASS +3 OWNER / OCCUPIED HOUSE CLASS '+3' SPACE LOT BLOCK

+++++

YR BUILT 1975 AIR COND CENTRAL AIR CARPORT N

STORY 1 STORY HEATING ELECTRIC FA CARPORT SQ FT

FIRST SQ FT 1871 EXTERIOR MASNRY VENEER DECK/PATIO? Y

SECOND SQ FT ROOF WOOD SHAKES POOL? N

BEDS 2 BSMT SQ FT 1871 SPA? N

BATHS 3.00 % BSMT FIN LOT SIZE

FRPLC 1 GARAGE A2 NEIGHBORHOOD 0

GARAGE SQ FT 575

+++++

COMMENTS DETACHED GARAGE: 480 S.F. MOBILE HOME ONLY

WIDTH/LENGTH

EXPANDO

AL PROPERTY INQUIRY

+++++

01 6R39459-011-A-0 049-00 SCH137+ 12 20,200 1.00

+++++ 2A 16,400 2.57

SPENCER, RANDALL C + 34 139,600

& SPENCER, GINA R H/W +

+

+

+

26733 OLD FORT BOISE RD +

PARMA ID 83660 +

+++++

34-6N-5W NW + TOTAL 176,200 3.57

TX 03618 GOVT LT 1 NW

+++++

+ SURVEY INST 200361666

+ DRAIN DR VALUE APPR MKB

+ CLASS 3 REAP 99 MAN 04 UNIT 1

26733 OLD FORT BOISE RD, PA

+ PARCEL 6R06N05W343480 H/O N C/B N

+ PRIOR ACCOUNT 5R39459-011-A-0

+ 02 MH on Property NO

MODE:F ACTION:

TRAITS INQUIRY

TRQK318

ACCOUNT NUMBER R39459011A0 UNIT 001 TOTAL UNITS 1

SITE OLD FORT BOISE RD PA SEC/TWN/RNG 34-6N-5W

ASSESSED VALUE 176,200 ACREAGE 3.57

SUB/PARK NAME YEAR/MAKE

CLASS 3 OWNER / OCCUPIED HOUSE CLASS ' 3 ' SPACE LOT BLOCK

+++++

YR BUILT 2003 AIR COND CENTRAL AIR CARPORT N

STORY 1 STORY HEATING ELECTRIC FA CARPORT SQ FT

FIRST SQ FT 1912 EXTERIOR HARDBOARD DECK/PATIO? Y

SECOND SQ FT ROOF COMP POOL? N

BEDS 3 BSMT SQ FT 1696 SPA? N

BATHS 2.50 % BSMT FIN LOT SIZE

FRPLC 0 GARAGE A2 NEIGHBORHOOD 0

GARAGE SQ FT 768

+++++

COMMENTS

MOBILE HOME ONLY

WIDTH/LENGTH

EXPANDO

AL PROPERTY INQUIRY

+++++

01 6R39459-011- -0 049-00	SCH137+	01	900	1.63
+++++		10	20,200	1.00
IADEROSA, DOMINIC	+	19		.25
	+	31	81,000	
	+			
	+			
	+			
26827 OLD FORT BOISE RD	+			
PARMA ID 83660	+			

+++++

34-6N-5W NW	+	TOTAL	102,100	2.88
GOVT LT 1 N OF D LINE CANAL &	+	+++++		
E OF TX 03535 LS TX 03618	+	SURVEY	INST	
	+	DRAIN	DR VALUE	APPR MKB
	+	CLASS R2	REAP 99	MAN 98 UNIT 1
26795 OLD FORT BOISE RD, PA	+	PARCEL	6R06N05W343400	H/O N C/B N
	+	PRIOR ACCOUNT	5R39459-011- -0	
SEE R39459 & R39459-010	+	02 MH on Property	NO	
MODE:F ACTION:		TRAITS INQUIRY		TRQK318

ACCOUNT NUMBER R39459011 0 UNIT 001 TOTAL UNITS 1

SITE 26795 OLD FORT BOISE RD PA	SEC/TWN/RNG 34-6N-5W
ASSESSED VALUE 102,100	ACREAGE 2.88
SUB/PARK NAME	YEAR/MAKE
CLASS R2 RENTAL HOUSE CLASS '2'	SPACE LOT BLOCK

+++++

YR BUILT 9999	AIR COND	AIR - NONE	CARPORT	N
STORY 1 STORY	HEATING		CARPORT SQ FT	
FIRST SQ FT 100	EXTERIOR		DECK/PATIO?	N
SECOND SQ FT	ROOF		POOL?	N
BEDS 3	BSMT SQ FT		SPA?	N
BATHS 1.00	% BSMT FIN		LOT SIZE	
FRPLC 0	GARAGE	N	NEIGHBORHOOD	0
	GARAGE SQ FT			

+++++

COMMENTS	MOBILE HOME ONLY
	WIDTH/LENGTH
	EXPANDO

4/18/2006

Idaho Dept. of Water Resources Place of Use Comparison Report

Page1

[illegible]

Receipt Details for ID W010830

Status	Adjustment Type	Version
	Adjusted Receipt	1

General Information:

Date Received	Date Deposited	Region	Total Amount	Payment Type
3/12/1990 1:19:26 PM	3/12/1990	Western	\$65.00	Check
Payer		IADEROSA, DOMINIC/BETTYJO		

Account Information:

Check #	Account #	Credit Card Name	Authorization #
518			
Card Expiration Date	Credit Card Transaction #		

Comment ADJUDICATION FEE**Fee Detail:**

Amount	Description	PCA	Fund	Fund Detail	Subsidiary	Object
\$65.00	ADJUDICATION FEE	410162	9337	0	0	6490

Refund(s):

Amount	Payee	Date	Document Number
--------	-------	------	-----------------

Water Right Information:

Basin Number	Sequence Number	Split Suffix	Amount	Type
63	4801		\$65.00	Claim

[Print Report](#)