

**IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS**

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE PALOUSE RIVER BASIN WATER
SYSTEM

CIVIL CASE NUMBER: 59576

Ident. Number: 87-11451
Date Received: 8/12/2019
Receipt No: NO35356
Claim Fee: 25.00
Received By: [Signature]

RECEIVED
AUG 12 2019
IDWR/NORTHERN

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW
For Domestic and/or Stockwater Purposes
Where Daily Use is less than 13,000 gallons per day**

1. Name of Claimant(s)

MICHAEL D NAGLE
1025 COUNTRY LN
POTLATCH ID 83855

Phone: (208) 596-3554

AND/OR

ROXANNA M NAGLE
1025 COUNTRY LN
POTLATCH ID 83855

Phone:

2. Date of Priority: 5/20/1948

3. Source:

GROUND WATER
GROUND WATER

Trib. to:

4. Point of Diversion:

Township	Range	Section	¼ of	¼ of	¼ of	Lot	County	Type
41N	04W	16	NW	NE			LATAH	
41N	04W	16	NW	NE			LATAH	

5. Description of diverting works:

hand dug well
well, pump and pipeline to home, hydrants for lawn irrigation and stock water usage.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A
DOMESTIC	01/01	12/31	0.03		
STOCKWATER	01/01	12/31	0.02		

7. Total Quantity Appropriated is:

0.03 C.F.S. and/or A.F.A.

8. Non-irrigation uses:

13 horses
Lawn and garden

9. Place of use:

DOMESTIC within LATAH County

Township	Range	Section	¼	of	¼	Lot	Acres
41N	04W	16	NW		NE		

STOCKWATER within LATAH County

Township	Range	Section	¼	of	¼	Lot	Acres
41N	04W	16	NW		NE		
41N	04W	16	NE		NW		

10. Do you own the property listed above as place of use? Yes

If your answer is no, describe in remarks below the authority you have to claim this water right.

11. Other Water Rights Used:

None

12. Remarks:

Priority Date Explanation:

13. Basis of Claim: Beneficial Use

14. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the PALOUSE River Basin Adjudication." (b.)


I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 2


For Individuals:

I/We do solemnly swear or affirm under penalty of perjury that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Michael D. Nagle Date: 8-12-19
Roxanna M. Nagle Date: 8-12-19



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Bob Stewart</u> Address <u>Princeton</u> Owner's Permit No. <u>87-85-N-8-0</u>	7. WATER LEVEL Static water level <u>25</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below.																																																										
2. NATURE OF WORK ☒ New well ☐ Deepened ☒ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td><u>9.5</u></td><td><u>106 PM</u></td><td></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>9.5</u>	<u>106 PM</u>																																																					
Discharge G.P.M.	Pumping Level	Hours Pumped																																																									
<u>9.5</u>	<u>106 PM</u>																																																										
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>10</td><td>0</td><td>37</td><td>overburden</td><td></td><td></td></tr><tr><td>10</td><td>37</td><td>40</td><td>gravel</td><td></td><td></td></tr><tr><td>10</td><td>40</td><td>50</td><td>broken rock</td><td></td><td></td></tr><tr><td>10</td><td>50</td><td>57</td><td>metamorphics, soft</td><td></td><td></td></tr><tr><td>8</td><td>57</td><td>831</td><td>metamorphics, soft</td><td></td><td></td></tr><tr><td>8</td><td>831</td><td>834</td><td>clay</td><td></td><td></td></tr><tr><td>8</td><td>834</td><td>849</td><td>metamorphics, soft</td><td></td><td></td></tr><tr><td>8</td><td>849</td><td>854</td><td>firm</td><td></td><td></td></tr></tbody></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	10	0	37	overburden			10	37	40	gravel			10	40	50	broken rock			10	50	57	metamorphics, soft			8	57	831	metamorphics, soft			8	831	834	clay			8	834	849	metamorphics, soft			8	849	854	firm		
Bore Diam.	Depth		Material	Water																																																							
	From	To		Yes	No																																																						
10	0	37	overburden																																																								
10	37	40	gravel																																																								
10	40	50	broken rock																																																								
10	50	57	metamorphics, soft																																																								
8	57	831	metamorphics, soft																																																								
8	831	834	clay																																																								
8	834	849	metamorphics, soft																																																								
8	849	854	firm																																																								
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	RECEIVED MAR 16 1987 Department of Water Resources Northern District Office RECEIVED MAR 19 1987 Department of Water Resources																																																										
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="0" style="width: 100%;"><tr><td>Thickness</td><td>Diameter</td><td>From</td><td>To</td></tr><tr><td><u>250</u> inches</td><td><u>8</u> inches</td><td><u>1</u> feet</td><td><u>57</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="0" style="width: 100%;"><tr><td>Number</td><td>From</td><td>To</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>57</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>57</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																											
Thickness	Diameter	From	To																																																								
<u>250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>57</u> feet																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																								
Number	From	To																																																									
_____ perforations	_____ feet	_____ feet																																																									
_____ perforations	_____ feet	_____ feet																																																									
_____ perforations	_____ feet	_____ feet																																																									
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Latah</u> <u>NW 1/4 NE 1/4 Sec. 16, T. 41 N, R. 4 E, NW.</u>	10. Work started <u>6/18/85</u> finished <u>7/2/85</u>																																																										
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Witt Well Drilling</u> Firm No. <u>58</u> Address <u>Lewiston</u> Date <u>6/18/86</u> Signed by (Firm Official) <u>Earl E. Witt</u> and (Operator) <u>Roger Witt</u>																																																											

RP41 NO 4W 160676 A
NAGLE, MICHAEL D
& NAGLE, ROXANNA M H/W
ROUTE 2 BOX 141
POTLATCH ID 83855

04900

20 AC TAX #4239 N 1/2
16 41 4

IDAHO RESIDENTIAL PROPERTY RECORD

Sheet No.

MISCELLANEOUS DATA

is 4
Code 3118
ket Grade 3
pe Code A
r Built 1900
r Remodeled 1975
ctive Age 1940
ing Code
e Occupied

VALUES SUMMARY

YEAR AUG 22 YEAR 2019

Residence \$
Garage IDWR / NORTH
Carport \$
Other Improve. \$
Total Improve. \$
Land \$
MARKET VALUE \$

Property Address

Inspected By SF Date 2-3-86
Computed By Date
Certified Appraiser Date
Assessor Date
Reinspection Date

Prebuilt

Building Permit


Interior Inspect.

Under Construct.

Photo No.

PURCHASE INFORMATION

Price 60,800 Date 6-85
Price 86,500 Date 4-89
Price
Rent Per Date



LAND INFORMATION

01 NEIGHBORHOOD	02 OFF-SITE IMPROVEMENTS	03 TOPOGRAPHY	04 WATER FRONT PROPERTY	05 ON-SITE UTILITIES
1 Urban 5 Zoned	Street: 4 Asphalt/Concrete	1 Low	1 Lake 6 Beach:	1 Electricity 5 Public Water
2 Suburban 6 Stable	1 None 5 Gravel/Dirt	2 Level	2 River/Creek None P F A G E	2 Gas 6 Private Well
3 Rural 7 Improving	2 Public Access 6 Sidewalks	3 Moderate Slope	3 Accretion 7 Grade: P F A G E	3 Underground Elect/Telephone 7 Public Sewer
4 Recreational 8 Declining 3 Private Access 7 Curb/Gutters		4 Steep Slope	4 Bluff Land 90	4 Cable TV 8 Septic System
90	90	90	5 Flood Plain	90

06 SUBJECT DIMENSIONS	07 SITE INFORMATION	08 REMARKS
Eff. Frontage _____ Depth _____ Other _____	01 Location F A G 02 Amenities F A G 03 Landscaping F A G 04 Detriments Few Many None	

09 COMPOSITE ADJUSTMENT	10 SITE ADJUSTMENTS
CAT LOC CLASS TYPE UNIT QTY COST BASE VALUE	01 Location 10 Access 20 View 30 Topography 40 Width TOTAL EXT. VALUE 50 Depth 60 Plottage 70 Beach 80 Corner 90 FACTOR VALUE
	% % % % % % % % % %
	% % % % % % % % % %
	% % % % % % % % % %
	% % % % % % % % % %

LAND VALUE \$

8/13/19

PMO100 - PARCEL MASTER INQUIRY

08:20:46

PARCEL: RP 41N04W160676 A F1=SL

F12=RC F14=HO

F16=XP

F23=AG

CHECK CORE NUMBERS-MH

NAGLE, MICHAEL D
& NAGLE, ROXANNA M H/W*TREND - 20 AC TAX #4239 N 1/2
16 41 4

LEGAL DESCRIPTION

RECEIVED

AUG 22 2019

IDWR/NORTH

1025 COUNTRY LANE

CODE AREA 49-0000 OWNER CD

PARC TYPE LOC CODE 2850

EFFDATE 5031984 EXPDATE

PREV PARCEL

POTLATCH ID 83855

1025 COUNTRY LN 83855

CAT/ST#	RY	QUANTITY	UN	VALUE	HO	MRKT	HO	EXMP	CB	MRKT	OTHER
3	1	2018	7150	AC	3947						
10	1	2018	1000	AC	41000	41000		20500			
18	1	2018	10640	AC	23408						
19	1	2018	1210	AC							
TOTALS			20000		76417	41000		20500			

ENTER NEXT PARCEL NUMBER RP A

FKeys: F2=TX F3=Exit F5=SS F6=Nm F7=LG
F8=CT F13=TM F18=HS F20=SrcH F22=EU