

AJ0749NP
No. R35-08146

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 05/21/98
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	JACOBSEN SUBDIVISION WATER CO INC C/O KENT CLEGG PRES PO BOX G MORELAND ID 83256 (208) 684-3248	05/17/1983	IRRIGATION DOMESTIC	04-01 11-01 01-01 12-31	0.56 CFS 0.41 CFS	112.00 AFA 34.80 AFA
TOTAL DIVERSION:					0.97 CFS	146.80 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: LICENSE

Point(s) of Diversion: T02S R34E S25

NENWNW

BINGHAM County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE								
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	---
02S	34E	25	:					:					:					:					:	28.0
TOTAL ACRES																							28.0	

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE								
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	
---	---	---	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	
02S	34E	25	:					:					:					:					:	
																							D	

POU County: BINGHAM

Non-Irrigation Uses: 58 HOMES

Remarks: GEN POINT OF DIVERSION IS ON PROPERTY ALSO KNOWN AS LOT 9, BLOCK 3
OF JACOBSON SUBDIVISION.
PROPERTY IS ALSO KNOWN AS JACOBSON SUBDIVISION #1, #2, #3 & #4
AND EL RAY SUBDIVISION.

Dates: Exam Made Date: 03/05/1992 Verified Date: Objection Filed Date:

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 05/21/98 ARUBERRY

SCANNED
SEP 13 2005

PROFILED




STATE OF IDAHO


Department of Water Resources

Eastern Region

Claimant: Jacobsen Subdivision Water Co., Inc.



SCANNED
SEP 13 2005



Water Right(s):
35-08146

Legal Description:
T2S, R34E Sec. 25
NW

**NOTE: 28 irrigated acres
within the Place of Use
as shown.**

Point(s) of Diversion:
T2S, R34E Sec. 25
NENWNW

LEGEND

 Point of Diversion

 SESE Place of Use

 Section Line

 Quarter-section line

400 0 400 800 1200 1600 2000 2400 2800 3200 3600 4000 4400 4800 5200 5600 6000 6400 Feet

GIS Place of Use Illustration
1987/1988 NAPP photography
Prepared by: A. Ruberry
Date: June 1998

PROFILE

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A35-08146
Date Received: 5/01/1989
Receipt No: E007031
Received By: SSJ

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: JACOBSEN SUBDIVISION WATER CO. INC. 208-684-3248
Address: C/O KENT CLEGG, PRES.
P.O. BOX G
MORELAND, ID 83256

2. Date of Priority: MAY 17, 1983

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
02S	34E	25	NW	NW	NW		BINGHAM

5. Description of diverting works:
2 WELLS-80' WELLS W/ 15HP SUB. PUMPS INTO DISTRIBUTION LINES.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	0.560		
DOMESTIC	01/01	12/31	0.410		

7. Total Quantity Appropriated is:
0.970 C.F.S. (and/or) 132.80 A.F.A.

8. Total consumptive use is 84.0 Acre Feet Per Annum.

9. Non-irrigation uses:
DOMESTIC USE FOR 58 HOMES W/I JACOBSEN SUBDIVISION

10. Place of Use:

Township	Range	Section	1/4 of	1/4 of	Lot	Use	Acres
02S	34E	25	NW	NW		IRR	28.0

A35-08146

Page 1

Date: 05/01/89

PROFILED

SCANNED
SEP 13 2005

MICROFILMED
DEC 10 1992

A3508146



10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
02S	34E	25	NW	NW	DOMEST	

Section Acres	28.0
---------------	------

Total Acres	28.0
-------------	------

11. Place of use in counties: BINGHAM

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

Domestic use is for 58 homes.

Place of use also known as Jacobsen Subdivisions #1, 2, 3 &
El Ray Subdivision.

15. Basis of Claim: LICENSE

PROFILED

SCANNED
SEP 13 2005

MICROFILMED
DEC 10 1992

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 3

For Organizations:

I do solemnly swear or affirm that I am Secretary of Jacobsen Subdivision J.S.D. Water Co., that I have signed the foregoing document in the space below as Secretary of Jacobsen Subdivision Water Co. and that the statements contained in the foregoing document are true and correct.

Christine Reed
Signature of Authorized Agent

Secretary Jacobsen Subdivision
Title and Organization Water Co.

5-1-89
Date

State of Idaho)
County of Donnerville) SS.

Subscribed and sworn (or affirmed) before me this 1 day
of May 19 89

[Signature]
Notary Public

Residing at Idaho Falls, ID
My Commission Expires 22 Aug 1994

Seal

PROFILED


SCANNED
SEP 13 2005

MICROFILMED
DEC 10 1992

5-8146

SCALE 1"=100'

PARKS ROAD



CURVE DATA

- ① Δ = 88° 58' 40"
R = 20.00
T = 18.88
L = 31.41
C = 28.38
- ② Δ = 90° 00' 10"
R = 80.00
T = 80.02
L = 84.87
C = 84.87
- ③ Δ = 32° 16' 30"
R = 110.08
T = 31.83
L = 81.97
C = 81.18
- ④ Δ = 32° 16' 30"
R = 80.18
T = 16.87
L = 38.40
C = 38.40
- ⑤ Δ = 48° 58' 41"
R = 80.00
T = 9.33
L = 16.80
C = 17.48
- ⑥ Δ = 27° 56' 23"
R = 80.00
T = 41.86
L = 64.89
C = 84.34

NOTES

- ① Elements are 10' from each lot - - - - - easement line
- ② 1/2" iron rods
- ③ 3/8" iron rods

CURVE DATA

DIUS	DELTA	TANGENT	LENGTH	CHORD
00	90°	20.00	31.42	28.28
00	90°	70.00	109.36	83.64
00	89° 55' 40"	19.97	31.39	28.27

- NOTES:
- 1 All easements shown are 10' wide in sec
 - 2 unless otherwise shown.
 - 3 No new septic, cesspools or sewage pits permitted within 150' of well.

total area 89.9 ac.

MICROFILMED


SCANNED

DEC 10 1992

SEP 13 2005

PROFILING

#35-8146



CURVE DATA				
CURVE	RADIUS	DELTA	TANGENT	CHORD
1	2000	90°	2000	31.42
2	7000	90°	7000	100.96
3	2000	89°55'40"	19.97	31.39

- NOTES:
- 1 All easements shown are 10' wide in each lot unless otherwise shown.
 - 2 No new septic, cesspools or seepage pits permitted within 150' of well.

PROFILED

SCANNED
SEP 13 2005

MICROFILMED
DEC 10 1992


MICROFILMED

DEC 10 1992

SEP 13 2005

SCANNED

PROFIL



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

07:38:36
10/29/91

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A35-08146

LAST: JACOBSEN SUBDIVISION WATER CO. INC.
ADDRESS: C/O KENT CLEGG, PRES.
P.O. BOX 6
CITY: MORELAND
PHONE NUMBER: 208-684-3243

FIRST:

STATE: ID ZIP: 83256

OWNER CODE: C

FIELD EXAM REQUIRED?

DATABASE
Y

FIELD
EXAMINER

VERIFICATION REQUIRED DUE TO REMARKS?

CLAIM REMARKS: DOMESTIC USE IS FOR 53 HOMES.
PLACE OF USE ALSO KNOWN AS JACOBSEN SUBDIVISIONS #1, 2, 3 &
EL RAY SUBDIVISION.

22
8
18
15

FIELD EXAMINATION INFORMATION

CONTACT PERSON: _____

PHONE NUMBER: (____) ____-____

DATE OF FIELD EXAM: 3/5/92

APPOINTMENT MADE: Y(____) N(Y)

TIME: ____:____ A(____) P(____)

ACCOMPANIED BY: _____

PHONE NUMBER: (____) ____-____

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

DESK TOP REVIEW w/ RURAL ADDRESS MAP AND B/W EXAM

A. AJ CLAIM: # A35-08146 / PRIORITY DATE: 05-17-1983 / STAGE: L /
B. WR RECORD: # 35-08146 / PRIORITY DATE: 05-17-1983 / STAGE: L

C. FIELD EXAM REQUIRED?

DUE TO PRIORITY DATE DISCREPANCY? (Y/N)

DATABASE
N

FIELD
EXAMINER
N

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N()
IF YES EXPLAIN.

REMARKS: VERIFIED MATCH w/ LICENSE

RECOMMENDED PRIORITY DATE:
05-17-1983

REVIEWED BY EG

DATE 3-5-92

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A35-08146	02S	34E	25	NW	NW	NW		BINGHAM

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
NONE NONE

WR RECORDS IN SAME 40 ACRE TRACT
NONE

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
35-08146	02S	34E	25		NW	NW		BINGHAM

OTHER WR RECORDS WITH SAME WR POD
NONE

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX
A35-11887 NONE

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

DATABASE
Y
N

FIELD
EXAMINER
Y
N

REMARKS:

Is not claiming a change of POD. 10 acre location scaled from dimensions on
plat to be in the NE 1/4 NW. Spt: Lot 9 Blk 3 Section 12, Twp 2S, Rge 34E, Subdivision.

CLAIM NUMBER: 435-08146

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:		1/4	1/4	1/4	LOT	COUNTY
25	34E 25	NE	NW	SW	---	Blaine
SOURCE: GROUNDWATER						
TRIB: _____						
REVIEWED BY: <u>SB</u>						
DATE: <u>3-5-92</u>						

A. ROOT WATER RIGHT NUMBERS: A35-08146

B. PGU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
02S	34E	25	N4	NW		JACOBSEN SUBDIVISION WATER CO.	A35-08146 /28.0	35-08146 /28.0	41.0		
			N4	NW		DEWEY, JOHN L.	A35-08045 /	35-08045 /		32	28
			N4	NW		DANSKIN DITCH COMPANY	A01-00052A /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-00053A /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-00092B /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-001168B /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-00157B /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-00158B /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-00261 /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-00306 /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-10091 /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-10092 /32.0	- /			
			N4	NW		HALE, ERIC N.	A35-11887 /	- /			

02S	34E	25	N4	NW		JACOBSEN SUBDIVISION WATER CO.	A35-08146 /	35-08146 /28.0	41.0		
			N4	NW		DEWEY, JOHN L.	A35-08045 /	35-08045 /			
			N4	NW		DANSKIN DITCH COMPANY	A01-00052A /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-00053A /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-00092B /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-001168B /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-00157B /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-00158B /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-00261 /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-00306 /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-10091 /32.0	- /			
			N4	NW		DANSKIN DITCH COMPANY	A01-10092 /32.0	- /			
			N4	NW		HALE, ERIC N.	A35-11887 /	- /			
TOTAL ACRES							A35-08146	28.00	55.00	82.00	

Domestic for SB Horner

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()
 IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POJ DISCREPANCY? (Y/N)

DATABASE
 Y

FIELD
 EXAMINER
 N

PRESUMPTION FLAG:

REMARKS:

201: Jackson Subdivisions #1, 2, 3, 4 and 90, Ray Subdivision

RECOMMENDATIONS:

TOTAL ACRES: 28

REVIEWED BY: SA

DATE: 3-5-92

A. AJ CLAIMED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A35-08146 IRRIGATION	FROM 04-01 TO 11-01	.560 CFS
A35-08146 DOMESTIC	FROM 01-01 TO 12-31	.410 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		.970 CFS 132.80 AF/A

B. WR RECORDED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
35-08146 IRRIGATION	FROM 04-01 TO 11-01	.560 CFS 98.00 AF/A
35-08146 DOMESTIC	FROM 01-01 TO 12-31	.410 CFS 34.80 AF/A
TOTAL DIVERSION RATE/VOLUME CLAIMED		.970 CFS 132.80 AF/A

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	N
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	N
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	N	Y

D. PERIOD OF USE:

RECOMMEND AS CLAIMED? Y() N(X)

RECOMMEND TO WR STANDARDS OR OTHER? Y(X) N() EXPLAIN IN REMARKS, BELOW.

REMARKS:

CHANGE PERIOD OF USE OF IRRIGATION TO 4/1 TO 10/31

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y(☒) N(☐)

AJ TOTAL CLAIMED DIVERSION RATE: 0.970 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 0.970 CFS

*** IF NO OR IF STATUTORY CLAIM OR BENEFICIAL USE THEN FLOW MEASUREMENT REQUIRED. ***
** IF AN AMOUNT SMALLER THAN THE ORIGINAL DIVERSION RATE IS **
** CLAIMED AND AN EXAM IS NOT REQUIRED, EXPLAIN IN REMARKS. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FIELD
DATABASE EXAMINER
Y N

B.

FLOW MEASUREMENT

MEASUREMENT METHOD No, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y(☐) N(☒) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A35-08146	GROUNDWATER	JACOBSEN SUBDIVISION WATER CO.	0.970	0.034	132.80	4.74
A35-08045	GROUNDWATER	DEWEY, JOHN L.	0.160	0.040		
A01-000928	SNAKE RIVER	DANSKIN DITCH COMPANY	0.400			
A01-0011688	SNAKE RIVER	DANSKIN DITCH COMPANY	0.756			
A01-001578	SNAKE RIVER	DANSKIN DITCH COMPANY	0.800			
A01-001538	SNAKE RIVER	DANSKIN DITCH COMPANY	7.275	0.001		
A01-00251	SNAKE RIVER	DANSKIN DITCH COMPANY	20.000	0.003		
A01-00305	SNAKE RIVER	DANSKIN DITCH COMPANY	80.000	0.015		
A01-10031	SNAKE RIVER	DANSKIN DITCH COMPANY	0.399			
A01-10032	SNAKE RIVER	DANSKIN DITCH COMPANY	0.129			

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A35-08146	DOMESTIC	JACOBSEN SUBDIVISION WATER CO.	FROM 01-01 TO 12-31	.410 CFS	
A35-11387	DOMESTIC	HALE, ERIC N.	FROM 01-01 TO 12-31	.040 CFS	

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1A. IRRIGATION RATE

ACRES 28 X 0.02 CFS/ACRE = 0.56 CFS
(TAKEN FROM P/U REVIEW)

1B. CALCULATIONS

DJES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(X)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N(X) ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 34.0 AF/A

ACRES 28 X CONSUMPTIVE VOL. AF/A FOR AREA 3.0 =
TOTAL CONSUMPTIVE USE 84 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = 132.80 AF/A

ACRES 28 X DIVERSION VOL. AF/A FOR AREA 4.0 =
TOTAL DIVERSION VOLUME 112 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N()

REMARKS: (INCLUDE LIMITATIONS ON CONSUMPTIVE USE FOR COMBINED RIGHTS.)

Domestic use limited to 34.8 AFA on license - Consumptive use = 0

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS. USE
IRRIGATION	04-01 ~~10-31~~	DATABASE EXAMINER	DATABASE EXAMINER	DATABASE EXAMINER
DOMESTIC	01-01 ~~11-01~~	0.560 <u>0.56</u>	~~112~~	~~84.0~~ <u>81</u>
	12-31	0.410 <u>0.41</u>	<u>34.8</u>	<u>0</u>
TOTAL FOR THIS RIGHT		0.970 0.97	~~132.80~~ 146.8	84

REVIEWED BY: 25

DATE: 3-5-92

4. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/ABANDON _____
ADDITIONAL DIV. AMOUNT _____

ACCEPTED AS CLAIMED	NEEDS REVIEW
(X)	()
(X)	()

3. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 35-08146

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE
0.970

EXAMINER
0.97

CFS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A35-08146	0.970	-		35-08146	0.970
TOTAL CFS		0.970				0.970

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, IS THE WRITTEN REVIEW SHEET ATTACHED? (Y/N)

DATABASE
Y

FIELD
EXAMINER
Y

REMARKS:

RIGHT CLAIMED IN FULL

AUTHENTICATION:

SIGNATURE:

NAME OF FIELD EXAMINER:

DATE:

TITLE:

3-5-92

SWA

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

07:38:34
10/29/91

PAGE: 12
QUICKLOOK INFORMATION




CLAIM NUMBER: A35-08146

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE						8/3-5-92	8/3-5-92	8/3-5-92
POINT OF DIV	Y			Y (002)	6, 4			
SOURCE								
PLACE OF USE	Y			N	6			
DIV. AMOUNT CFS/VOLUME								
CONSUMPTIVE USE	-			Y	6			
PURPOSES								
PERIOD OF USE				Y	6			
BASIS OF CLAIM								
REMARKS	Y							

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
RSCS MAP = 2
WATERMASTER RECORDS = 3
AAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.



COUNTY ROAD ADDRESS MAP
A35-08/46
3/15/92

Back 3
Lot 9
201

JACOBSEN
EL RAY

FILED

SCANNED
SEP 13 2005

COPY FROM BLUE EXAM

FOR 035-0016

#35-8146


667'

3/5/92

630'

NW 1/4 NW 1/4
SEC. 25

PROF
1/16 cap




ACCORDING TO DIMENSIONS
OLD PLAT, THE POOL IS
667' EAST AND 630'
SOUTH OF SECTION
CORNER 23/24. THIS
PUTS THE POINT OF DIVERSION
IN THE NENW 1/4

ES 3/5/92

LENGTH	CHORD
91.42	28.88
29.96	63.64
11.39	28.27
1.14	28.40

NOTES:

1. All easements shown are 10' wide in each lot unless otherwise shown.
2. No new septic, cesspools or seepage pits permitted within 150' of well.



SCANNED
SEP 13 2005

A35-08146

FILED

2013/5/12

NO. OF CLAIMS IN POLYGON _____

TRANSFER NUMBER _____

CLAIM NUMBERS 35-DB146 _____

DATE _____

OBJECTION FILED _____

AGENT _____

TOTAL ACRES FROM RECOMMENDATION 28²

GEOGRAPHIC INFO SYSTEM _____

RIGHT NO				NE				NW				SW				SE			
	TNS	RNG	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE
RECOM	<u>2S</u>	<u>34E</u>	<u>25</u>						<u>28</u>										
GIS									<u>28*</u>										
RECOM																			
GIS																			
RECOM																			
GIS																			
RECOM																			
GIS																			

UPDATED

POLYGON # _____ UPDATED

B35-DBPOU.DBF _____

ATTRIBUTES OF B35-POU.SHP () 611

B35-DBPOD.DBF _____

ATTRIBUTES OF B35-POD.SHP () _____

Claimant: _____

JACOBSEN SUBDIVISIONP.O.D./Source 507 # G.W. S.W.WATER Co., Inc.Township 2S, Range 34E, Section 25PO Box 61. NENWNWMORELAND ID B3256

2. _____

3. _____

* 28 IRRIGATED ACRES WITHIN NWNW

Other Rights: _____

P/U CONFLICT yes () no ()

P/D CONFLICT yes () no ()

SENT FOR DECREE yes () no ()

PROFILED

SCANNED

SEP 13 2005

Department of Water Resources

Permit No. 35-8146
Phone No. 684-3248

EXAM. DATE: 7-31-86

3. Source: Groundwater tributary to WFO

*Code with points of diversion, system diagram & photos on reverse side. Disregard if only one.

2 wells with 15 hp pump to 5.8' head.
The other well/pump is located outside the pump house

well depth $\Rightarrow 901$

Well depth $\Rightarrow 80'$

7. Measurements

☐ Additional data/computation sheets attached

Mcrometer was reading 325 gpm

The Mcrometer was installed on the main line

8. Point(s) of Diversion:

Indicate Method of Determination

[illegible]

9.

Place(s) of Use:

Irrigation - give acres served by system at time of exam.
Indicate Method of Determination

[illegible]

Total Acres - 28

DEC 10 1992

1. Chlorophyll
 2. Carotenoids
 3. Xanthophylls
 4. Phycobilins
 5. Phaeophytins
 6. Phaeoxanthophylls
 7. Phaeoerythrins
 8. Phaeo-
 phytyl
 9. Phaeo-
 xanthophyll
 10. Phaeo-
 erythrin
 11. Phaeo-
 phytyl
 12. Phaeo-
 xanthophyll
 13. Phaeo-
 erythrin
 14. Phaeo-
 phytyl
 15. Phaeo-
 xanthophyll
 16. Phaeo-
 erythrin
 17. Phaeo-
 phytyl
 18. Phaeo-
 xanthophyll
 19. Phaeo-
 erythrin
 20. Phaeo-
 phytyl
 21. Phaeo-
 xanthophyll
 22. Phaeo-
 erythrin
 23. Phaeo-
 phytyl
 24. Phaeo-
 xanthophyll
 25. Phaeo-
 erythrin
 26. Phaeo-
 phytyl
 27. Phaeo-
 xanthophyll
 28. Phaeo-
 erythrin
 29. Phaeo-
 phytyl
 30. Phaeo-
 xanthophyll
 31. Phaeo-
 erythrin
 32. Phaeo-
 phytyl
 33. Phaeo-
 xanthophyll
 34. Phaeo-
 erythrin
 35. Phaeo-
 phytyl
 36. Phaeo-
 xanthophyll
 37. Phaeo-
 erythrin
 38. Phaeo-
 phytyl
 39. Phaeo-
 xanthophyll
 40. Phaeo-
 erythrin
 41. Phaeo-
 phytyl
 42. Phaeo-
 xanthophyll
 43. Phaeo-
 erythrin
 44. Phaeo-
 phytyl
 45. Phaeo-
 xanthophyll
 46. Phaeo-
 erythrin
 47. Phaeo-
 phytyl
 48. Phaeo-
 xanthophyll
 49. Phaeo-
 erythrin
 50. Phaeo-
 phytyl
 51. Phaeo-
 xanthophyll
 52. Phaeo-
 erythrin
 53. Phaeo-
 phytyl
 54. Phaeo-
 xanthophyll
 55. Phaeo-
 erythrin
 56. Phaeo-
 phytyl
 57. Phaeo-
 xanthophyll
 58. Phaeo-
 erythrin
 59. Phaeo-
 phytyl
 60. Phaeo-
 xanthophyll
 61. Phaeo-
 erythrin
 62. Phaeo-
 phytyl
 63. Phaeo-
 xanthophyll
 64. Phaeo-
 erythrin
 65. Phaeo-
 phytyl
 66. Phaeo-
 xanthophyll
 67. Phaeo-
 erythrin
 68. Phaeo-
 phytyl
 69. Phaeo-
 xanthophyll
 70. Phaeo-
 erythrin
 71. Phaeo-
 phytyl
 72. Phaeo-
 xanthophyll
 73. Phaeo-
 erythrin
 74. Phaeo-
 phytyl
 75. Phaeo-
 xanthophyll
 76. Phaeo-
 erythrin
 77. Phaeo-
 phytyl
 78. Phaeo-
 xanthophyll
 79. Phaeo-
 erythrin
 80. Phaeo-
 phytyl
 81. Phaeo-
 xanthophyll
 82. Phaeo-
 erythrin
 83. Phaeo-
 phytyl
 84. Phaeo-
 xanthophyll
 85. Phaeo-
 erythrin
 86. Phaeo-
 phytyl
 87. Phaeo-
 xanthophyll
 88. Phaeo-
 erythrin
 89. Phaeo-
 phytyl
 90. Phaeo-
 xanthophyll
 91. Phaeo-
 erythrin
 92. Phaeo-
 phytyl
 93. Phaeo-
 xanthophyll
 94. Phaeo-
 erythrin
 95. Phaeo-
 phytyl
 96. Phaeo-
 xanthophyll
 97. Phaeo-
 erythrin
 98. Phaeo-
 phytyl
 99. Phaeo-
 xanthophyll
 100. Phaeo-
 erythrin
 101. Phaeo-
 phytyl
 102. Phaeo-
 xanthophyll
 103. Phaeo-
 erythrin
 104. Phaeo-
 phytyl
 105. Phaeo-
 xanthophyll
 106. Phaeo-
 erythrin
 107. Phaeo-
 phytyl
 108. Phaeo-
 xanthophyll
 109. Phaeo-
 erythrin
 110. Phaeo-
 phytyl
 111. Phaeo-
 xanthophyll
 112. Phaeo-
 erythrin
 113. Phaeo-
 phytyl
 114. Phaeo-
 xanthophyll
 115. Phaeo-
 erythrin
 116. Phaeo-
 phytyl
 117. Phaeo-
 xanthophyll
 118. Phaeo-
 erythrin
 119. Phaeo-
 phytyl
 120. Phaeo-
 xanthophyll
 121. Phaeo-
 erythrin
 122. Phaeo-
 phytyl
 123. Phaeo-
 xanthophyll
 124. Phaeo-
 erythrin
 125. Phaeo-
 phytyl
 126. Phaeo-
 xanthophyll
 127. Phaeo-
 erythrin
 128. Phaeo-
 phytyl
 129. Phaeo-
 xanthophyll
 130. Phaeo-
 erythrin
 131. Phaeo-
 phytyl
 132. Phaeo-
 xanthophyll
 133. Phaeo-
 erythrin
 134. Phaeo-
 phytyl
 135. Phaeo-
 xanthophyll
 136. Phaeo-
 erythrin
 137. Phaeo-
 phytyl
 138. Phaeo-
 xanthophyll
 139. Phaeo-
 erythrin
 140. Phaeo-
 phytyl
 141. Phaeo-
 xanthophyll
 142. Phaeo-
 erythrin
 143. Phaeo-
 phytyl
 144. Phaeo-
 xanthophyll
 145. Phaeo-
 erythrin
 146. Phaeo-
 phytyl
 147. Phaeo-
 xanthophyll
 148. Phaeo-
 erythrin
 149. Phaeo-
 phytyl
 150. Phaeo-
 xanthophyll
 151. Phaeo-
 erythrin
 152. Phaeo-
 phytyl
 153. Phaeo-
 xanthophyll
 154. Phaeo-
 erythrin
 155. Phaeo-
 phytyl
 156. Phaeo-