

Water Right Number - R35-12767

Prefix Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
LONG

GLEN R

1 - 2443 HUSE RD

2 -

3 -

City- AMERICAN FALLS

State- ID Zip- 83211

Phone - 208-226-2057

LONG

PEGI L

1 - 2443 HUSE RD

2 -

3 -

City- AMERICAN FALLS

State- ID Zip- 83211

Phone - 208-226-2057

+ - - Priority Date - - + + - - - Region - - - + + - - - Stage - - - + + - - - Status - - - +
03/15/1952 15 EASTERN J - BENEFICIAL USE

+ - - - - Source - - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +
TwN Rng Sec Tract Lot RFlg County
07S 31E 6 SW SW NW 5 (77) POWER

Code	Description	Period From	Period To	Diversion Rate	Diversion Volume
43 - DOMESTIC		01/01	12/31	0.040	
01 - IRRIGATION		04/01	10/31	0.040	5.20

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
0.080 5.20 0.0

TwN	Rng	Sec	Tract	Lot	Acres	Place of Use Code	Description	County
07S	31E	6	SW NW	5	1.3	01	IRRIGATION	(77) POWER
07S	31E	6	SW NW	5		43	DOMESTIC	(77) POWER

Total Acres: 1.3

+ - - Diversion Means - WELL, 120'DEEP, 1 HP SUB. PUMP PIPED TO HOME & SPRINKLER SYSTEM

+ - - Non-Irrigation Use - 1 HOME

+ - - Other Rights for Same Use - NONE

+ - - - - Remarks - - - - - +
No Remarks found.

SCANNED
OCT 04 2005

PROFILED

CS 9-18-98

Water right number - R35-12767

Prefix Translation: RESEARCH

+ - - - - Old Water Right Numbers - - - - - +

+ - - - - Old Water Right Numbers - - - - - +

No Old Water Right Numbers Found

+ - - - - Conditions of Approval - - - - - +

N10 - THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT FOR
- DOMESTIC USE IS NOT A DETERMINATION OF HISTORICAL BENEFICIAL USE.
N12 - THE QUANTITY OF WATER UNDER THIS RIGHT FOR DOMESTIC USE SHALL
- NOT EXCEED 13,000 GALLONS PER DAY.

+ - - - Decree Plaintiff - - - + + - - - Decree Defendant - - - + + - Decree Date - +

00/00/0000

+ - - - - Comments - - - - - +

No Comments Found

+ - - Audit Fields - - +

09/18/98 CFRITSCH

+ - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing	- 00/00/0000	Field Inspection Made	- 10/01/1993	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 00/00/0000	Old Judicial District	-
Claim Received Date	- 03/16/1990	Last Amended Date	- 00/00/0000	Temporary Right	- P
		Receipt Number	- M006261	Water District	-
		POU Ownership Flag	- Y	Federal/State Indicator	- S
		Name Connector	- OR	Presumption Flag	-
				Notice of Error Flag	-

SCANNED
OCT 04 2005

PROFILE

AJ0749NP
No. R35-12767

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 11/01/93
PAGE: 1

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	GLEN R LONG	03/15/1952	IRRIGATION	04-01 10-31	0.04 CFS	5.2 AFA
C	PEGI L LONG		DOMESTIC	01-01 12-31	0.04 CFS	
	2443 HUSE RD					
	AMERICAN FALLS ID 83211			TOTAL DIVERSION:	0.08 CFS	5.2 AFA
	(208) 226-2057			CONSUMPTIVE USE:		3.9 AFA

Water Source: GROUNDWATER

Tributary to:

Stage: BENEFICIAL USE

Point(s) of Diversion: T07S R31E S06 Lot05(SWSWNW)

POWER County

Place of use Legal Description for: IRRIGATION

				NE				NW				SW				SE								
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	SUM
			:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	
07S	31E	6	:					:					:					:					:	1.3
																							TOTAL ACRES	1.3

Place of use Legal Description for: DOMESTIC

				NE				NW				SW				SE								
T	R	S	:	NENE	NWNE	SWNE	SENE	:	NENW	NWNW	SWNW	SENW	:	NESW	NWSW	SWSW	SESW	:	NESE	NWSE	SWSE	SESE	:	
			:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	Lt	Ac	Lt	Ac	:	
07S	31E	6	:					:					:					:					:	
																							05-D	

POU County: POWER

Non-Irrigation Uses: ~~DOMESTIC~~ 1 HOME

Other Rights: NONE

Dates: Exam Made Date: 10/01/1993 Verified Date: 11/01/1993

Misc: Water District Number: Field Inspection Flag:
Presumption Flag:

Audit: 11/01/93 NORQUEST

N10
N12

Verified OK
11-1-93
EN

SCANNED
OCT 04 2005

PROFILE

35-12767



250 0 250 500 750 Feet

T07S R31E S06

Map prepared by: Carter Fritschle
Date prepared: 07/14/98
1987-1988 NAPP photography

SCANNED
OCT 04 2005



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

18:41:55
05/29/91

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A35-12767

LAST: LONG
ADDRESS: 2443 WUSE RD.
CITY: AMERICAN FALLS
PHONE NUMBER: 208-226-2057

FIRST: GLEN R.

STATE: ID. ZIP: 83211

OWNER CODE: C

LAST: LONG
ADDRESS: 2443 WUSE RD.
CITY: AMERICAN FALLS
PHONE NUMBER: 208-226-2057

FIRST: PEGI L.

STATE: ID. ZIP: 83211

OWNER CODE: C

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

NO REMARKS IN CLAIM

DATABASE
N

FIELD
EXAMINER

CONTACT PERSON: Glen Long

PHONE NUMBER: () - -

DATE OF FIELD EXAM: 10/1/93

APPOINTMENT MADE: Y(☒) N()

TIME: 1:30 A() P(☒)

ACCOMPANIED BY: Erik Norquest, S.W. Keen, C. Fritschle, G. Long

PHONE NUMBER: () - -

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

MET GLEN LONG (CLAIMANT) AT HIS HOME. (POD)

A. AJ CLAIM: # A35-12767 PRIORITY DATE: 03-15-1952 STAGE: J

B. WR RECORD: NO WATER RIGHT RECORD TO MATCH THIS AJ CLAIM

C. FIELD EXAM REQUIRED?

DUE TO PRIORITY DATE DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER
EN

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y(✓) N()
IF YES EXPLAIN.

REMARKS: WAITING FOR AFFIDAVITS FROM CLAIMANT. CARTON FRITCHE & Shelly Koor
TALKED TO CLAIMANT ABOUT THE AFFIDAVITS

→ 10/26/93 Received the affidavit from Claimant. - The affidavit indicates a priority
date in the early 1950's which coincides with the 3-15-1952 priority date
shown on the claim. Affidavit is signed by Neil J. Paulson
and notarized and supports irrigation and domestic uses.

RECOMMENDED PRIORITY DATE:

3-15-1952

REVIEWED BY

EN

DATE

11-1-93

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A35-12767	7S	31E	6	SW	SW	NW	5	POWER

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX NONE R PREFIX NONE
WR RECORDS IN SAME 40 ACRE TRACT
NONE

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

THERE IS NO WATER RIGHT RECORD WITH THE SAME CLAIM NUMBER

SOURCE: NO SOURCE FOR RECORD

TRIB: NO TRIBUTARY FOR RECORD

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO POD DISCREPANCY? (Y/N)	Y	---
DUE TO SOURCE DISCREPANCY? (Y/N)	Y	---

REMARKS:

FIELD REVIEW: 1/2" PVC CONNECTS PUMP TO 2" ALUMINUM IRRIGATION PIPE. THIS SPRINKLER SYSTEM IRRIGATES THE LAWN, GARDEN AND PASTURE. USING AERIAL PHOTO BLOWUP - Scale 1:5510," TOTAL PROPERTY = 1.36 ACRES LESS .03 ACRES FOR A HOUSE WITH ESTIMATED 1200 SQ.FT. GROUND FLOOR AREA. IRRIGATED AREA = 1.33 ACRES.
POD SHOWN ON ASCS PHOTO.

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY
7S	31E	6	SW	SW	NW	5	Power

SOURCE: Groundwater

TRIB:

REVIEWED BY: 211 DATE: 11-1-95

Scale 1:5510"/12" = 1:459'

Measurements on AERIAL PHOTO
3/4" = .75" = 344'
3/8" = .375" = 172'

house (est) 1200 SQ.FT
43560 = .03 acres
= 59,211 SQ.FT
43,560 = 1.36 Acres
- .03
1.33 Acres

A. ROOT WATER RIGHT NUMBERS: A35-12767

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
7S	08S	31E	6	SW	NW	5 LONG, GLEN R.	A35-12767	1	-	1	
				SW	NW	5 HORSCH, R. J.	A35-07619	/15.0	35-07619	/15.0	
7S	08S	31E	6	SW	NW	5 LONG, GLEN R.	A35-12767	1 2.0	-	1	
				SW	NW	5 HORSCH, R. J.	A35-07619	/15.0	35-07619	/15.0	
TOTAL ACRES							A35-12767	2.00		1.3 AC	1.3 AC

See calculations
Page 4

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER
EV

PRESUMPTION FLAG:

REMARKS:

A35-07619 is 6S, 32E. No overlap. Actually 7S 31E 5.6
POU verified using ASCS PHOTO.

RECOMMENDATIONS:

TOTAL ACRES: 1.3

REVIEWED BY: EV

DATE: 11-1-93

A. AJ CLAIMED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A35-12767 DOMESTIC	FROM 01-01 TO 12-31	.040 CFS
A35-12767 IRRIGATION	FROM ~~01-15~~ TO ~~11-15~~ 4/1 - 10/31	~~.080 CFS~~ .04
TOTAL DIVERSION RATE/VOLUME CLAIMED		.080 CFS

B. WR RECORDED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
----------	-----------	--------------------

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	Y	N
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	Y	Y
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	Y	

D. PERIOD OF USE:

RECOMMEND AS CLAIMED? Y() N(✓)

RECOMMEND TO WR STANDARDS OR OTHER? Y(✓) N() EXPLAIN IN REMARKS, BELOW.

REMARKS:

CFS based on nozzle size & number = .04 CFS (see calc. below)

IDWR STANDARD IS 4-1 TO 10-31 - DOMESTIC USE YEAR ROUND.

	GPM NOZZLE SIZE	
FBI	1/8"	5/32"
40 =	2.96	4.61
45 =	3.13	4.91
42 =	3.028	4.73
$12.112 + 4.73 = 16.842 \text{ GPM} \times .0023 = .04 \text{ CFS irrigation}$		

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y() N(✓) NO EXISTING RECORDS

AJ TOTAL CLAIMED DIVERSION RATE: 0.080 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: CFS

*** IF NO OR IF STATUTORY CLAIM OR BENEFICIAL USE THEN FLOW MEASUREMENT REQUIRED. ***
** IF AN AMOUNT SMALLER THAN THE ORIGINAL DIVERSION RATE IS **
** CLAIMED AND AN EXAM IS NOT REQUIRED, EXPLAIN IN REMARKS. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FIELD
DATABASE EXAMINER
Y EN

B.

FLOW MEASUREMENT

MEASUREMENT METHOD Theoretical Calculation, SEE ATTACHED CALCULATIONS.—Page 6

C. ARE OTHER WATER RIGHTS USED? Y() N(✓) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

LIST ALL RIGHTS WITH A SAME POB AND IRRIGATION USAGE:

CLAIM	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A35-12767	GROUNDWATER	LONG, GLEN R.	0.080	0.040		
A35-07619	GROUNDWATER	HORSCH, R. J.	2.300	0.020		

NO RIGHTS WITH SAME POB BUT NOT USED FOR IRRIGATION

Verified by field exam.

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1A. IRRIGATION RATE ^{.03}
ACRES 1.3 X 0.02 CFS/ACRE = .04 CFS
(TAKEN FROM P/U REVIEW)

1B. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y(☒) N(☐) *Claimant is limited by .04 CFS diversion capacity.*

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y(☐) N(☒) ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 6.0 AF/A

ACRES 1.3 X CONSUMPTIVE VOL. AF/A FOR AREA 3.0 =

TOTAL CONSUMPTIVE USE 3.9 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A

ACRES 1.3 X DIVERSION VOL. AF/A FOR AREA 4.0 =

TOTAL DIVERSION VOLUME 5.2 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y(☐) N(☒)

REMARKS: (INCLUDE LIMITATIONS ON CONSUMPTIVE USE FOR COMBINED RIGHTS.)

DIVERSION Rate = .03 CFS PER ACRE AS PER APPLICATION PROCESSING MEMO #17
for 5 acres and less

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. <u>CONS.</u> USE
		DATABASE EXAMINER	DATABASE EXAMINER	DATABASE EXAMINER
<u>DOMESTIC</u>	<u>1-1 12-31</u>	<u>.04</u>	<u>—</u>	<u>—</u>
<u>IRRIGATION</u>	<u>4-1 10-31</u>	<u>.04</u>	<u>5.2</u>	<u>3.9</u>

TOTAL FOR THIS RIGHT

REVIEWED BY: EN DATE: 11-1-93

Presumption Flag - N/A
Condition Codes - N/A
Remarks - N/A

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/ABANDON _____
ADDITIONAL DIV. AMOUNT _____

ACCEPTED AS CLAIMED	NEEDS REVIEW
(✓)	()
(✓)	()
(N/A)	()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 35-12767

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE

EXAMINER

CFS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A35-12767	0.080	-	-	-	-
TOTAL CFS		0.080				

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, IS THE WRITTEN REVIEW SHEET ATTACHED? (Y/N)

DATABASE
N

FIELD
EXAMINER

REMARKS:

AUTHENTICATION:

SIGNATURE: Erik Bergquist

DATE: 11-1-93

NAME OF FIELD EXAMINER: EN

TITLE: WR Agent

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

18:41:55
05/29/91

PAGE: 11
QUICKLOOK INFORMATION

CLAIM NUMBER: A35-12767

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE	Y		10-1-93	N	6	E. Norquest 11-1-93	E. Norquest 11-1-93	E. Norquest 11-1-93
POINT OF DIV	Y			Y	2.5			
SOURCE	Y			Y	2.5			
PLACE OF USE	Y			Y	2.5			
DIV. AMOUNT CFS/VOLUME	Y			Y	5			
CONSUMPTIVE USE	-			Y	5			
PURPOSES	Y			N	5			
PERIOD OF USE	Y			Y	6			
BASIS OF CLAIM	Y			N	6			
REMARKS				N	6			

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
AAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

November 20, 1998

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: December 18, 1998

Water right number: 35-12767

GLEN R LONG
PEGI L LONG
2443 HUSE RD
AMERICAN FALLS ID 83211

Daytime Telephone Number:

Evening Telephone Number:

226-2057

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation; no changes need to be made.

DATE:

12.5.98

SIGNATURE:

Glen R Long Pegi Long

Please print your name:

Glen R Long PEGI LONG

IDWR Eastern Regional Office, 900 N. Skyline Drive, Suite A, Idaho Falls, ID 83402-1718, (208) 525-7161

SCANNED

OCT 04 2005

PROTECTED

QUALITY REVIEW CHECKLIST FOR REPORT READY SRBA CLAIMS

	N/A	YES	NO	*
Does the <u>name</u> and <u>address</u> of the "owners" that will receive mail meet data entry standards? (Check the recommended right for compliance.)		✓		
Does the CVR contain information as to how the <u>priority date</u> was determined?		✓		
If the claim is based on beneficial use, is there an analysis of the <u>evidence of priority</u> submitted?		✓		
Is the <u>stage code</u> correct?		✓		
Did the reviewer <u>initial</u> the recommendation of the <u>priority date</u> ?		✓		
Does the CVR contain information as to how the <u>point of diversion</u> was determined?		✓		
Did the reviewer <u>initial</u> the recommendation of the <u>point of diversion</u> , the <u>source</u> and the <u>tributary</u> ?		✓		
Does the CVR contain a <u>description of the system</u> that includes information as to how the source and/or tributary were determined?		✓		
Does the CVR contain information as to how the <u>place of use</u> and <u>number of acres</u> (for irrigation rights) were determined?		✓		
Did the reviewer <u>initial</u> the recommendation of the <u>place of use</u> ?		✓		
If this right <u>overlaps</u> with other rights, was the <u>overlap review</u> completed?		✓		
Does the CVR contain information as to how the <u>nature of use</u> was determined?			✓	
Does the CVR contain information as to how the <u>season of use</u> was determined?		✓		
Does the CVR contain information as to how the <u>diversion rate</u> was determined?		✓		
Does the CVR contain information as to how the <u>diversion volume</u> was determined?		✓		
Does the CVR contain information as to how the <u>consumptive use</u> volume was determined?		✓		
Did the reviewer <u>initial</u> the recommendation of the nature of use, the season of use, the diversion rate, the diversion volume and the consumptive use volume?		✓		
If the claim is based on a right that has <u>conditions/remarks</u> , have these conditions/remarks been considered in the recommendation?		✓		
Are all appropriate <u>conditions/remarks</u> included in the recommendation?		✓		
If remarks are included, are the remarks consistent with the " <u>standard remarks</u> " described in Adjudication Memo 32?		✓		
Was a <u>split water right/diversion rate</u> review completed?		✓		
If this claim is <u>not being</u> recommended, is the <u>status code</u> correct?		✓		
Does the reviewer's <u>signature</u> appear on the CVR?		✓		
Has the " <u>quicklook</u> " page been completed?		✓		
If <u>additional documents</u> were used in the investigation of this right, are <u>copies of those documents</u> included in the file, or is there a reference to the identity and location of the documents?		✓		
Does the file contain a <u>copy of the recommended right</u> ?		✓		

* See attachment for additional information or explanation.

Quality control review by 21 date 4-7-94 Data entry changes by _____ date _____

clf 03/18/94

SCANNED
OCT 04 2005

A35-12767
GLEN R. LONG

10-1-93


Field Review

ERIC NORQUEST

1 HP — FRANKLIN ELECTRIC

GS, 31E, 56, SW SW 1/4

N



NOZZLE SIZES

4 - 1/8"

1 - 5/32"

PROFILED

SCANNED
OCT 04 2005

SITE INFORMATION

Claim No: A35-12767	Owner: GLEN R. LONG 2443 HUSE RD, AM. FALLS, ID. 83211	Claimed Prior. Date: MAY 15, 1952	Water Source: Well	Inspect Date: 10-1-93 Initials: EH
-------------------------------	--	--	------------------------------	--

CLAIMED POINT of DIVERSION

Twnshp: 7S	Range: 31E	Section: 6	SW 1/4	SW 1/4	NW 1/4
-------------------	-------------------	-------------------	---------------	---------------	---------------

Actual Point of Diversion

Twnshp: 7S	Range: 31E	Section: 6	SW 1/4	SW 1/4	NW 1/4
-------------------	-------------------	-------------------	---------------	---------------	---------------

DOMESTIC or IRRIGATION PUMP

Motor Mfr: FRANKLIN 8/PC	Motor S/N:	Motor H.P.: 1.0	Pump Mfr:	Pump S/N:	
Pump lift (verbal):	Pump lift (measured): 35'	Pump press: 47 PSI	Well casing size:	Discharge pipe size:	
No. lines: 1	No. nozzles: 5	Nozzle size: (4) 1/8" (1) 5/32"	Nozzle press: 42#	Flow-CFS: 1.04	Flow-GPM: 17.33

$$\text{CFS} = (8.8 \times \text{HP} \times .70) / [(\text{Lift} + (\text{PSI} \times 2.31))]$$

$$\text{GPM} = \text{CFS} \times 448.8$$

$$= 8.8 \times \underset{6.16}{1} \times .70 / [\underset{\uparrow}{35'} + (47 \times 2.31)] = .043$$

$$\text{CFS} = \text{GPM} \times .00223$$

APPROX by OWNER

PHOTOGRAPHS

#1	(PUMP) diversion works inside pump house.
#2	irrigated-PDU from East edge of property. Facing SW
#3	
#4	

COMMENTS: PSI Nozzle size/GPM
 1/8" 5/32"

40 2.96 4.61

45 3.13 4.91

INCREMEN (42) / PSI 1.034 .30

42 PSI 3.028 5.21

x 4 x 1

12.112 + 5.21 = 17.332 GPM


x .00223
1.04 CFS

CAUTION

SCANNED
OCT 04 2005

IP N° 7 SOUTH RANGE N° 31 EAST OF

FIRST STANDARD PARALLEL SOUTH WEST



CLAIM NO. A35 - 12767

DATE OF PHOTO: 10/1/1993

TAKEN BY: Erik Norquest



* Photo shows diversion works inside the pump house.



PROTECTED

* Photo shows the irrigated place of use from the east edge of the property. (Facing southwest.)

SCANNED
OCT 04 2005

RECEIVED

OCT 26 1993

Department of Water Resources

A35-12767

Glen Long

IN THE MATTER OF: Cival Case 39576)

SNAKE RIVER BASIN ADJUDICATION

STATE OF IDAHO

AFFIDAVIT

COUNTY OF

Power

I, Neil Paulson state that following is true to the best of my knowledge. Glen Long asks me to provide a water history of the parcel purchased from me. My first recollection concerning that parcel is during the early 1950's. At that time an electric pump and a now abandoned well S E of the house were being used on that parcel for irrigation & stock watering through a pipe & valve on the well house. There was also an underground line to the house for domestic use. A few years later the pump was moved to another well just North of the house where it continued to supply irrigation, stock water, and domestic use for the parcel during the time when I owned the parcel.

Neil J Paulson
(Signature)

Subscribed and sworn before me this 7th day of October, 1993.

Jane Deeg
(Notary Public)

(seal)

Residing at American Falls, Idaho

My commission expires May 21, 1998

FILED

SCANNED

OCT 04 2005

CLAIMANT'S NAME: Glen LongDATE: 9/24/93COUNTY: PowerEMPLOYEE: S.W. Keen

Glen Long called today in response to the letter I sent him on 9/22/93. The letter was regarding our intention to do a field exam on his claim next week, and Mr. Long wanted to know if he needs to be present at the exam.

I asked Mr. Long to describe his water use, and he told me ~~that~~ he has a well that is 52' deep from which he takes water for domestic use and for the irrigation of 1.5 to 2 acres, on which he raises one steer each year. The irrigation is accomplished with a 2" hand line that has 5 sprinklers with $\frac{1}{16}$ " nozzles. Mr. Long said that the depth to water in his well is 30 to 35 feet. (The claim says that the well is 20' deep with a $\frac{3}{4}$ h.p. pump.)

We also discussed priorities. Mr. Long said that after 1935 the domestic use was served by a well that was abandoned in 1952 when a new well was drilled about 70' from the old one. I asked about the commencement of the irrigation use, and Mr. Long told me that when he acquired the property in 1972 it was rocks and weeds. He began irrigating in 1972. I then explained the mandatory permit requirement for groundwater, and I further stated that without additional evidence of use prior to 1963, I would not be able to confirm a legal water right for irrigation. I also explained the App. → Permit → License process.

We further agreed that I would make a field inspection about 12:00 pm. on Friday, 10/1/93. I promised to confirm with a phone call after 5:30pm ~~thurs~~ Thursday.



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

September 22, 1993

Glen and Pegi Long
2443 Huse Road
American Falls, ID 83211

RE: Field examination of a water right claimed in the Snake
River Basin Adjudication (SRBA)

Dear Mr. and Mrs. Long:

The field staff of this department plans to conduct field examinations of water right claims in your area the week of September 27, 1993. The identification numbers of your SRBA claims which require field verification are shown below. The field examination is necessary to verify your water use.

We will attempt to contact you by telephone to schedule a time for the field examination. If you, or someone with knowledge of your water system, could be available at the time of the field examination, your cooperation and assistance would be appreciated. If you have any questions regarding the field examination, please contact us at 1-800-451-4129.

Sincerely,

A handwritten signature in cursive script that reads "Shelley Walter Keen".

Shelley Walter Keen
Senior Water Resource Agent

Claim Numbers: A35-12767

PROFILED

SCANNED
OCT 04 2005

RECEIVED

JUL 30 1991

Department of Water Resources
Eastern District Office

STATE OF IDAHO
WATER RESOURCES

RE: EVIDENCE OF PRIORITY A35-12767

ETHEL ALSTON HAS DEFINATE PRIOR KNOWLEDGE THAT THE WELL IN QUESTION
DRILLED AND IN OPERATION IN 1935, AT WHICH TIME SHE LIVED AT THE
PREMISES IN QUESTION. HER CURRENT ADDRESS: 2423 HIGHWAY 39, AM. FALLS
IDAHO.

PRESENT PROPER OWNER:

William R. Long

DATE:

7-19-91

AFFIDAVIT WITNESS:

Ethel Alston

DATE:

7-19-91

PROFILED

SCANNED
OCT 04 2005

MICROFILMED
DEC 11 1992

June 28, 1991

GLEN R LONG
2442 HUSE RD
AMERICAN FALLS ID 83211

RE: **Evidence of Priority** A35-12767

Dear Mr. Long:

The Notice of Claim identified with the number shown at the end of this letter has been filed in the Snake River Basin Adjudication (SRBA). The Notice indicates the water usage is based on "Beneficial Use" or a "Statutory Claim". Water rights of this type are established by the historical use of water, dating back to when water was first used for the purpose claimed, at or on the place of use identified on the Notice. The date the water was first put to use, known as the priority date, has not been confirmed by a License, Decree, or Permit. For this reason, proof must be provided supporting the priority date.

For your reference I have provided a printout of your Notice and the pamphlet entitled **"Evidence of Priority"**. The pamphlet describes the types of evidence required and suggests which documents will fulfill this requirement. While I encourage you to read all of the pamphlet, I direct your attention to the two sections entitled **"What Kind of Evidence is Required"** and **"Some Examples of Documents Which May Be Evidence of the Priority Date"**.

It is our goal to recommend this historical water rights within the Snake River Basin as accurately as possible. Field exams to verify other items of the Notice have been or soon will be conducted by Department personnel. **But, the Department will not recommend the Notice be decreed by the court if no evidence of a priority date is submitted.**

Please submit the required evidence supporting the priority date by **July 29, 1991**, referencing all documents with the corresponding Notice number. If you have any questions not covered by this letter or the enclosed pamphlet, please contact this office.

PROFILE

SCANNED MICROFILMED
OCT 04 2005 DEC 11 1992

Page 2

All Notices required to submit this evidence are currently being reviewed for recommendation to the court. Hence, the need for expediency on your part or your agency. Every effort should be made to submit this information within 30 days of the date of this letter.

Respectfully submitted,

Eric Verner
Senior Water Agent

EV:sc

Enclosure: Brochure on "Evidence of Priority"
Proof Report

PROFILED

SCANNED
OCT 04 2005

MICROFILMED
DEC 11 1992

EXAMINED

1106.6 Fairview Ln.

#1400
DeJon
Fisher
(Korman)

Ralph
Kriszen
Farms
(Alston)

#1265
Vantage View
Forms

#227
Hill
Poulson

T-502
#1400
Rutten
Hulse

10262 11
map scale

RECEIVED

SCANNED
OCT 04 2005

DeJon #1400
T-302
Rulon

DeJon #1400
T-2050
Hue

130
8-9-9

5-317
Roughhouse
Pod

77.7

Rue Poulson
#2224
2-155

#2 Looking SW
at pasture
Back edge of
road from
shows original
#3 on hill
PMS

Ralph Klassen
Farms
(Alston)
#1330

Map Scale
1:5510'

Jahnke
V: 8:11
M: 4:73
T: 8:11

435-12167
T: 293

T: 294

12.7
7.9
1-2.7

HEL 13-2.3

12-30
13-30

13-30
14-30

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

RECEIVED

APR 12 1990

CIVIL CASE NUMBER: 39576

Ident. Number: A35-12767
Date Received: 3/16/1990
Receipt No: M006261
Received By: RWH

Department of Water Resources
Eastern District Office

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: GLEN R. LONG 208-226-2057
Address: 2443 HUSE RD.
AMERICAN FALLS, ID 83211

OR

Name: PEGI L. LONG 208-226-2057
Address: 2443 HUSE RD.
AMERICAN FALLS, ID 83211

2. Date of Priority: MAR 15, 1952

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
06S	31E	6	SW	SW	NW		POWER

5. Description of diverting works:
WELL, 120'DEEP, 3/4HP SUB. PUMP PIPED TO HOME & SPRINKLER SYSTEM

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
DOMESTIC	01/01	12/31	0.040		
IRRIGATION	03/15	11/15	0.080		

7. Total Quantity Appropriated is:
0.080 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 6.0 Acre Feet Per Annum.

9. Non-irrigation uses:
D / 1 HOME

A35-12767

Page 1

Date: 03/16/90

A3512767



FILED

SCANNED
OCT 04 2005

MICROFILMED
DEC 11 1992

10. Place of Use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
06S	31E	6	SW SW	NW NW	DOMEST IRR	2.0
Section Acres						2.0
Total Acres						2.0

11. Place of use in counties: POWER

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: BENEFICIAL USE

PROFIT

SCANNED
OCT 04 2005

MICROFILMED
DEC 11 1992

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: /

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Peggy L. Long Date: 3-16-90
_____ Date: _____

State of Idaho)
County of Power) SS.

Subscribed and sworn (or affirmed) before me this 16 day
of March 19 90

John Dal. Early
Notary Public

Seal

Residing at Boise Id
My Commission Expires 4/7/94

PROFILED

SCANNED
OCT 04 2005

MICROFILMED
DEC 11 1992

