

11/03/2006

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 75-2004E

NAME AND ADDRESS: CATHERINE M COCHRAN
PO BOX 170
CARMEN ID 83462

SOURCE: TOWER CREEK

TRIBUTARY: SALMON RIVER

QUANTITY: 0.140 CFS

PRIORITY DATE: 02/19/1907

POINT OF DIVERSION:

T23N R22E S18 NESE Within LEMHI County

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE

PERIOD OF USE

QUANTITY

IRRIGATION

04/01 10/31

0.140 CFS

PLACE OF USE: IRRIGATION in LEMHI County

T23N R22E S18 NESE 7.00

7 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

Right includes accomplished change in point of diversion pursuant to Section 42-1425, Idaho Code.

Property is also known as Lots 3 & 4, Tower Creek Estates Subdivision.

IDAHO DEPARTMENT OF WATER RESOURCES

WATER RIGHT NO.:

75-2004E

T23N R22E Sec. 18

LEGEND



Point(s) of Diversion



Place(s) of Use

#

Lot Numbers



Quarter Quarter Lines




Section Lines

IMAGE

1993/1994 True Color



Prepared By: Danielle Favreau
January 24, 2006





State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 Mineral Drive, Suite 100, Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800

Fax: (208) 762-2819

Web Site: www.idwr.idaho.gov

JAMES E. RISCH
Governor

KARL J. DREHER
Director

January 11, 2007

CATHERINE M COCHRAN
PO BOX 170
CARMEN ID 83462

Re: Tower Creek Adjudication Recommendation

Dear Ms. Cochran:

Enclosed is a spreadsheet that summarizes recommendations filed with the SRBA court for claims for water from Tower Creek for properties that were settled in the 1890's or early 1900's. The claims had a wide array of priority dates and evidence in support of those priority dates was received. Some of you filed a Notice of Error in response to the Recommended Findings that were mailed out to claimants in November 2006. Some of you may have already received a response from us regarding your Notice of Error.

After looking at each right separately, we concluded that a more systematic approach to how recommendations were made was required. It seemed to us that it made sense to have the same priority date recommended for all of the property that was originally part of a single homestead. To that end we evaluated the Evidence of Priority information that was submitted and used the earliest date that we felt could be verified. In some cases documents were submitted that may reference dates earlier than what we have recommended, but the extent of development was not quantified. The spreadsheet lists the various water rights and the basis for the selection of the date used. Please note that you still have the option of filing an objection with the court if you disagree with these recommendations

If you have any questions please don't hesitate to contact us.

Sincerely

A handwritten signature in black ink that reads "Robert G. Haynes". The signature is written in a cursive, flowing style.

Robert G. Haynes P.E.
Regional Manager

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION SECTION
CLAIM VERIFICATION FIELD EXAM SHEET
(Use with the ECVR)

CLAIM NO(s). 75-2004E

1. ☒ No Change NAME IS SAME
☐ NEW OWNER: _____
☐ No Change ADDRESS _____
☐ NEW ADDRESS: _____
2. ☐ No Change - DATE OF PRIORITY: Completed evidence submitted
☐ Incomplete - Claimant should be asked during the exam when was water first used and submit proof of date of priority.

Priority date, per claimant, is: _____
(If the priority date, based on your exam, seems questionable, explain below.)

3. ☒ No Change — SAME SOURCE
☐ Source is different than that claimed:

Source found: _____

4. ☒ No Change — POINT OF DIVERSION
☒ Point of diversion is different than the claim and/or new P/D's:
GPS Site Tag No.: A0015038 GPS file * T061013A

Township 23N Range 22E Section 18 1/4 NW 1/4 NE 1/4 SE
Township _____ Range _____ Section _____ 1/4 _____ 1/4 _____ 1/4 _____

5. ☒ No Change - DESCRIPTION OF DIVERTING WORKS
☐ Incomplete description, list below:

3.5 HP pump in creek

6. ☒ No Change - WATER USES

☐ Different uses, (list uses found):

Use _____	From _____	To _____	Amount _____	CFS _____	AFA _____
Use _____	From _____	To _____	Amount _____	CFS _____	AFA _____
Use _____	From _____	To _____	Amount _____	CFS _____	AFA _____

7. ☒ No Change - TOTAL VOLUME

☐ Incomplete on claim, the total is, Amount _____ CFS _____ AFA

☐ Changes found, the new total is, Amount _____ CFS _____ AFA

8. ☐ No Change - NON-IRRIGATION USES:

☐ Changes Exam found:

Domestic # of homes: _____ Stock # _____ List types: _____

Additional comments: _____

9. ☒ No Change — PLACE OF USE: (If changed, list below.)

Use: _____	Township _____	Range _____	Section _____	1/4 _____	1/4 _____
Use: _____	Township _____	Range _____	Section _____	1/4 _____	1/4 _____
Use: _____	Township _____	Range _____	Section _____	1/4 _____	1/4 _____
Use: _____	Township _____	Range _____	Section _____	1/4 _____	1/4 _____

Remarks: (Comments pertinent to field examination) ☐ See additional attachment

claimant stated she has been pumping from creek
since ~~1986~~ 1986

☐ SYSTEM DIAGRAM INCLUDED

☐ NA

☒ Shown on GIS Layout

☐ CK IF IN OFFICE EXAM


DATE EXAM CONDUCTED: 6-10-05

FIELD EXAMINER: Bob Foster
 Print Name

Bob Foster
 Signature

PUMPING STATION DISCHARGE

Pumping Plant Efficiency = 0.8																
Pressure at Well Head = 40 psi																
Q = 8.8 * Hp * eff/lift + 2.31(psi)																
	Horsepower															
	0.5	1	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7	7.5	
	5	0.04	0.07	0.11	0.14	0.18	0.22	0.25	0.29	0.33	0.36	0.40	0.43	0.47	0.51	0.54
	10	0.03	0.07	0.10	0.14	0.17	0.21	0.24	0.28	0.31	0.34	0.38	0.41	0.45	0.48	0.52
	15	0.03	0.07	0.10	0.13	0.16	0.20	0.23	0.26	0.29	0.33	0.36	0.39	0.43	0.46	0.49
	20	0.03	0.06	0.09	0.13	0.16	0.19	0.22	0.25	0.28	0.31	0.34	0.38	0.41	0.44	0.47
	25	0.03	0.06	0.09	0.12	0.15	0.18	0.21	0.24	0.27	0.30	0.33	0.36	0.39	0.42	0.45
	30	0.03	0.06	0.09	0.12	0.14	0.17	0.20	0.23	0.26	0.29	0.32	0.35	0.37	0.40	0.43
	35	0.03	0.06	0.08	0.11	0.14	0.17	0.19	0.22	0.25	0.28	0.30	0.33	0.36	0.39	0.41
	40	0.03	0.05	0.08	0.11	0.13	0.16	0.19	0.21	0.24	0.27	0.29	0.32	0.35	0.37	0.40
	45	0.03	0.05	0.08	0.10	0.13	0.15	0.18	0.20	0.23	0.26	0.28	0.31	0.33	0.36	0.38
	50	0.02	0.05	0.07	0.10	0.12	0.15	0.17	0.20	0.22	0.25	0.27	0.30	0.32	0.35	0.37
	55	0.02	0.05	0.07	0.10	0.12	0.14	0.17	0.19	0.21	0.24	0.26	0.29	0.31	0.33	0.36
D	60	0.02	0.05	0.07	0.09	0.12	0.14	0.16	0.18	0.21	0.23	0.25	0.28	0.30	0.32	0.35
e	65	0.02	0.04	0.07	0.09	0.11	0.13	0.16	0.18	0.20	0.22	0.25	0.27	0.29	0.31	0.34
p	70	0.02	0.04	0.07	0.09	0.11	0.13	0.15	0.17	0.20	0.22	0.24	0.26	0.28	0.30	0.33
t	75	0.02	0.04	0.06	0.08	0.11	0.13	0.15	0.17	0.19	0.21	0.23	0.25	0.27	0.29	0.32
h	80	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.22	0.25	0.27	0.29	0.31
	85	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.16	0.18	0.20	0.22	0.24	0.26	0.28	0.30
t	90	0.02	0.04	0.06	0.08	0.10	0.12	0.14	0.15	0.17	0.19	0.21	0.23	0.25	0.27	0.29
o	95	0.02	0.04	0.06	0.08	0.09	0.11	0.13	0.15	0.17	0.19	0.21	0.23	0.24	0.26	0.28
	100	0.02	0.04	0.05	0.07	0.09	0.11	0.13	0.15	0.16	0.18	0.20	0.22	0.24	0.26	0.27
W	105	0.02	0.04	0.05	0.07	0.09	0.11	0.12	0.14	0.16	0.18	0.20	0.21	0.23	0.25	0.27
a	110	0.02	0.03	0.05	0.07	0.09	0.10	0.12	0.14	0.16	0.17	0.19	0.21	0.23	0.24	0.26
t	115	0.02	0.03	0.05	0.07	0.08	0.10	0.12	0.14	0.15	0.17	0.19	0.20	0.22	0.24	0.25
e	120	0.02	0.03	0.05	0.07	0.08	0.10	0.12	0.13	0.15	0.17	0.18	0.20	0.22	0.23	0.25
r	125	0.02	0.03	0.05	0.06	0.08	0.10	0.11	0.13	0.15	0.16	0.18	0.19	0.21	0.23	0.24
	130	0.02	0.03	0.05	0.06	0.08	0.09	0.11	0.13	0.14	0.16	0.17	0.19	0.21	0.22	0.24
	135	0.02	0.03	0.05	0.06	0.08	0.09	0.11	0.12	0.14	0.15	0.17	0.19	0.20	0.22	0.23
	140	0.02	0.03	0.05	0.06	0.08	0.09	0.11	0.12	0.14	0.15	0.17	0.18	0.20	0.21	0.23
	145	0.01	0.03	0.04	0.06	0.07	0.09	0.10	0.12	0.13	0.15	0.16	0.18	0.19	0.21	0.22
	150	0.01	0.03	0.04	0.06	0.07	0.09	0.10	0.12	0.13	0.15	0.16	0.17	0.19	0.20	0.22
	155	0.01	0.03	0.04	0.06	0.07	0.09	0.10	0.11	0.13	0.14	0.16	0.17	0.18	0.20	0.21
	160	0.01	0.03	0.04	0.06	0.07	0.08	0.10	0.11	0.13	0.14	0.15	0.17	0.18	0.20	0.21
	165	0.01	0.03	0.04	0.05	0.07	0.08	0.10	0.11	0.12	0.14	0.15	0.16	0.18	0.19	0.21
	170	0.01	0.03	0.04	0.05	0.07	0.08	0.09	0.11	0.12	0.13	0.15	0.16	0.17	0.19	0.20
	175	0.01	0.03	0.04	0.05	0.07	0.08	0.09	0.11	0.12	0.13	0.14	0.16	0.17	0.18	0.20
	180	0.01	0.03	0.04	0.05	0.06	0.08	0.09	0.10	0.12	0.13	0.14	0.16	0.17	0.18	0.19
	185	0.01	0.03	0.04	0.05	0.06	0.08	0.09	0.10	0.11	0.13	0.14	0.15	0.16	0.18	0.19
	190	0.01	0.02	0.04	0.05	0.06	0.07	0.09	0.10	0.11	0.12	0.14	0.15	0.16	0.17	0.19
	195	0.01	0.02	0.04	0.05	0.06	0.07	0.09	0.10	0.11	0.12	0.13	0.15	0.16	0.17	0.18
	200	0.01	0.02	0.04	0.05	0.06	0.07	0.08	0.10	0.11	0.12	0.13	0.14	0.16	0.17	0.18
	205	0.01	0.02	0.04	0.05	0.06	0.07	0.08	0.09	0.11	0.12	0.13	0.14	0.15	0.17	0.18
	210	0.01	0.02	0.03	0.05	0.06	0.07	0.08	0.09	0.10	0.12	0.13	0.14	0.15	0.16	0.17



75-2004E

3.5 HP
2" in + out

OCT 05 2001

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A75-02004E
Date Received: 12/16/1988
Receipt No: 1006868
Received By: ES

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: CATHERINE M. COCHRAN
Address: P.O. BOX 170
SALMON, ID 83462
208-756-4779

2. Date of Priority: FEB 19, 1907

3. Source: TOWER CREEK Trib. to: SALMON RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
23N	22E	17	NW	SE	NW		LEMHI

5. Description of diverting works:
HEADGATE IN STREAM TO DITCH. PUMP IN STREAM TO SPRINKLERS

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	0.220		

7. Total Quantity Appropriated is:
0.220 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 27.5 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

10. Place of Use:

Township	Range	Section	1/4 of	1/4 of	Lot	Use	Acres
23N	22E	18	NE	SE		IRR	11.0
						Section Acres	11.0

A75-02004E

Page 1

Date: 05/02/90



MICROFILMED

DEC 15 1992

10. Place of Use: Continued

Total Acres 11.0

11. Place of use in counties: LEMHI

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:
*** PROPERTY KNOWN AS LOTS 3 & 4 TOWER CREEK ESTATES SUB.
LEMHI COUNTY.

15. Basis of Claim: LICENSE
Water Right Number: 2579

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 2

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): [Signature] Date: 5-2-90

Date: _____

State of Idaho)
County of Lemhi) SS.

Subscribed and sworn (or affirmed) before me this 2 day


of May 19 90

Seal

[Signature]
Notary Public

Residing at Idaho Falls, Id.

My Commission Expires 22 Aug 1994



DEC 15 1992

MICROFILMED