

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-00113B
Date Received: 6/08/1988
Receipt No: S000367
Received By: SC

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: ROBERT M. STROM
Address: 931 E. JUSTICE GRADE
HAGERMAN, ID 83332 208-837-6552

AND/OR
Name: JEANNE A. STROM
Address: HAGERMAN, ID 83332

AND/OR
Name: ROBERT M. STROM
Address: ROUTE #1 BOX 398
HAGERMAN, ID 83332

2. Date of Priority: JUN 26, 1881

3. Source: BILLINGSLEY CREEK Trib. to: SNAKE RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
07S	13E	11	NE	SW	NE		GOODING
			NW	SE	NE		GOODING

5. Description of diverting works:
VIA PADGETT DITCH, PUMP IN STREAM. PUMP IN BILLINGSLEY CREEK.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	0.038		

7. Total Quantity Appropriated is:
0.038 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 3.0 Acre Feet Per Annum.

9. Non-irrigation uses:

A36-00113B

Page 1

Date: 06/08/88

MICROFILMED

JAN 25 1993

10. Place of Use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
07S	13E	11	SW NE		IRR	1.0
Section Acres						1.0
Total Acres						1.0

11. Place of use in counties: GOODING

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:
P/U INCOMPLETE. SEE TRANS. 2858
DIVERSION RATE = 0.0375 CFS.

15. Basis of Claim: DECREED
Water Right Number:
Case Number:
Court :
Decree date: 3/22/1932

NEW INTERNATIONAL MORTGAGE BAN
Decree Plaintiff

vs

IDAHO POWER CO.
Decree Defendant

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Robert M. Strom Date: 6/8/88

Date: _____

State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this 8th day

of June 19 88

Mary A. Baldwin
Notary Public

Seal

Residing at Gooding Id

My Commission Expires 10/16/88

NOTICE OF ERROR

RESPONSE

CORRECTED R PROOF



no

MICROFILMED

JAN 25 1993

NOTICE OF ERROR FORM

AUG-24-1992

Please type or print clearly, fill out completely, and return to:

**Idaho Department of Water Resources
Statehouse Mail
Boise, Idaho 83720-9000**

RECEIVED

SEP 1 1992

Idaho Department of Water Resources

The notice of error must be received at IDWR by the **deadline date** printed below with your proposed recommendation.

YOUR DEADLINE FOR FILING A NOTICE OF ERROR IS: SEP-24-1992

1. Water right number: *36-07565 Correct as shown.*
36-001138 in addition. ✓

2. Name: *Jeanne A. Strom Testamentary Trust*
Robert M. Strom, Trustee

Address: *931 E. Justice Grade*
Hagerman, Id. 83332

Weekday Telephone Number:

208-837-6552

MICROFILMED

JAN 25 1993

TEAR AT PERFORATIONS AND COMPLETE FORM ON OTHER SIDE

(Instead of filling in items 3 and 4 below you may include a copy of your proposed recommendation with the changes made on the copy.)

As shown but in addition:

3. Describe the portion of proposed recommendation with which you disagree:

Re: 36-00113B Date received 6-8-1988 Receipt No: 5000367

4. Describe the changes you wish to have made in the proposed recommendation:

Water used for irrigation from 4/1 to 11/1

Date of priority Jun 26, 1881

*Source: Billingsley Creek & Padgett ditch
pumps in each.*

5. Describe why you disagree with the proposed recommendation: *Not complete*

0.038 CFS

3.0 AFY

6. Date: *8-29-92*

SIGNATURE *Robert M. Strom, Trustee*



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

15-Oct-1992

JEANNE A STROM TESTAMENTARY TRUST
ROBERT M STROM TRUSTEE
931 E JUSTICE GRADE
HAGERMAN ID 83332

RE: RESPONSE TO NOTICE OF ERROR FOR CLAIMS 36-00113B AND
36-07565

Dear Mr Strom

RE: 36-00113B

The claim received date is not the priority of your water right. It is just the date that your claim was filed. The priority date for this claim is recommended as 6-26-1881.

The Director has reviewed the period of use for the Hagerman Valley and has approved that irrigation rights should be recommended with a period of use being, 3-15 to 11-15.

Your claim is recommended with the source being Billingsley Creek (in the source field) and the conveyance system being Padgett Ditch (in the remarks field). All claims are being recommended in a similar manner as a matter of convention.

Again, as a matter of convention, the units of measurement are not shown for the diversion rate or the volume as CFS and AFY are the legal standards used for units of measurement for all water rights.

RE: CLAIM 36-07565

Reference to the diversion method is within your right as 'Diversion Means'. This field just did not print out on the copy that you received.

Also as a matter of convention the place of use is not described within a ten acre quarter. Only the point of diversion is currently being defined that narrowly.

MICROFILMED
JAN 25 1993

STROM
PAGE 2
15-Oct-1992

As your requests are not substantive, I do not recommend changing the proposed recommendation.

If you still do not agree with the proposed IDWR recommendations to the court, you may file an objection with the court after you receive the final recommendation of your water right. The objection process will be explained when you receive your final recommendation of your water right.

Sincerely

Kelly K Christensen
Sr Water Resource Agent

MICROFILMED
JAN 25 1993

R PROOF



CVR



MAPS



PHOTOS



MISC



MICROFILMED
JAN 25

VERIFIED BY HHH

Water Right Number - R36-00113B

Prefix Translation: RESEARCH

Old (D) Number -

+ - - - - Last Name - - - - +

+ - First Name - - +

+ - - - - Address - - - - - +

*** C - CURRENT OWNER ***

STROM

JEANNE A

1 -
2 -
3 -

City- HAGERMAN

State- ID Zip- 83332

Phone - 208-000-0000

STROM

ROBERT M

1 - 931 E JUSTICE GRADE

2 - RT 1 BOX 398

3 -

City- HAGERMAN

State- ID Zip- 83332

Phone - 208-837-6552

+ - - Priority Date - - +
06/26/1881+ - - Region - - - +
17 SOUTHERN+ - - Stage - - - +
D - DECREED

+ - - Status - - - +

+ - - - - Source - - - - - +
BILLINGSLEY CREEK+ - - - - Tributary - - - - - +
SNAKE RIVER

+ - - - - Point of Diversion - - - - - +

Tw	Rng	Sec	Tract	Lot	RFlg	County
07S	13E	11	NE SW NE		(47)	GOODING
			NW SE NE		(47)	GOODING

Code	Description	Period From	Period To	Diversion Rate	Diversion Volume
01 - IRRIGATION		04/01	10/31	0.038	

Total Div. Rate - +	Total Div. Volume - +	Total Consumptive Use - +	KW Usage - +
0.038		3.0	

Tw	Rng	Sec	Tract	Lot	Acres	Code	Description	County
07S	13E	11	SW NE		1.0	01	IRRIGATION	(47) GOODING

Total Acres: 1.0

+ - - Diversion Means - VIA PADGETT DITCH, PUMP IN STREAM. PUMP IN BILLINGSLEY CREEK.

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - NONE

Remarks
WATER IS DELIVERED THROUGH THE PADGETT DITCH. 0.008 CFS OF THIS RIGHT IS LIMITED TO USE FOR CONVEYANCE LOSSES IN DELIVERY OF THIS RIGHT.

MICROFILMED
125 Nov

Water right number - R36-00113B Prefix Translation: RESEARCH

+ - - - - Old Water Right Numbers - - - - - +

+ - - - - Old Water Right Numbers - - - - - +

A3600113B

+ - - - - Conditions of Approval - - - - - +

- M01 - A MEASURING DEVICE OF A TYPE APPROVED BY IDWR SHALL BE
- MAINTAINED AS A PART OF THE DIVERTING WORKS.
- M02 - LOCKABLE CONTROLLING WORKS OF A TYPE ACCEPTABLE TO IDWR SHALL
- BE PERMANENTLY INSTALLED AND MAINTAINED AS PART OF THE DIVERTING
- WORKS.

+ - - - - Decree Plaintiff - - - +

NEW INTERNATIONAL MORTGAGE BANK

+ - - - - Decree Defendant - - - +

IDAHO POWER CO.

+ - Decree Date - +

03/22/1932

+ - - - - Comments - - - - - +

Date: 08/03/1992 User Id: WORSTELL Subject: COPIED FROM REMARKS
DIVERSION RATE = 0.0375 CFS.

+ - - Audit Fields - - +

08/12/92 THORNTON

+ - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000	Civil Case Number	- 39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-
Response Filed Date	- 00/00/0000	Verified Date	- 08/12/1992	Old Judicial District	-
Claim Received Date	- 06/08/1988	Last Amended Date	- 00/00/0000	Temporary Right	- P
		Receipt Number	- S000367	Water District	- 36A
		POU Ownership Flag	- Y	Federal/State Indicator	- S
		Name Connector	- AND/OR	Presumption Flag	-
				Notice of Error Flag	-

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:28:51
06/30/90

PAGE: 17
QUICKLOOK INFORMATION

CLAIM NUMBER: A36-00113B

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE	N		↑	N		HHT 8/3/92	QB	
POINT OF DIV	Y			N	1,5			
SOURCE	N			N				
PLACE OF USE	Y		7-24-90 SCC/HHT	N	1,4,5			
DIV. AMOUNT CFS/VOLUME	Y			~~N~~ OK	6. STDS		Y	
CONSUMPTIVE USE	-			N				
PURPOSES	N			N				
PERIOD OF USE	Y			N				
BASIS OF CLAIM	Y			N				
REMARKS	Y		↓	N		✓		

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

MICROFILMED
JAN 25 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:28:51
06/30/90

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A36-00113B

LAST: STROM
ADDRESS: RT. 1 BOX 398
CITY: HAGERMAN
PHONE NUMBER: 208-000-0000

FIRST: ROBERT M.
STATE: ID ZIP: 83332

OWNER CODE: C

LAST: STROM
ADDRESS: 931 E. JUSTICE GRADE
CITY: HAGERMAN
PHONE NUMBER: 208-837-6552

FIRST: ROBERT M.
STATE: ID ZIP: 83332

OWNER CODE: C

LAST: STROM
ADDRESS:
CITY: HAGERMAN
PHONE NUMBER: 208-000-0000

FIRST: JEANNE A.
STATE: ID ZIP: 83332

OWNER CODE: C

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

DATABASE
Y

FIELD
EXAMINER

CLAIM REMARKS: DIVERSION RATE = 0.0375 CFS.

MICROFILMED
JAN 25 1993

CONTACT PERSON: _____

PHONE NUMBER: (____) ____-____

DATE OF FIELD EXAM: 7/24/90

APPOINTMENT MADE: Y(____) N(____)

TIME: ____:____ A(____) P(____)

ACCOMPANIED BY: _____

PHONE NUMBER: (____) ____-____

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

We Spoke to Mr. Strom & he showed us the pump in Billingsley Creek and
the Diversion from the Padgett Ditch also. He also provided information
on the neighboring users.

RECORDED
INDEXED
JAN 25 1991

A. AJ CLAIM: # A36-00113B PRIORITY DATE: 06-26-1881 STAGE: D

B. WR RECORD: # 36-00113B PRIORITY DATE: 06-26-1881 STAGE: D

C. FIELD EXAM REQUIRED?

DUE TO PRIORITY DATE DISCREPANCY? (Y/N)

DATABASE
N

FIELD
EXAMINER
N

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(/)
IF YES EXPLAIN.

REMARKS:

=====

RECOMMENDED PRIORITY DATE:
06-26-1881

REVIEWED BY LW

DATE 7/17/90

=====

MICROFILMED
JAN 25 1993

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A36-00113B	07S	13E	11	NW	SE	NE		GOODING
A36-00113B	07S	13E	11	NE	SW	NE		GOODING

OTHER AJ CLAIMS WITH SAME AJ POD

A PREFIX	R PREFIX
A36-04115	NONE
A36-04261	
A36-10283	
A36-10316	
A36-10588	
A36-00039J	
A36-00096A	
A36-00113F	
A36-00113G	
A36-07565	
A36-10543	
A36-00021A	
A36-00021B	
A36-00037A	

WR RECORDS IN SAME 40 ACRE TRACT

36-00003
36-00005
36-00019
36-00021
36-00024
36-00025
36-00026
36-00027
36-00034
36-00035A
36-00035B
36-00039A
36-00039B
36-00040
36-00051
36-00052
36-00064
36-00065
36-00067
36-00071
36-00076
36-00077
36-00082
36-00083
36-00085
36-00087
36-00088
36-00089
36-00090
36-00091
36-00094
36-00095
36-00096
36-00103
36-00108
36-00112A
36-00112B
36-00113C
36-00113D
36-00125
36-04008
36-04115
36-04261
36-07271
36-07658

MICROFILMED

JAN 25 1993

36-07739
 36-07834
 36-07840
 36-07853
 36-07875
 36-07957
 36-08058
 36-08319
 36-08335
 36-00006
 36-00007
 36-00036
 36-00037
 36-00066
 36-00079
 36-00080
 36-00081
 36-00097
 36-00098
 36-00099
 36-00100
 36-00101
 36-00110
 36-00111
 36-00140
 36-00141
 36-00142
 36-00143
 36-00144
 36-00145
 36-00146
 36-00147
 36-00148
 36-00150
 36-00151
 36-02082
 36-07081
 36-07172
 36-07229
 36-07233
 36-07565
 36-07838

MICROFILMED
 JAN 25 1993

SOURCE: BILLINGSLEY CREEK

TRIB: SNAKE RIVER

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
36-00113B	07S	13E	11		SE	NE		GOODING
36-00113B	07S	13E	11		SW	NE		GOODING

OTHER WR RECORDS WITH SAME WR POD

AJ CLAIMS IN SAME 40 ACRE TRACT
 A PREFIX R PREFIX

36-00003
 36-00005
 36-00019

A36-00025 NONE
 A36-00087
 A36-07658

36-00021
36-00024
36-00025
36-00026
36-00027
36-00034
36-00035A
36-00035B
36-00039A
36-00039B
36-00040
36-00051
36-00052
36-00064
36-00065
36-00067
36-00071
36-00076
36-00077
36-00082
36-00083
36-00085
36-00087
36-00088
36-00089
36-00090
36-00091
36-00094
36-00095
36-00096
36-00103
36-00108
36-00112A
36-00112B
36-00113C
36-00113D
36-00125
36-04008
36-04115
36-04261
36-07271
36-07658
36-07739
36-07834
36-07840
36-07853
36-07875
36-07957
36-08058
36-08319
36-08335
36-00006
36-00007
36-00036
36-00037
36-00066
36-00079
36-00080
36-00081

A36-10409
A36-00051D
A36-10119
A36-10120
A36-10751
A36-10752
A36-10755
A36-10061
A36-00103B
A36-00108A
A36-00003G
A36-00027
A36-00039C
A36-00090E
A36-00051B
A36-00076A
A36-00089B
A36-00089D
A36-10283
A36-10312
A36-00090A
A36-00003D
A36-00090B
A36-00090C
A36-00090D
A36-00090F
A36-00108F
A36-00125A
A36-00026
A36-00051C
A36-00071A
A36-00089A
A36-00108C
A36-00108D
A36-00108E
A36-00108H
A36-04008
A36-04115
A36-04261
A36-10316
A36-10588
A36-00039J
A36-00096A
A36-00113F
A36-00113G
A36-10559
A36-00048B
A36-00048C
A36-10223
A36-00103A
A36-00003B
A36-00003C
A36-00003E
A36-00003F
A36-00003J
A36-00039G
A36-10080
A36-07229
A36-00113E

MICROFILMED
JAN 25 1993

36-00097
36-00098
36-00099
36-00100
36-00101
36-00110
36-00111
36-00140
36-00141
36-00142
36-00143
36-00144
36-00145
36-00146
36-00147
36-00148
36-00150
36-00151
36-02082
36-07081
36-07172
36-07229
36-07233
36-07565
36-07838

A36-00141
A36-00066
A36-00066A
A36-00079
A36-07081
A36-07565
A36-10543
A36-00021A
A36-00021B
A36-00037A
A36-00036
A36-10566
A36-07233
A36-07271
A36-00006
A36-00007
A36-00110A
A36-00081A
A36-07172
A36-00037C
A36-00080A
A36-00099
A36-00100
A36-00111A

MICROFILMED
JAN 25 1993

SOURCE: BILLINGSLEY CREEK

TRIB: SNAKE RIVER

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

DATABASE
Y
N

FIELD
EXAMINER

X

REMARKS:

✓ re diversion pt. NE side NE Not a Rediversion = Pump in Creek

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	COUNTY
<u>7S</u>	<u>13E</u>	<u>11</u>	<u>NW</u>	<u>SE</u>	<u>NE</u>	<u>—</u>	<u>47</u>
			<u>NE</u>	<u>SW</u>	<u>NE</u>	<u>—</u>	

No changes

SOURCE: BILLINGSLEY CREEK

TRIB: SNAKE RIVER

REVIEWED BY: lw DATE: 7/17/90

VIA PADGETT DITCH

SCC

11-7-90

VIA pump in Creek

MICROFILMED
JAN 25 1993

A. ROOT WATER RIGHT NUMBERS: A36-00113B
A36-00113C
A36-00113E
A36-00113F
A36-00113G

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	WR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
07S	13E	11	SW	NE		STROM , ROBERT M.	A36-00113B / 1.0	36-00113B / 1.0	34.0	1.0	1.0
						POPE , LOLA	A36-00112B /40.0	36-00112B /			
						STROM , ROBERT M.	A36-07565 /	36-07565 /			
						MERCER , MARNE L.	A36-10080 /	- /			
						UPPIANO , RICHARD F.	A36-10543 /	- /			
						REED , BILLEE	A36-10566 /	- /			
						POPE , JOHN L.	A36-10061 /	- /			
						POPE , LOLA	A36-00110 /40.0	36-00110 /			
						POPE , LOLA	A36-00111 /40.0	36-00111 /			
						POPE , JOHN L.	A36-00113C /40.0	36-00113C /			
						MERCER , CECILE M.	A36-00113E / 3.2	- /			
						UPPIANO , RICHARD F.	A36-00113F / 1.0	- /			
						REED , COLE	A36-00113G / 2.2	- /			
						MOORE , DANIEL		36-00079 /			
						UPPIANO , RICHARD		36-00113D / 1.0			
						MOORE , JOHN		36-00150 /			
TOTAL ACRES						A36-00113B	1.00	1.00	34.00		1.0

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N(X)
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER
N

RECEIVED
JAN 29 1992

PRESUMPTION FLAG:

REMARKS:

confirm 1 acre ✓

2 parts of lawn - Front + Back
1 part from Padgett Ditch
1 part from Billingsley Cr.

MICROFILMED

JAN 25 1993

RECOMMENDATIONS:

TOTAL ACRES:

1.0

REVIEWED BY:

SCC

DATE:

11-7-90

A. AJ CLAIMED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
A36-00113B IRRIGATION	FROM 04-01 TO 11-01	.038 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		.038 CFS

B. WR RECORDED USES:

PURPOSES	MONTH/DAY	DIVERSION QUANTITY
36-00113B IRRIGATION	FROM TO	.038 CFS
TOTAL DIVERSION RATE/VOLUME CLAIMED		.038 CFS

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	DATABASE	FIELD EXAMINER
DUE TO WATER-USE DISCREPANCY? (Y/N)	N	<u>N</u>
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	N	<u>Y</u>
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	Y	<u>Y</u>

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y(~~X~~) N()

RECOMMEND TO WR STANDARDS OR OTHER?

Y() N(~~X~~) Explain in remarks, below.

REMARKS:

Period of use within season

MICROFILMED
JAN 25 1993

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y() N(☒)

AJ TOTAL CLAIMED DIVERSION RATE: 0.038 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 0.038 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

FIELD
DATABASE EXAMINER

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

Y

MICROFILMED
JAN 25 1993

B.

FLOW MEASUREMENT

MEASUREMENT METHOD _____, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y() N(☒) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

CLAIM	SOURCE	NAME	DIV. RATE	DIV. RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A36-00113B	BILLINGSLEY CREEK	STROM , ROBERT M.	0.038	0.038		
A36-00112B	BILLINGSLEY CREEK	POPE , LOLA	1.200	0.030		
A36-00111	BILLINGSLEY CREEK	POPE , LOLA	0.500	0.012		
A36-00113C	BILLINGSLEY CREEK	POPE , JOHN L.	0.520	0.013		
A36-00113E	BILLINGSLEY CREEK	MERCER , CECILE M.	0.130	0.040		
A36-00113F	BILLINGSLEY CREEK	UPPIANO , RICHARD F.	0.040	0.040		
A36-00113G	BILLINGSLEY CREEK	REED , COLE	0.120	0.054		

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A36-07565	DOMESTIC	STROM , ROBERT M.	FROM 01-01 TO 12-31	.040 CFS	1.20 AF/A
A36-10080	DOMESTIC	MERCER , MARNE L.	FROM 01-01 TO 12-31	.040 CFS	
A36-10543	DOMESTIC	UPPIANO , RICHARD F.	FROM 01-01 TO 12-31	.040 CFS	
A36-10543	STOCKWATER	UPPIANO , RICHARD F.	FROM 01-01 TO 12-31	.020 CFS	
A36-10566	DOMESTIC	REED , BILLEE	FROM 01-01 TO 12-31	.040 CFS	
A36-10061	DOMESTIC	POPE , JOHN L.	FROM 01-01 TO 12-31	.100 CFS	
A36-00113F	STOCKWATER	UPPIANO , RICHARD F.	FROM 01-01 TO 12-31	.020 CFS	

D. RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE 0.03
ACRES 1.0 x 0.02 CFS/ACRE = 0.03 CFS
(Taken from p/u review)

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y(X) N()

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N(X) ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 3.0 AF/A
ACRES 1 x CONSUMPTIVE VOL. AF/A FOR AREA 3 =
TOTAL CONSUMPTIVE USE 3.0 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A
ACRES 1 x DIVERSION VOL. AF/A FOR AREA 4 =
TOTAL DIVERSION VOLUME 4.0 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N()

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

Not excess flow - 0.03/1ac w/in IDWR standards.

1b. CALCULATIONS

See attached conveyance analysis.

Analysis shows 0.01 cfs w/ recommended rate of 0.03 equals 0.038; however, only claimed - therefore, recommended as claimed, with standard Hagerman remark recommended 0.03 at headgate

MICROFILMED
JAN 25 1993

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AF/A	REC. CONS. USE
IRRIGATION	04-01 11-01	DATABASE ~~0.038~~ EXAMINER ~~0.038~~ 0.038	DATABASE EXAMINER 4.0	DATABASE ~~3.0~~ EXAMINER 3.0
TOTAL FOR THIS RIGHT		0.038	0.038	3.0

REVIEWED BY: SCC

DATE: 11-7-90 ~~11/7~~ 8/3/92

per Trans.

Sprinklers - 1 ac @ 0.03 = 0.03 + C.L.
Claimed 0.038 cfs.

MICROFILMED
JAN 25 1993

A. CHECK ONLY THE FOLLOWING THAT APPLY:

	ACCEPTED AS CLAIMED	NEEDS REVIEW
OWNERSHIP _____	(☒)	()
FORFEIT/ABANDON _____	()	()
ADDITIONAL DIV. AMOUNT _____	()	(☒)

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 36-00113

TOTAL DIVERSION RATE OF WR SPLITS	DATABASE 0.598	EXAMINER _____	CFS
-----------------------------------	-------------------	-------------------	-----

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
A36-00113	A36-00113B	0.038	-		36-00113	
A36-00113	A36-00113C	0.520	-		36-00113	
A36-00113	A36-00113E	0.130	-		36-00113	
A36-00113	A36-00113F	0.040	-		36-00113	
A36-00113	A36-00113G	0.120	-		36-00113	
-	-		-		36-00113A	
-	-		-		36-00113B	0.038
-	-		-		36-00113C	0.520
-	-		-		36-00113D	0.040
TOTAL CFS		0.848				0.598

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE N	FIELD EXAMINER <u>N</u>
---------------	-------------------------------

REMARKS:

xs flow claimed - See A36-00113C for Split Review
Not excess per analysis + conveyance loss

MICROFILMED
JAN 23 1994

=====

AUTHENTICATION:

SIGNATURE: Stim Cellis

DATE: 11-7-90

NAME OF FIELD EXAMINER: _____ TITLE: _____

=====

MICROFILMED

JAN 25 1993

REMARK AND CONDITION CODE WORKSHEET

SYSTEM CLAIM NUMBERS R36 00113B

AGENT

INITIALS

DATE _____

CLAIM NO.

**OR ENTRY
ORDER**

REMARK**CODE**

ENTRY DATA

CONDITION

CODE

STAGE

OR
STATUS

PRESUMPTION

CODE

Do 2

0.008 cfz

FOI


Padgett Ditch

~~5116~~~~0.03cf~~


MICROFILMED
JAN 25 1989

440 000
FEET

T
T



7/25/90



CONVERSATION MEMORANDUM

EMPLOYEE: _____

FILE A36-00113 B

RE: irrigation methods

DATE

NAME OF PARTY

ROBERT STROM

(837-6552)

*confirm sprinkler use. (if front lawn is flood get set & Rotation Times.)

7-17-92 10:30 am No Answer. SCC

7-21-92 8:45 am No Answer. SCC

7-27-92 6:30 pm No answer HHT

7-27-92 8:38 pm No answer HHT

7-29-92 Unable to contact claimant. Therefore
assume sprinklers @ 1"/ac. → 0.03 cfs
HHT

MICROFILMED
JAN 25 1993

Padgett Ditch

1 IRRIGATION ANALYSIS WORKSHEET

CLAIM NO. 36-00113.BDATE 7/9/92AGENT RVWCLAIMANT/SYSTEM DESCRIPTION Robert Strom - LAWNIRRIGATION SYSTEM ----- Sprinklers (sc)

ANALYSIS METHOD ----- BORDER / FURROW

TYPE OF CROP -----

MAXIMUM PROFILE DEPTH ----- 60" INCHESINTAKE FAMILY ----- 2 / 0.55

SOIL TYPE ----- FAC ----- SYSTEM TOTALACRES PER TYPE ----- 1 ----- 1.0 ACRESSOIL PROFILE WHC ----- 5.7" -----DESIGN IRR $\frac{1}{2}$ WHC ----- 60" -----

CROP REQUIREMENT:

REPORT AREA & FIGURE NO. ----- Bliss 10-8

DAILY CROP REQUIREMENT:

----- (MM/DAY) / 25.4 (FACTOR IN MM/IN) ----- IN/DAY

ACTUAL ROTATION PRACTICED ----- DAYS

DRY DAY ROTATION ----- IRR DAY ROTATION -----

THEORETICAL ROTATION:

----- DESIGN IRR / ----- CROP REQ = ----- DAYS

DESCRIPTION OF FIELD:

AVERAGE LENGTH RUN -----

TOTAL WIDTH OF FIELD -----

CHECK ----- L * ----- W / 43,560 = ----- ACRES

% SLOPE ----- 3.5%

BORDER WIDTH -----

----- WIDTH OF FIELD / ----- DAYS OF ROTATION

FURROW / CORRUGATION WIDTH -----

SET TIME -----

MICROFILMED
JAN 25 1993

DECREED RIGHT SPLIT ANALYSIS

PARENT RIGHT NO. 36-00113 TOTAL DIVERSION RATE 0.598 (see below)
 PREPARATION DATE 7-29-92 HHT

CLAIM PORTION	CLAIMED RATE	RECOMMENDED RATE	# acres	IS CLAIMED RATE EXCEEDED BY ANALYSIS	CONVEYANCE LOSS	DOES DIV RATE + CALC. C.L. EXCEED CLAIMED RATE	TOTAL RECOMMENDED DIV. RATE
<i>Paragall Ditch</i> B	0.038	0.03	1.0	N	0.01	Y	0.038
D	0.04	0.04	1.0	Y	0	NA	0.04
G	0.12	0.12	2.2	Y	0	NA	0.12
H	0.34	0.03	1.0	N	0	N	0.03
J	0.18	0.18	3.5	Y	0	NA	0.18
<i>ID Power Ditch</i> E	0.13	0.08	1.0	N			

Parent Recommended

B 0.038 B 0.030 ✓ + 0.008 C.L.

D 0.04 D 0.04 ✓

C 0.52
 G 0.12
 H 0.03
 J 0.18
 E 0.08
 } 0.41 ✓

Parent Rts

36-00113 A

36-00113 B

36-00113 C

36-00113 D

0.038

0.520

0.040

0.558

— claimed in total

MICROFILMED
A 20 1992



CECIL D. ANDRUS
Governor

State of Idaho
DEPARTMENT OF WATER RESOURCES
Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 736-3033

R. KEITH HIGGINSON
Director

CONVEYANCE LOSS - WORSTELL


REACH	LENGTH (FT)	AVE WIDTH (FT)	SEEPAGE (FT/DAY)	WORSTELL LOSS (CFS)	DELIVERY (CFS)	DELIVERY LEFT (CFS)	LOSS FACTOR	DELIVERY LOSS (CFS)	FLOW (CFS)
1	300	3.0	2.00	0.02	0.03	1.48	0.0154	0.00	1.70
2	400	3.0	2.00	0.03	0.37	1.45	0.0209	0.01	1.64
3	150	3.0	2.00	0.01	0.26	1.08	0.0105	0.01	1.24
4	2000	3.0	2.00	0.15	0.82	0.82	0.1849	0.19	0.97
5	0	0.0	0.00	0.00	0.00	0.00	0.0000	0.00	0.00
6	0	0.0	0.00	0.00	0.00	0.00	0.0000	0.00	0.00
7	0	0.0	0.00	0.00	0.00	0.00	0.0000	0.00	0.00
8				0.00		0.00	0.0000	0.00	0.00
9				0.00		0.00	0.0000	0.00	0.00
10				0.00		0.00	0.0000	0.00	0.00
11				0.00		0.00	0.0000	0.00	0.00
12				0.00		0.00	0.0000	0.00	0.00
13				0.00		0.00	0.0000	0.00	0.00
14				0.00		0.00	0.0000	0.00	0.00
15				0.00		0.00	0.0000	0.00	0.00
16				0.00		0.00	0.0000	0.00	0.00
17				0.00		0.00	0.0000	0.00	0.00
18				0.00		0.00	0.0000	0.00	0.00
19				0.00		0.00	0.0000	0.00	0.00
20				0.00		0.00	0.0000	0.00	0.00
TOTALS	2850			0.22	1.48			0.22	

REACH = SECTION OF CHANNEL
LENGTH = LENGTH OF REACH, THE CHANNEL CAN BE DIVIDED INTO EQUAL LENGTH REACHES
OR ACTUAL LENGTHS BETWEEN DELIVERY POINTS
AVE WIDTH = AVERAGE TOP WIDTH OF REACH
SEEPAGE = SOIL SEEPAGE RATE OF REACH
WORSTELL LOSS = CONVEYANCE LOSS IN REACH BASED ON WORSTELL METHOD
DELIVERY = TOTAL DELIVERIES IN REACH
DELIVERY LEFT = SUM(DELIVERIES OF CURRENT AND REMAINING REACHES)
LOSS FACTOR = WORSTELL LOSS/DELIVERY LEFT
DELIVERY LOSS = SUM(LOSS FACTORS OF CURRENT AND PREVIOUS REACHES) X DELIVERY,
REPRESENTS THE LOSSES ASSIGNED TO THE DELIVERIES IN THE REACH
FLOW = TOTAL FLOW AT BEGINNING OF EACH REACH

PADGETT
DITCH

7-29-92
SC

MICROFILMED
JAN 25 1993



T6S
T7S

PADGETT DITCH

CONVEYANCE
2850'

Harmon
0.6
4'

Crown
15,000
4

Brickland
14,350
12,000
8'

Sandy
13,000
1'

Bell
23,000
7

Rocky
31,000
1'