



37-7214

T06S R14E
S18, S19 & S20



Map prepared by: Carter Fritschle
Date prepared: 11/05/01
1987-1988 NAPP photography
Idaho Department of Water Resources
Revised 07/31/02

07/31/2002

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 37-7214

NAME AND ADDRESS: LITTLE SKY FARMS
HC 60 BOX 1745
BLISS ID 83314

SOURCE: GROUND WATER

TRIBUTARY:

QUANTITY: 2.90 CFS
872.0 AFY

PRIORITY DATE: 03/28/1973

POINT OF DIVERSION:

T06S R14E S19 SENE Within GOODING County

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE
IRRIGATION

PERIOD OF USE
03/15 11/15

QUANTITY
2.900 CFS
872.00 AFY

PLACE OF USE: IRRIGATION Within GOODING County

T06S R14E S18	SESW	1.6	T06S R14E S18	SWSE	9.9
T06S R14E S18	SESE	0.5	T06S R14E S19	NENE	18.0
T06S R14E S19	NWNE	40.0	T06S R14E S19	SWNE	37.0
T06S R14E S19	SENE	35.0	T06S R14E S19	NENW	25.0
T06S R14E S19	SENW	17.0	T06S R14E S20	SWNW	34.0

218 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:


THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT
ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY
DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE
ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.

EXPLANATORY MATERIAL: License


USE OF THIS RIGHT IS COMBINED WITH WATER FROM NORTH SIDE CANAL
CO. LTD.

37-7214

T06S R14E
S18, S19 & S20



include



Map prepared by: Carter Fritschle
Date prepared: 11/05/01
1987-1988 NAPP photography
Idaho Department of Water Resources

05/14/2002

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 37-7214

NAME AND ADDRESS: LITTLE SKY FARMS
HC 60 BOX 1745
BLISS ID 83314

SOURCE: GROUND WATER

TRIBUTARY:

QUANTITY: 2.90 CFS
812.4 AFY

PRIORITY DATE: 03/28/1973

POINT OF DIVERSION:

T06S R14E S19 SENE Within GOODING County

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE

PERIOD OF USE

QUANTITY

IRRIGATION

03/15 11/15

2.900 CFS
812.40 AFY

PLACE OF USE: IRRIGATION Within GOODING County

T06S R14E S18	SESW	1.6	T06S R14E S18	SWSE	10.0
T06S R14E S18	SESE	0.5	T06S R14E S19	NENE	18.0
T06S R14E S19	NWNE	40.0	T06S R14E S19	SWNE	37.0
T06S R14E S19	SENE	34.0	T06S R14E S19	NENW	25.0
T06S R14E S19	SENW	17.0	T06S R14E S20	SWNW	20.0

203.1 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT
ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY
DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE
ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.
THE REMAINDER OF THIS RIGHT WAS FORFEITED FOR NON-USE FROM
1981 TO 1987.

EXPLANATORY MATERIAL: License

USE OF THIS RIGHT IS COMBINED WITH WATER FROM NORTH SIDE CANAL
CO. LTD.

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A37-07214
Date Received: 6/30/1988
Receipt No: S000639
Received By: W

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: EUGENE MORRIS 208-837-4430
Address: STAR RT. HC60, BOX 1490
BLISS, ID 83314

AND/OR

Name: PEGGY MORRIS 208-837-4430
Address: STAR RT. HC60, BOX 1490
BLISS, ID 83314

2. Date of Priority: MAR 28, 1973

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
06S	14E	19	SE	NE			GOODING

5. Description of diverting works:
WELL, PUMP & STOCK TANK.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	2.900		
STOCKWATER	01/01	12/31	0.050		

7. Total Quantity Appropriated is:
2.900 C.F.S. (and/or) 872.00 A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
S/200 CATTLE

A37-07214

Page 1

Date: 06/30/88

MICROFILMED
FEB 24 1993

10. Place of Use:

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
06S	14E	18	SE		SW		IRR	3.0
			SW		SE		IRR	10.0
			SE		SE		IRR	5.0
			Section Acres					18.0
		19	NE		NE		IRR	25.0
			NW		NE		IRR	40.0
			SW		NE		IRR	35.0
			SE		NE		IRR	40.0
			NE		NW		IRR	20.0
			SE		NW		IRR	10.0
			Section Acres					170.0
		20	SW		NW		IRR	30.0
			Section Acres					30.0
			Total Acres					218.0

11. Place of use in counties: GOODING

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: LICENSE
Water Right Number:

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Eugene Morris Date: 30 June 88

Date: _____

State of Idaho)
County of T.F.) SS.

Subscribed and sworn (or affirmed) before me this 30 day

of June 19 88

Loni White
Notary Public

Seal

Residing at T.F.

My Commission Expires 5/95

37-7214

WMD

POD Data

06S 14E 19 SENE

Legal Description	GPS Site ID	Diversion Name	Meas Option	POD
06S 14E 19 SENE	A0004192	WELL 2;100 Hp w/ BOOSTER		401708
Latitude 042:53:24.100	Longitude -114:49:56.320	GPS File C071621A	PCC (2)	
Comments OWNERSHIP CHANGED TO LITTLE SKY ON 3/1/00 (gpm 3/28/00)				

PCC Data

Year	Total KWH	PCC Acre-Ft	Qualifier	PCC	PCC Date	Utility	Account Number	Service Number
1997	183040.00	458.1	2	399.6	08/13/1997	IP	17550010117	
Comments:						Tracking:	Preferred:	Validated:
1998	152040.00	380.49	2	399.6	08/13/1997	IP	17550010117	
Comments:						Tracking:	Preferred:	Validated:
1999	189960.00	475.38	2	399.6	08/13/1997	IP	17550010117	
Comments:						Tracking:	Preferred:	Validated:
2000	150400.00	376.39	2	399.59	08/13/1997	IP	17550010117	
Comments:						Tracking:	Preferred:	Validated:

PCC Calibration

Date	PCC	Change Date																																																								
08/08/2001	439.4	8/15/2001																																																								
<table border="1"> <thead> <tr> <th colspan="2">Kilowatt-Hour Meter</th> <th>Condition #1</th> <th>KW</th> <th>GPM</th> <th>PCC</th> <th>PSI</th> <th>Percent</th> </tr> </thead> <tbody> <tr> <td>Utility</td> <td>IP</td> <td></td> <td>73.33</td> <td>882</td> <td>451.54</td> <td>68</td> <td>75</td> </tr> <tr> <td>Pole No</td> <td>1278</td> <td>Descrip</td> <td colspan="5">One pivot running</td> </tr> <tr> <td>Meter Mfgr</td> <td>G</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Meter S/N</td> <td>92610748</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Disk Const</td> <td>4.8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Multiplier</td> <td>40</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Kilowatt-Hour Meter		Condition #1	KW	GPM	PCC	PSI	Percent	Utility	IP		73.33	882	451.54	68	75	Pole No	1278	Descrip	One pivot running					Meter Mfgr	G							Meter S/N	92610748							Disk Const	4.8							Multiplier	40						
Kilowatt-Hour Meter		Condition #1	KW	GPM	PCC	PSI	Percent																																																			
Utility	IP		73.33	882	451.54	68	75																																																			
Pole No	1278	Descrip	One pivot running																																																							
Meter Mfgr	G																																																									
Meter S/N	92610748																																																									
Disk Const	4.8																																																									
Multiplier	40																																																									
<table border="1"> <thead> <tr> <th colspan="2">Kilowatt-Hour Meter</th> <th>Condition #2</th> <th>KW</th> <th>GPM</th> <th>PCC</th> <th>PSI</th> <th>Percent</th> </tr> </thead> <tbody> <tr> <td>Utility</td> <td>IP</td> <td></td> <td>75.77</td> <td>996</td> <td>413.16</td> <td>62</td> <td>15</td> </tr> <tr> <td>Pole No</td> <td>1278</td> <td>Descrip</td> <td colspan="5">Two pivots running</td> </tr> <tr> <td>Meter Mfgr</td> <td>G</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Meter S/N</td> <td>92610748</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Disk Const</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Multiplier</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Kilowatt-Hour Meter		Condition #2	KW	GPM	PCC	PSI	Percent	Utility	IP		75.77	996	413.16	62	15	Pole No	1278	Descrip	Two pivots running					Meter Mfgr	G							Meter S/N	92610748							Disk Const								Multiplier							
Kilowatt-Hour Meter		Condition #2	KW	GPM	PCC	PSI	Percent																																																			
Utility	IP		75.77	996	413.16	62	15																																																			
Pole No	1278	Descrip	Two pivots running																																																							
Meter Mfgr	G																																																									
Meter S/N	92610748																																																									
Disk Const																																																										
Multiplier																																																										
<table border="1"> <thead> <tr> <th colspan="2">Kilowatt-Hour Meter</th> <th>Condition #3</th> <th>KW</th> <th>GPM</th> <th>PCC</th> <th>PSI</th> <th>Percent</th> </tr> </thead> <tbody> <tr> <td>Utility</td> <td>IP</td> <td></td> <td>77.46</td> <td>1051</td> <td>400.27</td> <td>59</td> <td>10</td> </tr> <tr> <td>Pole No</td> <td>1278</td> <td>Descrip</td> <td colspan="5">three pivots running Booster plumbed in but doesn't use</td> </tr> <tr> <td>Meter Mfgr</td> <td>G</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Meter S/N</td> <td>92610748</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Disk Const</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Multiplier</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Kilowatt-Hour Meter		Condition #3	KW	GPM	PCC	PSI	Percent	Utility	IP		77.46	1051	400.27	59	10	Pole No	1278	Descrip	three pivots running Booster plumbed in but doesn't use					Meter Mfgr	G							Meter S/N	92610748							Disk Const								Multiplier							
Kilowatt-Hour Meter		Condition #3	KW	GPM	PCC	PSI	Percent																																																			
Utility	IP		77.46	1051	400.27	59	10																																																			
Pole No	1278	Descrip	three pivots running Booster plumbed in but doesn't use																																																							
Meter Mfgr	G																																																									
Meter S/N	92610748																																																									
Disk Const																																																										
Multiplier																																																										
<table border="1"> <thead> <tr> <th colspan="2">Kilowatt-Hour Meter</th> <th>Condition #1</th> <th>KW</th> <th>GPM</th> <th>PCC</th> <th>PSI</th> <th>Percent</th> </tr> </thead> <tbody> <tr> <td>Utility</td> <td>IP</td> <td></td> <td>108</td> <td>1504</td> <td></td> <td>46</td> <td>40</td> </tr> <tr> <td>Pole No</td> <td>1278</td> <td>Descrip</td> <td colspan="5">PUMP/BOOSTER, PIVOT/HL</td> </tr> <tr> <td>Meter Mfgr</td> <td>G</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Meter S/N</td> <td>92610748</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Disk Const</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Multiplier</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Kilowatt-Hour Meter		Condition #1	KW	GPM	PCC	PSI	Percent	Utility	IP		108	1504		46	40	Pole No	1278	Descrip	PUMP/BOOSTER, PIVOT/HL					Meter Mfgr	G							Meter S/N	92610748							Disk Const								Multiplier							
Kilowatt-Hour Meter		Condition #1	KW	GPM	PCC	PSI	Percent																																																			
Utility	IP		108	1504		46	40																																																			
Pole No	1278	Descrip	PUMP/BOOSTER, PIVOT/HL																																																							
Meter Mfgr	G																																																									
Meter S/N	92610748																																																									
Disk Const																																																										
Multiplier																																																										
<table border="1"> <thead> <tr> <th colspan="2">Kilowatt-Hour Meter</th> <th>Condition #2</th> <th>KW</th> <th>GPM</th> <th>PCC</th> <th>PSI</th> <th>Percent</th> </tr> </thead> <tbody> <tr> <td>Utility</td> <td>IP</td> <td></td> <td>76.6</td> <td>1017</td> <td></td> <td>67</td> <td>60</td> </tr> <tr> <td>Pole No</td> <td>1278</td> <td>Descrip</td> <td colspan="5">PUMP, PIVOT ONLY</td> </tr> <tr> <td>Meter Mfgr</td> <td>G</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Meter S/N</td> <td>92610748</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Disk Const</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Multiplier</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Kilowatt-Hour Meter		Condition #2	KW	GPM	PCC	PSI	Percent	Utility	IP		76.6	1017		67	60	Pole No	1278	Descrip	PUMP, PIVOT ONLY					Meter Mfgr	G							Meter S/N	92610748							Disk Const								Multiplier							
Kilowatt-Hour Meter		Condition #2	KW	GPM	PCC	PSI	Percent																																																			
Utility	IP		76.6	1017		67	60																																																			
Pole No	1278	Descrip	PUMP, PIVOT ONLY																																																							
Meter Mfgr	G																																																									
Meter S/N	92610748																																																									
Disk Const																																																										
Multiplier																																																										
<table border="1"> <thead> <tr> <th colspan="2">Kilowatt-Hour Meter</th> <th>Condition #3</th> <th>KW</th> <th>GPM</th> <th>PCC</th> <th>PSI</th> <th>Percent</th> </tr> </thead> <tbody> <tr> <td>Utility</td> <td>IP</td> <td></td> <td>0</td> <td>0</td> <td></td> <td>0</td> <td>0</td> </tr> <tr> <td>Pole No</td> <td>1278</td> <td>Descrip</td> <td colspan="5"></td> </tr> <tr> <td>Meter Mfgr</td> <td>G</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Meter S/N</td> <td>92610748</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Disk Const</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>Multiplier</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>			Kilowatt-Hour Meter		Condition #3	KW	GPM	PCC	PSI	Percent	Utility	IP		0	0		0	0	Pole No	1278	Descrip						Meter Mfgr	G							Meter S/N	92610748							Disk Const								Multiplier							
Kilowatt-Hour Meter		Condition #3	KW	GPM	PCC	PSI	Percent																																																			
Utility	IP		0	0		0	0																																																			
Pole No	1278	Descrip																																																								
Meter Mfgr	G																																																									
Meter S/N	92610748																																																									
Disk Const																																																										
Multiplier																																																										

Legal Description	GPS Site ID	Diversion Name	Meas Option	POD
-------------------	-------------	----------------	----------------	-----

Site Visits

Site Visit Date	Site Examiner	Reason	Change Date:
8/8/2001	CHODGES	PCC Calibration	8/15/2001
Notes:	Since the ownership change in 2000 this system has run off of pressure instead of volume. Each well has its own pressure system and will shut off or turn on as needed. They are also mixing canal water at points in the system.		
8/13/1997	CHODGES	PCC Calibration	
Notes:			
7/16/1997	CHODGES	Inventory	
Notes:			



Point of Diversion

(ALL DISTRICTS)

GPS Site ID Tag	A0004192	Legal Description	06S 14E 19 SENE	POD Number	401708								
GPS Site ID Tag	A0004192	Legal Description	06S 14E 19 SENE	POD Number	401708								
Data Summary		Diversion Name: WELL 2:100 Hp w/ BOOSTER											
Tag Location:	SERVICE POLE	Twp	06S	Range	14E	Section	19	1/4 of	SE	1/4 of	NE	Lot	
Description:		OWNERSHIP CHANGED TO LITTLE SKY ON 3/1/00 (gpm 3/28/00)											
GPS File:		C071621A											
GPS Number:		401708											
Source:		Ground Water											

Latitude:	42	53	24.1	Longitude:	-114	49	56.320	Altitude:	1022.45	Measurement Option:	PCC (2)
IDTM-X:	432036.74	IDTM-Y:	199161.15	District:	WMD	Access Port:		Flowmeter	PCC	Timeclock	Alternate
Reporter(s):	OWNER	Network:		Use Codes:		Water Levels	Site Visit	System	Crop History	Annual Report	
Last Name:	ELLIOT	First Name:	CINDY	Organization:	LITTLE SKY FARMS PARTNERSHIP						
Last Name:	MORRIS	First Name:	EUGENE & PEGGY	Organization:							
Record: 1 of 2											

Print Data

Reporters

Water Rights

Menu

Record: 1 of 2

Select POD Legal Description

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 37-7214 Priority March 28, 1973 Amount 2.90 cfs

THIS IS TO CERTIFY, that EUGENE MORRIS
of Bliss, Idaho, has complied with the terms and conditions of Permit
No. 37-7214 issued pursuant to Application for Permit dated March 28, 1973,
and has submitted proof to the Department of Water Resources on _____,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.90 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 15</u> to <u>November 15</u>	at <u>2.90</u> cfs and	<u>872</u> acre feet
	from _____ to _____	at _____ cfs and	_____
	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 2.90 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
872 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 19, Twp. 6S,
Rge. 14E, B.M. in the County of Gooding

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6S	14E	18												3			10	5	18
		19	25	40	35	40	20			10									170
		20							30										30

Total number of acres irrigated 218

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 29th day of
February, 19 80.

Deputy Director

DATE OF EXAM 5-10-78

ACREAGE

Found 218
Recommended 218

Irrigation Requirement 4.0 Ac Ft/Ac

USE

Irrigation Q = 2.90 c.f.s. V = 872 AF/Ann. from MARCH 15 to Nov. 15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge. _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 2.90 C.F.S. Method of measurement MCCROMETER

Total Q recommended 2.90 C.F.S. Meter No. 74-6-457 Type 12" Condition NEW

Total V recommended 872 AC FT/ANN.

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None ☒

MEASUREMENT CALCULATION:

1300 gal/MIN. ÷ 48.8 gal/min. = 2.90 C.F.S.

VOLUME (IRRIGATION REQUIREMENT) (218 ACRES) = 872 AC FT/ANN.
4.0 AC FT/AC.

SYSTEM DESCRIPTION:

VERTICAL MOTOR 100 HP. SERIAL # C52120Z
UNICLOSER MOTOR 50 HP. # 326T
(1) TOWER PIVOT SYSTEM, (3) HANDLINES (32) HD'S EACH SET.

REMARKS:

EUGENE MORRIS WAS PRESENT DURING THE FIELD EXAM.

NO LIVESTOCK
IN SEC. 20 SW 1/4, T6S R14E IS COVERED BY PERMIT # 37-7213

Examiner's Signature JOE J. FINDERBURG Date 10-15-78

Checked by J.F. FINDERBURG Date 10-17-78

Approved by _____ Date _____




Diagram of System