

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-02239
Date Received: 9/08/1989
Receipt No: S009110
Received By: lw

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: FRANKLIN SUHR
Address: RT. 1
PAUL, ID 83347 208-438-5957
2. Date of Priority: DEC 09, 1953
3. Source: GROUNDWATER Trib. to:
4. Point of Diversion:
- | Township | Range | Section | 1/4 of | 1/4 of | 1/4 | Lot | County |
|----------|-------|---------|--------|--------|-----|-----|----------|
| 09S | 23E | 4 | SE | SW | | | MINIDOKA |
5. Description of diverting works:
200' WELL, 30HP PUMP
6. Water is used for the following purposes:
- | Purpose | From | To | C.F.S. | (or) | A.F.A. |
|------------|-------|-------|--------|------|--------|
| IRRIGATION | 03/15 | 11/15 | 1.000 | | |
7. Total Quantity Appropriated is:
1.000 C.F.S. (and/or) A.F.A.
8. Total consumptive use is 180.0 Acre Feet Per Annum.
9. Non-irrigation uses:
10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
09S	23E	4	SW	SW		IRR	40.0
			SE	SW		IRR	17.0
						Section Acres	57.0

A36-02239

Page 1

Date: 09/08/89

MICROFILMED

JAN 26 1993

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
09S	23E	9	NW	NW		IRR	3.0
Section Acres							3.0
Total Acres							60.0

11. Place of use in counties: MINIDOKA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A36-04092

14. Remarks:
ADDITIONAL WATER FILED ON IN 1960...A36-04092.

15. Basis of Claim: LICENSE
Water Right Number: 24603

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do do not wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments:

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Franklin G. Luhn Date: Sept. 8, 89
Date:

State of Idaho)
County of rf) SS.

Subscribed and sworn (or affirmed) before me this 9th day
of Sept 19 89 Loi White
Notary Public

Seal

Residing at rf
My Commission Expires 5/94

Water Right Number - 36-02239

Prefix Translation: WATER RIGHT

Old (D) Number - 24603

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
SUHR

FRANKLIN

1 - RT 1 BOX 89

2 -

3 -

City- PAUL

State- ID Zip- 83347

Phone - 208-438-5957

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - - +
12/09/1953 17 SOUTHERN L - LICENSE

+ - - - - Source - - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER

+ - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County Diversion Name
09S 23E 4 NW SE SW (67) MINIDOKA

Proofed 12-10-97 KKC

+ - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
01 - IRRIGATION 04/01 10/31 1.000

+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Div. Capacity - + + - Total Consumptive Use - + + - KW Usage - +
1.000 0.0

+ - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County
09S 23E 4 SW SW 37.0 01 IRRIGATION (67) MINIDOKA
09S 23E 4 SE SW 30.0 01 IRRIGATION (67) MINIDOKA
09S 23E 9 NW NW 3.0 01 IRRIGATION (67) MINIDOKA
Total Acres: 70.0

*updated 9-97
12- KKC*

+ - - Diversion Means - 200' WELL, 50HP PUMP

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - 36-04092

+ - - - - Remarks - - - - - +

*Paul GEN
EXP
QAT
Paul*

THIS RIGHT IS LIMITED TO THE IRRIGATION OF 60 ACRES WITHIN
THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.
RIGHT NO. 36-04092 IS ALSO DIVERTED THROUGH THE POINT OF
DIVERSION DESCRIBED ABOVE.

USE OF THIS RIGHT WITH RIGHT NO. 36-04092 IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 1.24 CFS, A TOTAL COMBINED
ANNUAL DIVERSION VOLUME OF 280 AF, A TOTAL COMBINED ANNUAL
CONSUMPTIVE USE VOLUME OF 210 AF, AND TO THE IRRIGATION OF A

Water right number - 36-02239

Prefix Translation: WATER RIGHT

+ - - - - *POW* - - - - - Remarks - - - - - +
COMBINED TOTAL OF 70 ACRES IN A SINGLE IRRIGATION SEASON.

+ - - - - - - - - - - - - - - - Old Water Right Numbers - - - - - +
No Old Water Right Numbers found.

+ - - - - - - - - - - - - - - - Conditions of Approval - - - - - +
C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
- SECTION 42-1425, IDAHO CODE.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - Audit Fields - 01/24/92 KEEN 07/18/92 POST-STD 08/28/92 PR-PRODM 11/02/92 CPSHAW 12/05/92 ADT-SHAW
03/29/95 POST-STD

+ - - Certified Numbers & Date Mailed - 257666 08/24/92

+ - - - - - - - - - - - - - - - -Comments- - - - - +
Date: 01/24/1992 User Id: KEEN Subject: CLAIM REVIEWER
DESKTOP REVIEW, FIELD INVESTIGATION, RECOMMENDATIONS, AND DATA ENTRY BY S.W. KEEN.

+ - - - - - - - - - - - - - - - Adjudication Rights Dates and Flags Area - - - - - +

| | | | | | |
|----------------------|--------------|-----------------------|--------------|-------------------------|---------|
| Court Report Filing | - 11/02/1992 | Field Inspection Made | - 01/15/1992 | Civil Case Number | - 39576 |
| Objection Filed Date | - 00/00/0000 | Field Inspection Flag | - | Old Case Number | - |
| Response Filed Date | - 00/00/0000 | Verified Date | - 01/24/1992 | Old Judicial District | - |
| Claim Received Date | - 09/08/1989 | Last Amended Date | - 00/00/0000 | Temporary Right | - P |
| Proof Due Date | - 00/00/0000 | Proof Made Date | - 00/00/0000 | Water District | - |
| Licensed Date | - 00/00/0000 | Receipt Number | - S009110 | Federal/State Indicator | - S |
| | | POU Ownership Flag | - Y | Presumption Flag | - C |
| | | Name Connector | - | Notice of Error Flag | - |

NO. OF CLAIMS IN POLYGON _____

TRANSFER NUMBER _____

CLAIM NUMBERS 36-2239

DATE _____

OBJECTION FILED _____

AGENT KKCTOTAL ACRES FROM RECOMMENDATION 70GEOGRAPHIC INFO SYSTEM 71.

| RIGHT
NO | | | | NE | | | | NW | | | | SW | | | | SE | | | |
|-------------|-----|-----|-----|----|----|----|----|-----|----|----|----|----|----|------|----|----|----|----|-----|
| | TNS | RNG | SEC | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE | NE | NW | SW | SE |
| RECOM | 95 | 23E | 4 | | | | | | | | | | | 37 | 30 | | | | |
| GIS | | | | | | | | | | | | | | 36.2 | 32 | | | | 67 |
| RECOM | 95 | 23E | 9 | | | | | 3 | | | | | | | | | | | 3 |
| GIS | | | | | | | | 2.9 | | | | | | | | | | | 2.9 |
| RECOM | | | | | | | | | | | | | | | | | | | |
| GIS | | | | | | | | | | | | | | | | | | | |
| RECOM | | | | | | | | | | | | | | | | | | | |
| GIS | | | | | | | | | | | | | | | | | | | |

UPDATED

POLYGON #

UPDATED

B36-DBPOU.DBF 8-8

POLYGON CREATED ON 604 (K)

ATTRIBUTES OF B36-POU.SHP 318 8-8B36-DBPOD.DBF 8-8ATTRIBUTES OF B36-POD.SHP 285 8-8

P/U unioned in 2 polygons
 1 in sec 4 (318)
 1 in sec 9 (319)

P/U CONFLICT yes () no (X)


P/D CONFLICT yes () no ()

READY FOR DECREE yes () no ()


SENT FOR DECREE yes () no ()

IDAHO DEPARTMENT OF WATER RESOURCES

36-02239 & 36-04092
FRANKLIN SUHR



TNS 9S, RNG 23E, SEC 4 & 9



- ⊙ B36-pod.shp
- Pou-outline.shp
- 09s23e.dxf
- 8
- T09s23eqq.shp

GIS PLACE OF USE PRESENTATION
1987 and/or 1988 NAPP PHOTOGRAPHY
DATA ENTRY AUGUST 1997
BY KELLY K CHRISTENSEN

R PROOF



CVR



MAPS



PHOTOS



MISC



| OWNER
CODE | NAME & ADDRESS | PRIORITY
DATE | WATER USE | USE PERIOD
FROM TO | DIVERSION
RATE | DIVERSION
VOLUME |
|---|---|------------------|---------------------------|---------------------------|---------------------------|-----------------------------|
| C | FRANKLIN SUHR
RT 1 BOX 89
PAUL ID 83347
(208) 438-5957 | 12/09/1953 | IRRIGATION | 04-01 10-31 | 1.00 CFS | |
| TOTAL DIVERSION: | | | | | 1.00 CFS | |
| Water Source: GROUNDWATER | | | Tributary to: | | Stage: LICENSE | |
| Point(s) of Diversion: | | T09S R23E S04 | NWSESW | | MINIDOKA County | |
| Place of use Legal Description for: IRRIGATION | | | | | | |
| NE NW SW SE | | | | | | |
| NENE NWNE SWNE SENE : NENW NWNW SWNW SENW : NESW NWSW SWSW SESW : NESE NWSE SWSE SESE : | | | | | | |
| T | R | S | : Lt Ac Lt Ac Lt Ac Lt Ac | : Lt Ac Lt Ac Lt Ac Lt Ac | : Lt Ac Lt Ac Lt Ac Lt Ac | : Lt Ac Lt Ac Lt Ac Lt Ac : |
| SUM | | | | | | |
| 09S | 23E | 4 | : | : | 37 30 | : |
| 09S | 23E | 9 | : | : | | : |
| TOTAL ACRES | | | | | | 70.0 |

Other Rights: 36-04092

Other Water Rights with Same Point(s) of Diversion and Source:
A36-02239 A36-04092 R36-04092

Other Water Rights Listing Overlapping Place(s) of use:
A01-10187Z1 A36-02236 A36-02239 A36-04092 R36-02236 R36-04092

Conditions of Approval:

C05 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN PLACE OF USE PURSUANT TO
- IDAHO CODE 42-1416A.

Remarks:

THIS RIGHT IS LIMITED TO THE IRRIGATION OF 60 ACRES WITHIN
THE PLACE OF USE DESCRIBED ABOVE IN A SINGLE IRRIGATION SEASON.
RIGHT NO. 36-04092 IS ALSO DIVERTED THROUGH THE POINT OF
DIVERSION DESCRIBED ABOVE.
USE OF THIS RIGHT WITH RIGHT NO. 36-04092 IS LIMITED TO A
TOTAL COMBINED DIVERSION RATE OF 1.24 CFS, A TOTAL COMBINED
ANNUAL DIVERSION VOLUME OF 280 AF, A TOTAL COMBINED ANNUAL
CONSUMPTIVE USE VOLUME OF 210 AF, AND TO THE IRRIGATION OF A
COMBINED TOTAL OF 70 ACRES IN A SINGLE IRRIGATION SEASON.

Dates: Exam Made Date: 01/15/1992 Verified Date: 01/24/1992

Misc: Water District Number: Field Inspection Flag:
Presumption Flag: C

Verified by S.W. Keen
1/27/92

JAN 26 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:01:09
12/13/90

PAGE: 11
QUICKLOOK INFORMATION

CLAIM NUMBER: A36-02239

| WR ELEMENT | FIELD EXAM
Y/N | CORRESPONDENCE
SENT/RECEIVED
BY WHOM/DATE | FIELD EXAM
BY WHOM/DATE | CHANGE
CLAIM
Y/N | VERIFIED BY
CODE | COMPLETED
REVIEW
WHOM/DATE | COMPLETED
DATA ENTRY
WHOM/DATE | VERIFIED
DATE
WHOM/DATE |
|---------------------------|-------------------|---|----------------------------|------------------------|---------------------|----------------------------------|--------------------------------------|-------------------------------|
| PRIORITY DATE | | | S.W. Keen
3/28/91 | No | 6 | S.W. Keen
1-24-92 | S.W. Keen
1-24-92 | S.W. Keen
1-27-92 |
| POINT OF DIV | Y | | S.W. Keen
3/28/91 | ~~No~~ Yes | 6, 5, 2 | | | |
| SOURCE | | | S.W. Keen
3/28/91 | No | 6, 5 | | | |
| PLACE OF USE | Y | | S.W. Keen
1/17/92 | Yes | 5, 4, 2 | | | |
| DIV. AMOUNT
CFS/VOLUME | | | S.W. Keen | No | 6 | | | |
| CONSUMPTIVE USE | - | | S.W. Keen
1/17/92 | Yes | 6 | | | |
| PURPOSES | | | S.W. Keen
3/28/91 | No | 1, 2, 4, 6 | | | |
| PERIOD OF USE | Y | | S.W. Keen
1/17/92 | Yes | 6 | | | |
| BASIS OF CLAIM | | | S.W. Keen
3/28/91 | No | 6 | | | |
| REMARKS | | | S.W. Keen
1/17/92 | Yes | 6 | | | |

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

Flag = ~~C~~ C
Cond. Code: C05
Remarks = K06 - 60 ACRES
= F05 - 36-04092
= E01 - 36-04092, 1.24 cfs, 280 AF, 210 AF, 70 ACRES.

JAN 26 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:01:09
12/13/90

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A36-02239

LAST: SUHR
ADDRESS: RT. 1 Box 89
CITY: PAUL
PHONE NUMBER: 208-438-5957

FIRST: FRANKLIN
STATE: ID ZIP: 83347

OWNER CODE: C

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

DATABASE
N

FIELD
EXAMINER

NO REMARKS IN CLAIM

FIELD EXAMINATION INFORMATION

CONTACT PERSON: Franklin Suhr

PHONE NUMBER: () 438 - 5957

DATE OF FIELD EXAM: 1/15/92

APPOINTMENT MADE: Y() N()

TIME: : A() P()

ACCOMPANIED BY: _____

PHONE NUMBER: () -

RELATIONSHIP TO CLAIMANT: Claimant

DIRECTIONS TO PROPERTY / REMARKS:

MICROFILMED

JAN 26 1993

A. AJ CLAIM: # A36-02239 PRIORITY DATE: 12-09-1953 STAGE: L
B. WR RECORD: # 36-02239 PRIORITY DATE: 12-09-1953 STAGE: L

C. FIELD EXAM REQUIRED?

DUE TO PRIORITY DATE DISCREPANCY? (Y/N)

DATABASE
N

FIELD
EXAMINER
S.W. Keen

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(X)
IF YES EXPLAIN.

REMARKS: Priority date claimed exactly as licensed. Recommend as licensed.

=====

RECOMMENDED PRIORITY DATE:
12-09-1953

REVIEWED BY Shelley Walter Keen

DATE 3/28/91

=====

MICROFILMED

JAN 26 1993

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

| RIGHT | TWP. | RGE. | SEC. | 1/4 | 1/4 | 1/4 | LOT | CNTY |
|-----------|------|------|------|-----|-----|-----|-----|----------|
| A36-02239 | 09S | 23E | 4 | | SE | SW | | MINIDOKA |

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
A36-04092 NONE

WR RECORDS IN SAME 40 ACRE TRACT
36-04092

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

| RIGHT | TWP. | RGE. | SEC. | 1/4 | 1/4 | 1/4 | LOT | CNTY |
|----------|------|------|------|-----|-----|-----|-----|----------|
| 36-02239 | 09S | 23E | 4 | | SE | SW | | MINIDOKA |

OTHER WR RECORDS WITH SAME WR POD

36-04092

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX
A36-04092 NONE
A36-11896

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N) N
DUE TO SOURCE DISCREPANCY? (Y/N) N

DATABASE
Y
N

FIELD
EXAMINER
S.W. Kees

REMARKS:

Field exam for A36-04092 on 1/15/92 showed the p/p to be NWSESW Section 4.

S.W. Kees
1/17/92

MICROFILMED

JAN 26 1993

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

| TWP. | RGE. | SEC. | 1/4 | 1/4 | 1/4 | LOT | COUNTY |
|------------|------------|----------|-----------|-----------|-----------|------------|-----------------|
| <u>09S</u> | <u>23E</u> | <u>4</u> | <u>NW</u> | <u>SE</u> | <u>SW</u> | <u>---</u> | <u>Minidoka</u> |

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY: S.W. Keen

DATE: 1/17/92

MICROFILMED

JAN 26 1993

A. ROOT WATER RIGHT NUMBERS: A36-02239

B. POU LISTING

| TWP | RNG | SEC | 1/4 | 1/4 | LOT | NAME | AJ
#/ACRES | WR
#/ACRES | LANDSAT
DATA | ASCS | FIELD
EXAM. | RECOMM.
ACRES | |
|-------------|-----|-----|-----|-----|-----|--------------------|------------------|----------------|-----------------|--------|-----------------|------------------|------|
| 09S | 23E | 9 | NW | NW | | SUHR , FRANKLIN | A36-02239 / 3.0 | 36-02239 / 3.0 | 40.0 | 2.0 | 3.3 | 3.0 | |
| | | | | | | ROSA , LAREN | A36-11832 / | - / | | | | | |
| | | | | | | LARGE CLAIM | A01-10187Z1/35.0 | - / | | | | | |
| | | | | | | ROSA , MELVIN (17) | A36-02236 /20.0 | 36-02236 /20.0 | | | | | |
| | | | | | | SUHR , FRANKLIN | A36-04092 / 3.0 | 36-04092 / 3.0 | | | | | |
| 09S | 23E | 4 | SW | SW | | SUHR , FRANKLIN | A36-02239 /40.0 | 36-02239 /40.0 | 40.0 | 70.2 | ~~37.0~~ | ~~40.0~~ | |
| | | | | | | LARGE CLAIM | A01-10187Z1/ 3.0 | - / | | | 37.6 | 37.0 | |
| | | | | | | SUHR , FRANKLIN | A36-04092 /40.0 | 36-04092 /40.0 | | | | | |
| 09S | 23E | 4 | SE | SW | | SUHR , FRANKLIN | A36-02239 /17.0 | 36-02239 /17.0 | 39.0 | 35.1 | ~~30.0~~ | 30.0 | |
| | | | | | | SUHR , FRANKLIN | A36-04092 /27.0 | 36-04092 /27.0 | | | | | |
| | | | | | | SUHR , FRANKLIN | A36-11896 / | - / | | | | | |
| | | | | | | LARGE CLAIM | A01-10187Z1/ 3.0 | - / | | | | | |
| TOTAL ACRES | | | | | | | A36-02239 | 60.00 | 60.00 | 119.00 | 72.2 | 76.0 | 70.0 |

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()
IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER

PRESUMPTION FLAG:

REMARKS:

SW¹/₄ SW¹/₄ -- Road on two sides and some farmstead located here.

Recommend permissible p.u. - 60 of 70 acres. Mr. Suhr stated that 70 acres is all he feels he needs to claim. See memo dated 1/21/92 in this file. spoken 1/21/92 Irrigation system covers a few more than 70 ACRES.

NAPP, USGS, and ASCS photography used.

RECOMMENDATIONS:

TOTAL ACRES: 70.0

REVIEWED BY: S.W. Keen

DATE: 1/21/92

1984 USGS
1987 NAPP
1980 STAT. CLAIM
(36-04092)

All support the
70 AC. P.O.U.
∴ change occurred
prior to
commencement.

MICROFILMED
JAN 26 1993

Roads
Farmstead

A. AJ CLAIMED USES:

| PURPOSES | MONTH/DAY | DIVERSION QUANTITY |
|-------------------------------------|---------------------|--------------------|
| A36-02239 IRRIGATION | FROM 03-15 TO 11-15 | 1.000 CFS |
| TOTAL DIVERSION RATE/VOLUME CLAIMED | | 1.000 CFS |

B. WR RECORDED USES:

| PURPOSES | MONTH/DAY | DIVERSION QUANTITY |
|-------------------------------------|-----------|--------------------|
| 36-02239 IRRIGATION | FROM TO | 1.000 CFS |
| TOTAL DIVERSION RATE/VOLUME CLAIMED | | 1.000 CFS |

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

| | DATABASE | FIELD EXAMINER |
|--|----------|----------------|
| DUE TO WATER-USE DISCREPANCY? (Y/N) | N | SW Keen |
| DUE TO DIVERSION RATE DISCREPANCY? (Y/N) | N | SW Keen |
| DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N) | Y | SW Keen |

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y(☒) N(☐)

RECOMMEND TO WR STANDARDS OR OTHER?

Y(☐) N(☐) Explain in remarks, below.

REMARKS:

* License establishes no season of use. Recommend to new standard season, which is 4-1 to 10-31. (SW Keen 1/21/92)

* Irrigation use verified from NAPP and ASCS photography. (Land obviously irrigated)

* Claimed diversion rate matches licensed diversion rate

MICROFILMED

JAN 26 1993

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y(X) N()

AJ TOTAL CLAIMED DIVERSION RATE: 1.000 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 1.000 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FIELD
DATABASE EXAMINER
N

B.

FLOW MEASUREMENT

MEASUREMENT METHOD _____, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y(Y) N() IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: A36-04092

LIST ALL RIGHTS WITH A SAME POU AND IRRIGATION USAGE:

| CLAIM | SOURCE | NAME | DIV. RATE | DIV. RATE/ACRE | DIV. VOL. | DIV. VOL./ACRE |
|-------------|-------------|-----------------|-----------|----------------|-----------|----------------|
| A36-02239 | GROUNDWATER | SUHR , FRANKLIN | 1.000 | 0.016 | | |
| A01-10187Z1 | LARGE CLAIM | LARGE CLAIM | 1070.120 | 0.030 | | |
| A36-04092 | GROUNDWATER | SUHR , FRANKLIN | 0.330 | 0.004 | | |

LIST ALL RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION.

| CLAIM NO. | PURPOSES | NAME | MONTH/DAY | RATE | VOLUME |
|-----------|------------|-----------------|---------------------|----------|--------|
| A36-11832 | DOMESTIC | ROSA , LAREN | FROM 01-01 TO 12-31 | .040 CFS | |
| A36-11832 | STOCKWATER | ROSA , LAREN | FROM 01-01 TO 12-31 | .020 CFS | |
| A36-11896 | DOMESTIC | SUHR , FRANKLIN | FROM 01-01 TO 12-31 | .060 CFS | |
| A36-11896 | STOCKWATER | SUHR , FRANKLIN | FROM 01-01 TO 12-31 | .030 CFS | |

MICROFILMED

JAN 26 1993

D. RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE
ACRES 60 x 0.02 CFS/ACRE = 1.2 CFS
(Taken from p/u review)

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(✓)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 180.0 AF/A

ACRES 60 x CONSUMPTIVE VOL. AF/A FOR AREA 3 =

TOTAL CONSUMPTIVE USE 180 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A

ACRES 60 x DIVERSION VOL. AF/A FOR AREA 4 =

TOTAL DIVERSION VOLUME 240 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(✓)

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

MICROFILMED

JAN 26 1993

RECOMMENDATIONS:

| REC.
PURPOSES | REC. PERIOD | | REC. DIV | | REC. DIV | | REC. CONS. | |
|----------------------|-------------------------|---------------------------|-------------------|---------------|------------------------|----------|-------------------------|------------------------|
| | FROM | TO | RATE | CFS | VOL. | AF/A | USE | |
| IRRIGATION | ~~03-15~~
4-1 | ~~11-15~~
10-31 | DATABASE
1.000 | EXAMINER
. | DATABASE | EXAMINER | DATABASE
180.0 | EXAMINER |
| TOTAL FOR THIS RIGHT | | | 1.000 | | Covered in
Remarks. | | ~~180.0~~
N/A | Covered in
Remarks. |

REVIEWED BY: S.W. Keen

DATE: 1/21/92

36-02239
+
36-04092
Combined

Div. Volume = 70 AC. x 4.0 AF/AC. = 280 AF
Cons. Use Volume = 70 AC. x 3.0 AF/AC. = 210 AF

MICROFILMED

JAN 26 1993

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/ABANDON _____
ADDITIONAL DIV. AMOUNT _____

| ACCEPTED
AS CLAIMED | NEEDS
REVIEW |
|------------------------|-----------------|
| () | () |
| () | () |
| () | () |

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 36-02239

| TOTAL DIVERSION RATE OF WR SPLITS | DATABASE
1.000 | EXAMINER
_____ | CFS |
|-----------------------------------|-------------------|-------------------|-----|
|-----------------------------------|-------------------|-------------------|-----|

SPLITS:

| OLD RIGHT
NUMBERS | CURRENT
CLAIM NUMBERS | DIVERSION
RATE | CURRENT "R"
CLAIM NUM. | "R" DIV.
RATE | WR RIGHT
NUMBERS | DIVERSION
RATE |
|----------------------|--------------------------|-------------------|---------------------------|------------------|---------------------|-------------------|
| - | A36-02239 | 1.000 | - | | 36-02239 | 1.000 |
| TOTAL CFS | | 1.000 | | | | 1.000 |

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
Y

FIELD
EXAMINER

REMARKS:

NO SPLITS

AUTHENTICATION:

SIGNATURE:

Shelley Walter Keen

DATE:

1-24-92

NAME OF FIELD EXAMINER:

Shelley Walter Keen

TITLE:

Sr. W.R. Agent

MICROFILMED

JAN 26 1993

R 23 E

NOT TO SCALE

600W

500W

WELL

Tract - Not HEL

37 AC.

30 AC.

A36-02239

+
A36-04092

1/24/92

5

4

678

2

24

8

9

T465

11332

3 AC

20

91

42

NO HEL

Tract - Not HEL

5

6.5

6

7

2

162

7

97

T177

1747

T466

1560

112

TRACT - Not HEL

2

199

T473

319

126

T178

1362

32

T467

314

16.1

2

20.5

4

9

MICROFILMED

JAN 26 1993


A36-02239

1/22/92

A36-04092

T09S, R23E, S04

Scale $\approx \frac{1}{5280}$



CLAIM NO. A36 - 02239
A36 - 04092

DATE OF PHOTO. January 15, 1992
TAKEN BY: S.W. Keen



* Point of diversion (Facing East)



*

Point of diversion (Facing Southeast - downhill across the place of use).

MICROFILMED

JAN 26 1993



State of Idaho

DEPARTMENT OF WATER RESOURCES

Southern Region, 222 Shoshone St. East, Twin Falls, Idaho 83301 (208) 734-3578

CECIL D. ANDRUS
Governor

R. KEITH HIGGINSON
Director

April 15, 1991

Franklin Suhr
Rt. 1 Box 89
Paul, ID 83347

RE: Field Examination of a Water Right Claimed in the Snake
River Basin Adjudication (SRBA) - A36-04092#

Dear Claimant:

The field staff of this agency plans to conduct water right field examinations in your area during April and May this year. These field examinations are necessary to verify your water use. The identification number of your water right claim which must be examined is shown above. If more than one of your water right claims is to be field examined, the additional claim identification numbers are listed below.

We will attempt to contact you by telephone to schedule a time to field examine your water right claim(s). At the time of the examination, we would appreciate the assistance of you or someone who is familiar with your water system.

If you have any questions regarding the field examination, please telephone me at our Boise office. You can reach me at 1-800-451-4129 or 327-7934.

Sincerely,

A handwritten signature in cursive script that reads 'Shelley Walter Keen'.

Shelley Walter Keen
Water Resource Agent

SWK:swk

A36-02239

MICROFILMED

JAN 26 1993

CLAIMANT'S NAME: Franklin Suhr

DATE: 1/21/92

COUNTY: Minidoka

EMPLOYEE: S.W. Keen

Today I called Mr. Suhr at 438-5957 to discuss his claimed place of use. After doing a field investigation on Mr. Suhr's farm on 1/15/92, I returned to the office and used the planimeter to check the number of irrigated acres. I found 76 acres. ASCS figures indicate 72.2 acres. Mr. Suhr has claimed only 70 acres. After some discussion during which I explained to Mr. Suhr that he may claim additional acres, he decided that he would be satisfied with a recommendation of 70 acres. We agreed to eliminate a 2.4 acre parcel on which he has irrigation district water.

Also, I explained permissible place of use, including what happens when property is sold. Mr. Suhr agreed that recommending permissible place of use for his rights would be okay.

1/21/92 Mr. Suhr called me back to say that he found his records regarding tests on 5-15-90 during which Mr. Bill Berry of BPA found that Mr. Suhr's pump could do the following:

| | |
|--------|----------|
| 60 lbs | 526 gpm |
| 55 psi | 555 gpm |
| 40 psi | 621 gpm. |

Mr. Suhr says he runs about 45 psi with four lines on.

MICROFILMED S.W. Keen

JAN 26 1993