

06/22/2002

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: July 23, 2002

Water right number: 37-8060

MICHAEL SLIMAN

PO BOX 491

GOODING ID 83330

Telephone Number: (208) 934-~~5408~~ 8109

MIKE SLIMAN

PO BOX 491

GOODING ID 83330

Telephone Number: (208) 934-5408

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 7/8/02

SIGNATURE: 

Please print your name: Michael Sliman

IDWR State Office, PO Box 83720, Boise ID 83707-9815

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

1

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A37-08060
Date Received: 8/23/1988
Receipt No: 5001670
Received By: Adm

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: MIKE SLIMAN 208-934-5408
Address: P.O. BOX 491
GOODING, ID 83330

AND/OR

Name: MICHAEL SLIMAN 208-934-5408
Address: P.O. BOX 491
GOODING, ID 83330

2. Date of Priority: DEC 09, 1982

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
05S	15E	32	NW	NW	NW		GOODING

5. Description of diverting works:
WELL, PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
COMMERCIAL	01/01	12/31	0.010		0.30

7. Total Quantity Appropriated is:
0.010 C.F.S. (and/or) 0.30 A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
C/ RESTROOM & MISC. USE IN SPRINKLER IRRIG. SUPPLY HOUSE

10. Place of Use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
05S	15E	32	NW NW		COMMER	

11. Place of use in counties: GOODING

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Mike Sloman Date: 8/23/88
[Signature] Date: 8/23/88

State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this 23rd day
of Aug 19 88 [Signature]
Notary Public

Seal

Residing at Kimberly, Id
My Commission Expires 6/30/94

MICROFILMED
FEB 24 1993

Map of Project: show clearly the point of diversion, place of use, section number, township, and range number.

Scale: 2 inches equals 1 mile (1" = 660')

29 R 15 E 29

321 PLACE OF USE 32

POINT OF DIVERSION

755

1 SEC 3 R

321 32

Last Name Sloman Ident No. _____

MICROFILMED
Copies: White-State, Yellow-Claimant
FEB 24 1993

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 37-8060 Priority December 9, 1982 Amount 0.01 cfs

THIS IS TO CERTIFY, that Mike Sliman
of Gooding, Idaho, has complied with the terms and conditions of Permit
No. 37-8060 issued pursuant to Application for Permit dated December 9, 1982,
and has submitted proof to the Department of Water Resources on February 11, 1985,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 0.01 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Commercial</u>	from <u>January 1</u> to <u>December 31</u>	at <u>0.01</u> cfs and	<u>0.3</u> acre feet
_____	from _____ to _____	at _____ cfs and	_____
_____	from _____ to _____	at _____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than 0.01 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
0.3 acre feet per year, said waters to be diverted within the NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 32,
Twp 5S, Rge 15E in the County of Gooding

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
5S	15E	32					X												

Total number of acres irrigated _____

JAN 29 1987

CONDITIONS OF APPROVAL

a. Modifications to or variance from this license must be made within the limits of Section 42-222, **Idaho Code**, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

b. The right to the use of the water hereby confirmed is restricted and appurtenant to lands or place of use herein described, and is subject to all prior water rights, as provided by the laws of Idaho.

c. Any water right confirmed in this license for hydropower purposes shall be junior and subordinate to all rights to the use of water, other than hydropower, within the State of Idaho that are initiated later in time than the priority of this license and shall not give rise to any right or claim against any future rights to the use of water other than hydropower, within the State of Idaho initiated later in time than the priority of this license.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 26TH day of DECEMBER, 19 86.

MICROFILMED

JAN 29 1987

Acting for the Director

Norman C Young

RECEIVED
FIGURE A

JUN 30 1986

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

BENEFICIAL USE FIELD REPORT

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 37-8060

1. Owner: Mike Sliman

Phone No. 934-5408

Current Address: Box 491 Gooding, ID 83330

2. Accompanied by: Owner

EXAM. DATE: 6-11-86

Address: _____

Phone No. _____

Relationship to Permit Holder: _____

3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: None

☐ Copies Attached


2. Other water rights with same point of diversion: None

☐ Copies Attached

☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and
place(s) of use (required).

☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).

JAN 29 1987

MICROFILMED

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

1/2 HP pump pumps water from well to a pressure tank (35 gal)
where it is divided. Part goes to restroom located inside
building and part goes to hydrant outside used to wash
equipment.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	No plate			No plate	
	Note: owner thinks pump is 1/2 HP				

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NW	NW	32	5S	15E	Gooding	USGS Quad map and aerial photo

6. Place(s) of Use:

Indicate Method of Determination Same as above

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5S	15E	32					C												

C = commercial

MICROFILMED

JAN 29 1987

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{1/2 \times 0.8 \times 8.8}{30 + \underset{\text{estimate}}{50 \text{ psi} \times 2.3}} = 0.02 \text{ cfs}$

Allow 0.01 cfs filed on.

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)
Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)
Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)
Meter Input HP: (6) x 1.34 = _____ (7)
Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)
Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____
 $V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____
 $V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

$\frac{50 \text{ spd} \times 5 \text{ employees} \times 365}{325900} = 0.3 \text{ afa}$

MicroFILMED

JAN 29 1987

H. REMARKS AND OVERLAP REVIEW ANALYSIS

The max number of employees using restroom is 5.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Commercial	Jan 1	Dec 31	0.01 cfs	0.3 afa
Totals:				

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name

Allen Merritt & Michael McCurdy

Signature

Allen Merritt & Michael McCurdy

Certification Date

Ron Howerton 5 Nov 86 (STATE OFF.)

Field Report Preparation Date

6-11-86


CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto. ADN 6/26/86

MICROFILMED

JAN 29 1987

37-8060



37-8060

T55 RISE

4
N

29
32

A776
(156a)
T-395

A222
(420a)
T-264

A493

A223

A238

MICROFILMED

JAN 29 1987

A 564
25(458a)
T-38
2.0

A47
402a
1.5

A240
(421a)
T-768


A478
(451a)
T-38

A670
(40a)
0.4

A835
(41a)
T-111C

B
10.2

B
7.1



37-8060



Point of diversion

MICROFILMED

JAN 29 1987