

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A36-02444
Date Received: 3/13/1990
Receipt No: S011494
Received By: See

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: LEON S. TIPPETT 208-734-1734
Address: P.O. BOX 1277
TWIN FALLS, ID 83303-1277

2. Date of Priority: JUN 28, 1960

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
10S	20E	15	SW	SE	SE		JEROME

5. Description of diverting works:
20"X 390' WELL, 400 HP PUMP, 125 HP BOOSTER, SPRINKLERS

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	10/31	3.600		

7. Total Quantity Appropriated is:
3.600 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 948.0 Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
10S	20E	15	NE	SW		IRR	40.0
			NW	SW		IRR	40.0
			SW	SW		IRR	39.0
			SE	SW		IRR	39.0

10. Place of Use: Continued

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
10S	20E	15	NE		SE		IRR	40.0
			NW		SE		IRR	40.0
			SW		SE		IRR	39.0
			SE		SE		IRR	39.0
Section Acres								316.0
Total Acres								316.0

11. Place of use in counties: JEROME

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A36-07150

14. Remarks:

15. Basis of Claim: LICENSE
Water Right Number: 28828

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): *[Signature]* Date: 13 Mar 90

Date: _____

State of Idaho)
County of Twin Falls) SS.

Subscribed and sworn (or affirmed) before me this 13th day
of March 19 90
[Signature]
Notary Public

Seal

Residing at Twin Falls
My Commission Expires Dec 7, 1994

4716

4715

4714

4713

4712

T.10S.

15

40

40

40

40

39

39

39

39

P.D.

R.20E.

A36-02444

JAN 28 1993

UNRECORDED

CANAL

Log for claim 36-02444



Spatial Dynamics LTD

9/17/01

TR	SEC	QQ	Acres Recommended	Acres Shaped	COMMENT
10s20e	15	NESW	40	40	
10s20e	15	NWSW	40	40	
10s20e	15	SWSW	39	39	
10s20e	15	SESW	39	39	
10s20e	15	NESE	40	40	
10s20e	15	NWSE	40	40	
10s20e	15	SWSE	39	39	
10s20e	15	SESE	39	39	
Totals:			316	316	

Water Right Number 36-02444
Township , 10S20E

09/17/2001



700 0 700 1400 Feet



DISTRICT COURT
SNAKE RIVER BASIN ADJUDICATION
STATE OF IDAHO



(208) 736-3011
FAX (208) 736-2121

SRBA CHAMBERS
P.O. BOX 2707
TWIN FALLS, IDAHO 83303-2707

September 13, 1999

RECEIVED

SEP 14 1999

Department of Water Resources
Southern Region

Keith Huettig
1908 E 1300 S
Hazelton, ID 83305

RE: Change in Ownership to Water Right(s) 36-02444 and 36-07150

Dear Mr. Huettig:

Mr. Leon Tippet recently notified the court that he sold property to you and that you should now be listed as the claimant to one or both water rights 36-02444 and 36-07150. Please contact your local office of the Idaho Department of Water Resources to complete a change of ownership for these rights. You can reach IDWR at 208-736-3033 or visit their offices at 1341 Fillmore Street, Suite 200, Twin Falls.

These water rights are currently before the court as part of the Snake River Basin Adjudication. From time to time, the court and other parties will be mailing information pertinent to your rights. So that you will receive this information, it is important that we have the correct claimant name and address.

Enclosed I am sending a copy of a document issued by the court on August 31 that pertains to water rights in IDWR Administrative Basin 36.

Sincerely,

A handwritten signature in dark ink, appearing to read "Diana R Delaney".

Diana R Delaney
Case Administrator

DRD

cc: Leon Tippet
Diana Jones, IDWR

36-02444

R PROOF



CVR




MAPS



PHOTOS



MISC



MICROFILMED
JAN 28 1993

VERIFIED BY

JAB

Water Right Number - R36-02444

Prefix Translation: RESEARCH

Old (D) Number - 28828

+ - - - - Last Name - - - - + + - First Name - - + + - - - - - Address - - - - - +

*** C - CURRENT OWNER ***
TIPPETT

LEON S.

1 - P.O. BOX 1277

2 -

3 -

City- TWIN FALLS

Phone - 208-734-1734

State- ID Zip- 833031277

+ - - Priority Date - - + + - - Region - - - + + - - Stage - - - + + - - Status - - - +
06/28/1960 17 SOUTHERN L - LICENSE+ - - - - Source - - - - - + + - - - - - Tributary - - - - - +
GROUNDWATER+ - - - - - - - - - - - - - Point of Diversion - - - - - +
Twn Rng Sec Tract Lot RFlg County

10S 20E 15 SW SE SE (53) JEROME

+ - - - - - - - - - - - - - Water Use - - - - - +
Code Description Period From Period To Diversion Rate Diversion Volume
01 - IRRIGATION 03/15 11/15 3.600 1264.00+ - Total Div. Rate - + + - Total Div. Volume - + + - Total Consumptive Use - + + - KW Usage - +
3.600 1264.00 948.0+ - - - - - - - - - - - - - Place of Use - - - - - +
Twn Rng Sec Tract Lot Acres Code Description County
10S 20E 15 NE SW 40.0 01 IRRIGATION (53) JEROME
10S 20E 15 NW SW 40.0 01 IRRIGATION (53) JEROME
10S 20E 15 SW SW 39.0 01 IRRIGATION (53) JEROME
10S 20E 15 SE SW 39.0 01 IRRIGATION (53) JEROME
10S 20E 15 NE SE 40.0 01 IRRIGATION (53) JEROME
10S 20E 15 NW SE 40.0 01 IRRIGATION (53) JEROME
10S 20E 15 SW SE 39.0 01 IRRIGATION (53) JEROME
10S 20E 15 SE SE 39.0 01 IRRIGATION (53) JEROME

Total Acres: 316.0

+ - - Diversion Means - 20"X 390' WELL, 400 HP PUMP, 125 HP BOOSTER, SPRINKLERS

+ - - Non-Irrigation Use -

+ - - Other Rights for Same Use - NONE

+ - - - - - - - - - - - - - Remarks - - - - - +
RIGHT NO. 36-07150 IS ALSO DIVERTED THROUGH POINT OF DIVERSION
DESCRIBED ABOVE, AND THE TOTAL COMBINED RATE OF DIVERSION OF

MICROFILMED

JAN 28 1993

Water right number - R36-02444

Prefix Translation: RESEARCH

+ - - - - Remarks - - - - -
THESE RIGHTS IS LIMITED TO 3.64 CFS (capacity of the
diversion system).

+ - - - - Old Water Right Numbers - - - - -
No Old Water Right Numbers Found

+ - - - - Conditions of Approval - - - - -
No Conditions of Approval found.

+ - - - - Decree Plaintiff - - - + + - - - - Decree Defendant - - - + + - Decree Date - +
00/00/0000

+ - - - - Comments - - - - -
No Comments Found

+ - - Audit Fields - - +
09/13/91 BROWN

+ - - - - Adjudication Rights Dates and Flags Area - - - - -

| | | | | | |
|----------------------|--------------|-----------------------|--------------|-------------------------|---------|
| Court Report Filing | - 00/00/0000 | Field Inspection Made | - 00/00/0000 | Civil Case Number | - 39576 |
| Objection Filed Date | - 00/00/0000 | Field Inspection Flag | - | Old Case Number | - |
| Response Filed Date | - 00/00/0000 | Verified Date | - 09/13/1991 | Old Judicial District | - |
| Claim Received Date | - 03/13/1990 | Last Amended Date | - 00/00/0000 | Temporary Right | - P |
| | | Receipt Number | - S011494 | Water District | - |
| | | POU Ownership Flag | - Y | Federal/State Indicator | - S |
| | | Name Connector | - | Presumption Flag | - |
| | | | | Notice of Error Flag | - |

MICROFILMED
JAN 28 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

09:39:21
09/15/90

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A36-02444

LAST: TIPPETT
ADDRESS: P.O. BOX 1277
CITY: TWIN FALLS
PHONE NUMBER: 208-734-1734

FIRST: LEON S.
STATE: ID ZIP: 833031277

OWNER CODE: C

FIELD EXAM REQUIRED?

IFICATION REQUIRED DUE TO REMARKS?

NO REMARKS IN CLAIM

DATABASE
N

FIELD
EXAMINER

FIELD EXAMINATION INFORMATION

CONTACT PERSON: _____

PHONE NUMBER: (____) ____-____

DATE OF FIELD EXAM: 1/29/91

APPOINTMENT MADE: Y(____) N(____)

TIME: ____:____ A(____) P(____)

ACCOMPANIED BY: None

PHONE NUMBER: (____) ____-____

RELATIONSHIP TO CLAIMANT: _____

DIRECTIONS TO PROPERTY / REMARKS:

MICROFILMED

JAN 28 1993

A. AJ CLAIM: # A36-02444 PRIORITY DATE: 06-28-1960 STAGE: L
B. WR RECORD: # 36-02444 PRIORITY DATE: 06-28-1960 STAGE: L

C. FIELD EXAM REQUIRED?

DUE TO PRIORITY DATE DISCREPANCY? (Y/N) DATABASE FIELD
N EXAMINER

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N()
IF YES EXPLAIN.

REMARKS:

RECOMMENDED PRIORITY DATE:
06-28-1960

REVIEWED BY

DATE

MICROFILMED

JAN 28 1993

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

| RIGHT | TWP. | RGE. | SEC. | 1/4 | 1/4 | 1/4 | LOT | CNTY |
|-----------|------|------|------|-----|-----|-----|-----|--------|
| A36-02444 | 10S | 20E | 15 | SW | SE | SE | | JEROME |

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
A36-07150 NONE

WR RECORDS IN SAME 40 ACRE TRACT
36-07150

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

| RIGHT | TWP. | RGE. | SEC. | 1/4 | 1/4 | 1/4 | LOT | CNTY |
|----------|------|------|------|-----|-----|-----|-----|--------|
| 36-02444 | 10S | 20E | 15 | | SE | SE | | JEROME |

OTHER WR RECORDS WITH SAME WR POD

36-07150

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX
A36-07150 NONE

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)

DATABASE
Y
N

FIELD
EXAMINER

REMARKS:

Appears Correct

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

| TWP. | RGE. | SEC. | 1/4 | 1/4 | 1/4 | LOT | COUNTY |
|------|------|------|-----|-----|-----|-----|--------|
|------|------|------|-----|-----|-----|-----|--------|

| | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|
| --- | --- | --- | OK | --- | --- | --- | --- |
| --- | --- | --- | --- | --- | --- | --- | --- |

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY:

DATE:

AD

2/1/91

MICROFILMED

JAN 28 1993

A. ROOT WATER RIGHT NUMBERS: A36-02444

B. POU LISTING

| TWP | RNG | SEC | 1/4 | 1/4 | LOT | NAME | AJ
#/ACRES | WR
#/ACRES | LANDSAT
DATA | FIELD
EXAM. | RECOMM.
ACRES |
|-------------|-----|-----|-----|-----|-----|------------------|------------------|-----------------|-----------------|----------------|------------------|
| I05 | 20E | 15 | NE | SW | | TIPPETT, LEON S. | A36-02444 740.0 | 36-02444 740.0 | 39.0 | 40 | 40 |
| I05 | 20E | 15 | NW | SW | | TIPPETT, LEON S. | A36-02444 740.0 | 36-02444 740.0 | 38.0 | 40 | 40 |
| I05 | 20E | 15 | SW | SW | | TIPPETT, LEON S. | A36-02444 739.0 | 36-02444 739.0 | 39.0 | 39 | 39.0 |
| I05 | 20E | 15 | SE | SW | | TIPPETT, LEON S. | A36-02444 739.0 | 36-02444 739.0 | 39.0 | 39 | 39.0 |
| I05 | 20E | 15 | NE | SE | | TIPPETT, LEON S. | A36-02444 740.0 | 36-02444 740.0 | 37.0 | 39 | 40 |
| | 20E | 15 | NW | SE | | TIPPETT, LEON S. | A36-02444 740.0 | 36-02444 740.0 | 39.0 | 40 | 40 |
| I05 | 20E | 15 | SW | SE | | TIPPETT, LEON S. | A36-02444 739.0 | 36-02444 739.0 | 38.0 | 39 | 39 |
| I05 | 20E | 15 | SE | SE | | TIPPETT, LEON S. | A36-02444 739.0 | 36-02444 739.0 | 37.0 | 39 | 39 |
| TOTAL ACRES | | | | | | | A36-02444 316.00 | 36-02444 316.00 | 306.00 | | 316 |

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()

C. FIELD EXAM REQUIRED?

DUE TO POU DISCREPANCY? (Y/N)

DATABASE
Y

FIELD
EXAMINER

PRESUMPTION FLAG:

REMARKS:

RECOMMENDATIONS:

TOTAL ACRES: 316

REVIEWED BY: AD

DATE: 2/1/91

A. AJ CLAIMED USES:

| PURPOSES | MONTH/DAY | DIVERSION QUANTITY |
|-------------------------------------|---------------------|--------------------|
| A36-02444 IRRIGATION | FROM 04-01 TO 10-31 | 3.600 CFS |
| TOTAL DIVERSION RATE/VOLUME CLAIMED | | 3.600 CFS |

B. WR RECORDED USES:

| PURPOSES | MONTH/DAY | DIVERSION QUANTITY |
|-------------------------------------|---------------------|--------------------|
| 36-02444 IRRIGATION | FROM 04-01 TO 10-31 | 3.600 CFS |
| TOTAL DIVERSION RATE/VOLUME CLAIMED | | 3.600 CFS |

SUMPTION FLAG:

C. FIELD EXAM REQUIRED?

| | DATABASE | FIELD EXAMINER |
|--|----------|-------------------------------------|
| DUE TO WATER-USE DISCREPANCY? (Y/N) | N | ☒ |
| DUE TO DIVERSION RATE DISCREPANCY? (Y/N) | N | ☒ |
| DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N) | N | ☒ |

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

Y(☒) N(☐)

RECOMMEND TO WR STANDARDS OR OTHER?

Y(☒) N(☐) Explain in remarks, below.

REMARKS:

MICROFILMED

JAN 28 1993

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y() N()

AJ TOTAL CLAIMED DIVERSION RATE: 3.600 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 3.600 CFS

*** IF NO or IF STATUTORY CLAIM or BENEFICIAL USE then flow measurement required. ***
** If an amount smaller than the original diversion rate is **
** claimed and an exam is NOT required, explain in remarks. **

FLOW MEASUREMENT REQUIRED?

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FIELD
DATABASE EXAMINER
Y

FLOW MEASUREMENT

MEASUREMENT METHOD N/A , SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y() N() IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: A36-07150

NO CLAIMS FOUND WITH SAME POU AND IRRIGATION USAGE

NO RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE
ACRES 316 x 0.02 CFS/ACRE = 6.32 CFS
(Taken from p/u review)

1b. CALCULATIONS

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N()

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 948.0 AE/A

ACRES 316 x CONSUMPTIVE VOL. AE/A FOR AREA 3.0 =

TOTAL CONSUMPTIVE USE 948 AE/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AE/A

ACRES 316 x DIVERSION VOL. AE/A FOR AREA 4.0 =

TOTAL DIVERSION VOLUME 1264 AE/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N()

REMARKS: (Include limitations on CONSUMPTIVE USE for combined rights.)

No Overlap

MICROFILMED

JAN 28 1993

RECOMMENDATIONS:

| REC.
PURPOSES | REC. PERIOD
FROM TO | REC. DIV
RATE CFS | REC. DIV
VOL. AF/A | REC. CONS.
USE |
|----------------------|------------------------|---|--|---|
| IRRIGATION | 04-01 10-31 | DATABASE 3.600
EXAMINER ~~_____~~ | DATABASE 1264
EXAMINER ~~_____~~ | DATABASE 948.0
EXAMINER ~~_____~~ |
| TOTAL FOR THIS RIGHT | | 3.600 | | 948.0 |

REVIEWED BY: *AD*

DATE: *2/1/91*

Rights From Same P/D 36- 7150

~~Remark Code E7~~

*The system was last measured on
8-25-75 and was found to be 3.64*

Therefore Remark Code E7 is required

KKC

copy of field spec attached.

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/ABANDON _____
ADDITIONAL DIV. AMOUNT _____

| ACCEPTED
AS CLAIMED | NEEDS
REVIEW |
|------------------------|-----------------|
| () | () |
| () | () |
| () | () |

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 36-02444

TOTAL DIVERSION RATE OF WR SPLITS

DATABASE
3.600

EXAMINER

CFS

N/A

SPLITS:

| OLD RIGHT
NUMBERS | CURRENT
CLAIM NUMBERS | DIVERSION
RATE | CURRENT "R"
CLAIM NUM. | "R" DIV.
RATE | WR RIGHT
NUMBERS | DIVERSION
RATE |
|----------------------|--------------------------|-------------------|---------------------------|------------------|---------------------|-------------------|
| A36-02444 | A36-02444 | 3.600 | - | | 36-02444 | 3.600 |
| TOTAL CFS | | 3.600 | | | | 3.600 |

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, is the written review sheet attached? (Y/N)

DATABASE
Y

FIELD
EXAMINER

REMARKS:

AUTHENTICATION:

SIGNATURE:

DATE:

NAME OF FIELD EXAMINER: TITLE:

MICROFILMED

JAN 28 1993

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

09:39:21
09/15/90

PAGE: 11
QUICKLOOK INFORMATION

CLAIM NUMBER: A36-02444

| WR ELEMENT | FIELD EXAM
Y/N | CORRESPONDENCE
SENT/RECEIVED
BY WHOM/DATE | FIELD EXAM
BY WHOM/DATE | CHANGE
CLAIM
Y/N | VERIFIED BY
CODE | COMPLETED
REVIEW
WHOM/DATE | COMPLETED
DATA ENTRY
WHOM/DATE | VERIFIED
DATE
WHOM/DATE |
|---------------------------|-------------------|---|----------------------------|------------------------|---------------------|----------------------------------|--------------------------------------|-------------------------------|
| PRIORITY DATE | | | Adm | N | | 2nd review
by KRC-91 | 10/15 | |
| POINT OF DIV | Y | | | N | 1, 5 | | | |
| SOURCE | | | | N | | | | |
| PLACE OF USE | Y | | | N | 1, 5, 2 | | | |
| DIV. AMOUNT
CFS/VOLUME | | | | N | | | | |
| CONSUMPTIVE USE | - | | | N | | | | |
| PURPOSES | | | | N | | | | |
| PERIOD OF USE | | | | N | | | | |
| BASIS OF CLAIM | | | | N | | | | |
| REMARKS | | | | N | | | | |

VERIFIED BY CODES

TOPO MAP/ORTHO-PQ = 1
ASCS MAP = 2
WATERMASTER RECORDS = 3
NAVP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

S 4719

JAN 28 1953

35'

4718

4717


4716

4715

4714

32' 30"

4713



RECEIVED

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

MAY 22 1974

Name of permit holder Leon B. Tippet
Name of address Box 3455, Boise, ID 83703 Phone _____

Person to contact Clayton Kellinger, RFD, Declo, ID Phone 654-2361

2 Source of water supply, Groundwater ☒ Surface water ☐ _____
Tributary to _____ (name spring, stream, etc.)

3. Water will be used for the following purposes:

Amount 1.6 c.f.s. for irrigation
AF/Annum (nature of use)

Period of Use from Apr. 15 to May 15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
AF/Annum (nature of use)

Period of Use from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
AF/Annum (nature of use)

Period of Use from _____ to _____
(mo.-day) inclusive (mo.-day)

Other uses: _____

4 Total amount to be appropriated:

Max Rate of Diversion 1.6 cubic feet per second and annual volume _____ AF/Annum

5 Location of Point(s) of Diversion

| Township | N/S | Range | E/W | B.M. | Section | Subdivision | SE | 1/4 | SE | 1/4 | Jerome |
|----------|-----|-------|-----|------|---------|-------------|----|-----|----|-----|--------|
| 108 | N/S | Range | 20R | E/W | B.M. | Section | 15 | | | | |
| Township | N/S | Range | | E/W | B.M. | Section | | | | | County |
| Township | N/S | Range | | E/W | B.M. | Section | | | | | County |
| Township | N/S | Range | | E/W | B.M. | Section | | | | | County |

Other Points of Diversion: _____

Description of diverting works 400 hp pump motor, well 20", reduced to 18", 500' deep pump level 320', sprinkler system.

Measuring device required yes ☒ no ☐

6 Lands to be irrigated or place of use

| TWP | RANGE | SEC | NE 1/4 | | | | NW 1/4 | | | | SW 1/4 | | | | SE 1/4 | | | | TOTAL |
|-----|-------|-----|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|-------|
| | | | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | NE 1/4 | NW 1/4 | SW 1/4 | SE 1/4 | |
| 108 | 20R | 15 | | | 40 | 40 | | | | | | | | | | | | | 80 |

POOR ORIGINAL

MICROFILMED

JAN 28 1993

TOTAL ACRAGE

DATE OF EXAM

8-2-75

ACREAGE

Found

Recommended

68

68

Irrigation Requirement

4.0

Ac Ft/Ac

USE

Irrigation Q=

1.36

cfs

V=

272

Domestic Q=

cfs

V=

Livestock Q=

cfs

V=

AP/Ann. from

April 15

to

Nov 15

AP/Ann. from

to

AP/Ann. from

to

Is water mingled? yes

no

Name source

twp

N/S, Rge

E/W, B.M., Sec.

Sub.

1/4

1/4

County

Exchange? yes

no

Name source exchanged with

twp

N/S, Rge

E/W, B.M., Sec.

Sub.

1/4

1/4

County

Point of Injection

twp

N/S, Rge

E/W, B.M., Sec.

Sub.

1/4

1/4

County

Point of exchange

twp

N/S, Rge

E/W, B.M., Sec.

Sub.

1/4

1/4

County

Total Q measured

3.64 cfs

Method of measurement McGrometer

Total Q recommended

1.36 cfs

Meter No 74-14-397

Type 10"

Condition

NEW

Total V recommended

272 Ac Ft/A.N.

Recommended Amendments

P.D.

✓

Place of Use

✓

Other

✓

None

✓

MEASUREMENT CALCULATION

 $Q = 1.36 \text{ cfs} \cdot (.026 \text{ ft}^3) (68 \text{ Acres})$ $V = 272 \text{ Ac Ft} / \text{ANN} = (4.0 \text{ ft}^3 / \text{min}) (68 \text{ Acres})$ $Q = \text{Flow} = 3.64 \text{ cfs} = (1634 \text{ gal/min}) \cdot (4.0 \text{ ft}^3 / \text{min})$

SYSTEM DESCRIPTION:

Holladay 400 Hp #HJ1422621

Vertiline Layne & Boulev pump. D13116

Sprinkler System.

REMARKS:

POOR ORIGINAL

Examiner's Signature

Larry Funderburg

Checked by

Larry A. Blau

Approved by

Michael Slus

MICROFILMED

JAN 28 1993